

**SEVERE CONGESTION AND COUGH- dextromethorphan hbr, guaifenesin,  
phenylephrine hcl solution**  
**Family Dollar Services Inc**

-----  
**Family Wellness 44-004**

***Active ingredients (in each 20 mL)***

Dextromethorphan HBr 20 mg  
Guaifenesin 400 mg  
Phenylephrine HCl 10 mg

***Purpose***

Cough suppressant  
Expectorant  
Nasal decongestant

***Uses***

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - nasal congestion due to a cold

***Warnings***

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- heart disease
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- high blood pressure
- cough that occurs with too much phlegm (mucus)
- diabetes
- thyroid disease

## **When using this product**

**do not exceed recommended dosage.**

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- **do not take more than directed**
- do not take more than 6 doses in any 24-hour period
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over: 20 mL in dosing cup provided every 4 hours
- children under 12 years: do not use

### ***Other information***

- **each 20 mL contains:** sodium 9 mg
- use by expiration date on package
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

### ***Inactive ingredients***

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sodium metabisulfite, sorbitol, sucralose, xanthan gum

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal Display Panel***

**FAMILY  
Wellness™**

**\*COMPARE TO THE  
ACTIVE INGREDIENTS**

**IN MUCINEX®  
FAST-MAX® SEVERE  
CONGESTION & COUGH**

MAXIMUM STRENGTH  
**SEVERE CONGESTION  
& COUGH**

**Dextromethorphan HBr  
Guaifenesin  
Phenylephrine HCl**

**Cough Suppressant  
Expectorant  
Nasal Decongestant**

- **Controls Cough**
- **Relieves Nasal & Chest Congestion**
- **Thins & Loosens Mucus**

**AGES  
12 YEARS  
& OVER**

**6 FL OZ  
(177 mL)**

NDC 55319-204-45

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY  
SEAL UNDER CAP IS BROKEN OR MISSING**

**PARENTS:  
Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)**

\*This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Mucinex® FAST-MAX® Severe Congestion & Cough.  
50844      ORG042300445

**DISTRIBUTED BY: MIDWOOD BRANDS LLC,  
500 VOLVO PKWY, CHESAPEAKE, VA 23320 USA  
NOT 100% SATISFIED?**

Return within 30 days to the store of purchase for a refund (with receipt) or exchange.

**FAMILY**  
**Wellness™**

\*COMPARE TO THE  
ACTIVE INGREDIENTS  
IN MUCINEX®  
FAST-MAX® SEVERE  
CONGESTION & COUGH

MAXIMUM STRENGTH  
**SEVERE CONGESTION  
& COUGH**

AGES  
12 YEARS  
& OVER

Dextromethorphan HBr  
Guaifenesin  
Phenylephrine HCl

Cough Suppressant  
Expectorant  
Nasal Decongestant

- Controls Cough
- Relieves Nasal & Chest Congestion
- Thins & Loosens Mucus

**6 FL OZ  
(177 mL)**

F-004-45 ORG

NDC 55319-204-45

**PARENTS:**  
Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

PEEL BACK TAB TO READ  
COMPLETE DRUG FACTS  
AND INFORMATION

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY  
SEAL UNDER CAP IS BROKEN OR MISSING

**Drug Facts**

**Active ingredients  
(in each 20 mL)**

**Purpose**

Dextromethorphan HBr 20 mg..... Cough suppressant  
Guaifenesin 400 mg ..... Expectorant  
Phenylephrine HCl 10 mg ..... Nasal decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - nasal congestion due to a cold

SKU 988845



No print/No varnish  
Lot & Exp date

**Drug Facts (continued)**

**Warnings**

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- heart disease
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- high blood pressure
- cough that occurs with too much phlegm (mucus)
- diabetes
- thyroid disease

**When using this product do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Directions**

- do not take more than directed
- do not take more than 6 doses in any 24-hour period
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over: 20 mL in dosing cup provided every 4 hours
- children under 12 years: do not use

**Other information**

- each 20 mL contains: sodium 9 mg
- use by expiration date on package
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

**Inactive ingredients** anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sodium metabisulfite, sorbitol, sucralose, xanthan gum

**Questions or comments?**

1-800-426-9391

\*This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Mucinex® FAST-MAX® Severe Congestion & Cough.

50844 ORG042300445  
DISTRIBUTED BY: MIDWOOD BRANDS LLC,  
500 VOLVO PKWY, CHESAPEAKE, VA 23320 USA

NOT 100% SATISFIED?  
Return within 30 days to the store of purchase for a refund (with receipt) or exchange.

B-004-45  
ORG

**Family Wellness 44-004**

**SEVERE CONGESTION AND COUGH**

dextromethorphan hbr, guaifenesin, phenylephrine hcl solution

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55319-204
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 20 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

## Product Characteristics

<b>Color</b>	blue	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-204-45	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/04/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/04/2024	

**Labeler** - Family Dollar Services Inc (024472631)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(55319-204) , pack(55319-204)

Revised: 1/2024

Family Dollar Services Inc