MILK OF MAGNESIA- magnesium hydroxide liquid BETTER LIVING BRANDS, LLC

SC milk of mag original

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- usually produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL tablespoonful contains: magnesium 500 mg
- avoid freezing
- store at room temperature tightly closed

Inactive ingredients

purified water, sodium hypochlorite

Questions or Comments?

1-800-540-3765

package label



Compare to Phillips® Milk of Magnesia active ingredient*

Guaranteed NDC 21130-649-12

Milk of Magnesia

Magnesium Hydroxide Saline Laxative

- Effective Overnight Relief
- Cramp Free
- Stimulant Free

Original

12 FL OZ (355 mL)

TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS MISSING OR BROKEN.

Active ingredient (in each 15 mL) Magnesium hydroxide 1200 mg ..

Saline laxative

Purpose

- Use relieves occasional constipation (irregularity)
 - . generally produces bowel movement in 1/2 to 6 hours

Ask a doctor before use if you have

- · kidney disease
- a magnesium-restricted diet
 - · stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

you have rectal bleeding or no bowel movement after using this product, These could be signs of a serious condition. you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions • shake well before use

- do not exceed the maximum recommended daily dose in a 24 hour period · dose may be taken once a day preferably at bedtime, in divided doses, or as
- directed by a doctor drink a full glass (8 oz) of liquid with each dose

age	dose			
adults and children 12 years and over	30 mL to 60 mL			
children 6 to 11 years	15 mL to 30 mL			
children under 6 years	ask a doctor			

Other information • each 15 mL contains: magnesium 500 mg avoid freezing · store at room temperature tightly closed



Inactive ingredients

purified water, sodium hypochlorite

Questions or comments? 1-800-540-3765

*This product is not manufactured or distributed by Bayer Healthcare LLC, the owner of the registered trademark Phillips'® Milk of Magnesia.

DISTRIBUTED BY BETTER LIVING BRANDS LLC. P.O. BOX 99, PLEASANTON, CA 94566-0009 1-888-723-3929 www.betterlivingbrandsLLC.com

MADE IN U.S.A.



Scan here for more information

985-19112-0 REV GC0820

MILK OF MAGNESIA

magnesium hydroxide liquid

Product Information

HUMAN OTC DRUG NDC:21130-649 **Product Type** Item Code (Source)

ORAL Route of Administration

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ 3QY004S) (MAGNESIUM CATION - UNII: 16V31 HY838 HYDROXIDE ION - UNII: 91591V381P)	MAGNESIUM HYDROXIDE	1200 mg

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)			

l	Packaging				
# Item Code Package Description		Marketing Start Date	Marketing End Date		
	1	NDC:21130-649- 12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/18/2020	

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	08/01/2020	

Labeler - BETTER LIVING BRANDS, LLC (009137209)

Registrant - GCP Laboratories (965480861)

Establishment					
Name	Address	ID/FEI	Business Operations		
GCP Laboratories		965480861	manufacture(21130-649)		

Revised: 11/2023 BETTER LIVING BRANDS, LLC