

ARNICARE BRUISE- arnica montana cream

Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Arnicare Bruise Cream

Arnica montana 1X HPUS 7% **

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Reduces pain, swelling, and discoloration from bruises*

Uses*

reduces symptoms of bruising such as:

- pain
- swelling
- discoloration

For external use only.

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- condition persists for more than 3 days or worsens
- symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply a thin layer of Arnicare Bruise to affected area and massage gently as soon as possible after minor bruise. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Bruise.

Other information

- do not use if glued carton end flaps are open or if the tube seal is broken
- store at 68-77° F (20-25° C)

Net Wt. 1.4 oz (40g)

Bruise Relief*

Pain Swelling Discoloration*

Moisturizing Formula

Fade Bruises

Fragrance-Free

‡ Homeopathic mother tincture made from Arnica montana fresh whole plant.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

alcohol, caprylyl glycol, carbomer, cetyl palmitate, glycerin, lauroyl macroglycerides, pegoxol-7 stearate, purified water, sodium hydroxide, sorbic acid, 1,2-hexanediol

Questions or comments?

Arnicare.com | BoironUSA.com

Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

Drug Facts (continued)
Inactive ingredients
alcohol, caprylyl glycol, carbomer, cetyl palmitate, glycerin, lauroyl macroglycerides, pegoxol-7 stearate, purified water, sodium hydroxide, sorbic acid, 1,2-hexanediol

Questions or comments?
Arnicare.com | BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1 (1-800-264-7661)

ARNICA MONTANA #1 BRUISE REDUCER

The Boiron Promise
Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073
please recycle

3 06969 08512 7

NDC 0220-9085-60

BRUISE RELIEF*
Pain • Swelling
Discoloration*

From the French Mountains to You

Boiron Arnicare Bruise is made with one pure active ingredient: Arnica montana. This wild mountain daisy has been used for centuries to relieve muscle aches and bruises. Our Arnica is sustainably harvested by hand in the mountains of France. Within 48 hours, these freshly picked plants arrive at our laboratories to become one of the most widely used homeopathic medicines around the world.

- Carefully selected
- Laboratory tested
- Unsurpassed quality since 1932

We take care of it, it takes care of you.

ARNICA MONTANA #1 BRUISE REDUCER

NET WT. 1.4 oz (40g)

BOIRON®
World Leader in Homeopathic Medicines

Drug Facts

Active ingredient**	Purpose
Arnica montana 1X HPUS 7%	Reduces pain, swelling, and discoloration from bruises

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses* reduces symptoms of bruising such as:
■ pain ■ swelling ■ discoloration

Warnings
For external use only.
Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product
■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
■ use only as directed
■ do not tightly wrap or bandage the treated area
■ do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if
■ condition persists for more than 3 days or worsens
■ symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of Arnicare Bruise to affected area and massage gently as soon as possible after minor bruise. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Bruise.

Other information
■ do not use if glued carton end flaps are open or if the tube seal is broken
■ store at 68-77°F (20-25°C)

*Homeopathic mother tincture made from Arnica montana fresh whole plant.
*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts
Active ingredient Arnica montana 1X HPUS 7% **Purpose** Reduces pain, swelling, and discoloration from bruises.

Uses reduces symptoms of bruising such as:
 ■ pain ■ swelling ■ discoloration

Warnings
 For external use only. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.
When using this product ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
 ■ use only as directed ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use. **Stop use and ask a doctor if**
 ■ condition persists for more than 3 days or worsens
 ■ symptoms clear up and occur again within a few days.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of Arnicare Bruise to affected area and massage gently as soon as possible after minor bruise. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Bruise.

Other information ■ do not use if glued carton end flaps are open or if the tube seal is broken
 ■ store at 68-77°F (20-25°C)

Inactive ingredients alcohol, caprylyl glycol, carbomer, cetyl palmitate, glycerin, lauryl macroglycol ether, pegoxxol-7 stearate, purified water, sodium hydroxide, sorbic acid, 1,2-hexanediol

Made in France
 Distributed by Boiron Inc., Newtown Square, PA 19073
 1-800-801-1111 (1-800-264-7861)
 Arnicare.com

NDC 0220-9085-60

BRUISE RELIEF
 Pain • Swelling
 Discoloration

Arnicare®
 —BRUISE CREAM
 HOMEOPATHIC MEDICINE

Moisturizing Formula

■ Fades Bruises
 ■ Fragrance-Free

NET WT.
 1.4 oz (40 g)

BOIRON®
 World Leader in Homeopathic Medicines

ARNICARE BRUISE

arnica montana cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-9085
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARNICA MONTANA (UNII: O80TY208Z W) (ARNICA MONTANA - UNII:O80TY208Z W)	ARNICA MONTANA	1 [hp_X] in 1 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
CETYL PALMITATE (UNII: 5ZA2S6B08X)	
GLYCERIN (UNII: PDC6A3C0OX)	
CARBOMER 934 (UNII: Z135WT9208)	
ALCOHOL (UNII: 3K9958V90M)	
HYDROGENATED PALM/PALM KERNEL OIL PEG-6 ESTERS (UNII: 8EPU9MJ01K)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEGOXOL 7 STEARATE (UNII: 3EW5AXE5X5)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
WATER (UNII: 059QF0KO0R)	

SORBIC ACID (UNII: X045WJ989B)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-9085-60	1 in 1 PACKAGE	01/21/2021	
1		1 [hp_X] in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/21/2020	

Labeler - Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-9085)

Revised: 5/2023

Boiron