CHILDRENS ROBITUSSIN COUGH AND CHEST CONGESTION DMdextromethorphan hydrobromide, guaifenesin liquid Haleon US Holdings LLC

Drug Facts

Active ingredients (in each 5 ml)

Dextromethorphan HBr, USP 5 mg Guaifenesin, USP 100 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not useif you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor ifcough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- measure only with dosing cup provided
- keep dosing cup with product
- ml = milliliter
- do not take more than 6 doses in any 24-hour period

age	dose
children under 4 years	do not use
children 4 to under 6 years	5 ml every 4 hours
children 6 to under 12 years	10 ml every 4 hours
adults and children 12 years and over	20 ml every 4 hours

Other information

- each 5 ml contains:sodium 3 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, artificial flavor, FD&C blue no. 1, FD&C red no. 40, glycerin, natural flavor, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose

Questions or comments?

call weekdays from 9 AM to 5 PM EST at 1-800-762-4675

For most recent product information, visit www.robitussin.com

Distributed by:

Pfizer, Madison, NJ 07940 USA

PRINCIPAL DISPLAY PANEL

NEW Dosing Information

Children's Robitussin [®] NOW FOR AGES 4 & OVER

Cough & Chest Congestion

DM

DEXTROMETHORPHAN HBr (Cough Suppressant) GUAIFENESIN (Expectorant)

Relieves:

- ✓ Chest Congestion/Mucus
- ✓ Cough

Non-Drowsy

grape

flavor

4 FI 07



CHILDRENS ROBITUSSIN COUGH AND CHEST CONGESTION DM

dextromethorphan hydrobromide, guaifenesin liquid

Active Ingredient/Active Moiety

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0031-8715
Route of Administration	ORAL		

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
PROPYLENE GLYCOL, (R)- (UNII: 602HN5L69H)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		
SORBITOL (UNII: 506T60A25R)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		

Product Characteristics			
Color	purple (purple)	Score	
Shape		Size	
Flavor	GRAPE (grape)	Imprint Code	
Contains			

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0031- 8715-10	1 in 1 CARTON	07/01/2014		
1		118 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/01/2014	

Labeler - Haleon US Holdings LLC (079944263)

Revised: 3/2024 Haleon US Holdings LLC