

**ACETAMINOPHEN AND DIPHENHYDRAMINE HYDROCHLORIDE- acetaminophen
and diphenhydramine hydrochloride tablet
KROGER COMPANY**

Drug Facts

Active ingredients (in each gelcap)

Acetaminophen USP 500 mg
Diphenhydramine hydrochloride USP 25 mg

Purpose

Pain reliever
Nighttime sleep-aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- with other drugs containing acetaminophen
- more than 4,000 mg of acetaminophen in 24 hours
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- if you are allergic to acetaminophen or any of the inactive ingredients in this product
- in children under 12 years of age

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
- new symptoms occur
- redness or swelling is present
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 gelcaps at bedtime
 - do not take more than 2 gelcaps of this product in 24 hours.
- children under 12 years: do not use

Other information

- avoid high humidity

- store at 20° to 25°C (68° to 77°F)
- use by expiration date on package

Inactive ingredients

ammonium hydroxide, black iron oxide, colloidal silicon dioxide, croscarmellose sodium, FD&C blue #1, FD&C red #3, gelatin, hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch (maize), propylene glycol, shellac glaze, talc, and titanium dioxide.

Questions or comments?

1-800-632-6900

**DISTRIBUTED BY THE KROGER CO.
CINCINNATI, OHIO 45202
MADE IN INDIA**

Code: TS/DRUGS/16/2014

**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL 500 mg / 25 mg (50 Caplets
Bottle)**

NDC 30142-193-14
Kroger®

**Extra Strength
Acetaminophen PM
Acetaminophen USP, 500 mg**

**Diphenhydramine
Hydrochloride USP, 25 mg
Pain Reliever,
Nighttime Sleep Aid
Rapid Release**

Non-Habit
Forming

**50
GELCAPS**



DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN.
DO NOT USE IF PRINTED FOIL SEAL UNDER CAP IS TORN OR MISSING.

Drug Facts

Active ingredients (in each caplet)
Acetaminophen USP 500 mg. Diphenhydramine hydrochloride USP 25 mg.
Uses temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness
Warnings
Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take: with other drugs containing acetaminophen more than 4,000 mg of acetaminophen in 24 hours 3 or more alcoholic drinks every day while using this product.
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin redness blisters rash
If a skin reaction occurs, stop use and seek medical help right away.
Do not use with any other drug containing acetaminophen (prescription or nonprescription); if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. with any other product containing diphenhydramine, even one used on skin if you are allergic to acetaminophen or any of the inactive ingredients in this product
 in children under 12 years of age. **Ask a doctor before use if you have** liver disease a breathing problem such as emphysema or chronic bronchitis difficulty in urination due to enlargement of the prostate gland glaucoma. **Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin taking sedatives or tranquilizers
When using this product drowsiness will occur avoid alcoholic beverages do not drive a motor vehicle or operate machinery. **Stop use and ask a doctor if** pain gets worse or lasts more than 10 days sleeplessness persists continuously for more than 2 weeks. new symptoms occur redness or swelling is present fever gets worse or lasts more than 3 days. These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.
Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
Directions do not take more than directed adults and children 12 years and over take 2 gelscaps at bedtime do not take more than 2 gelscaps of this product in 24 hours. children under 12 years: do not use. **Other information** avoid high humidity store at 20° to 25° (68° to 77°). use by expiration date on package. **Inactive ingredients** ammonium hydroxide, black iron oxide, colloidal silicon dioxide, croscarmellose sodium, FD&C blue #1, FD&C red #3, gelatin, hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch (maize), propylene glycol, stibac glaze, talc, and titanium dioxide.
Questions or comments? 1-800-652-8900

Code: TS/DRUGS/16/2014
DISTRIBUTED BY
THE KROGER CO.
-CINCINNATI,
OHIO 45202
MADE IN INDIA
Contains
No Aspirin
Lot:
EXP:
Unvarnish Zone

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL 500 mg / 25 mg (50 Caplets Bottle Carton)

**COMPARE TO the active ingredients of
EXTRA STRENGTH TYLENOL[®] PM^{*} See top panel
Kroger[®]
Extra Strength**

NDC 30142-193-14

**Acetaminophen PM
Acetaminophen USP, 500 mg
Diphenhydramine Hydrochloride USP, 25 mg
Pain Reliever, Nighttime Sleep Aid
Rapid Release**

Non-Habit Forming
DO NOT USE WITH OTHER MEDICINES
CONTAINING ACETAMINOPHEN

actual size
50GELCAPS



ACETAMINOPHEN AND DIPHENHYDRAMINE HYDROCHLORIDE

acetaminophen and diphenhydramine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-193
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
AMMONIA (UNII: 5138Q19F1X)	
FERROSO FERRIC OXIDE (UNII: XMOM87F357)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
HYDROXYPROPYL CELLULOSE (110000 WAMW) (UNII: 5Y0974F5PW)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE 101 (UNII: 7T9FYH5QMK)	
MICROCRYSTALLINE CELLULOSE 102 (UNII: PNR0YF693Y)	
POLYETHYLENE GLYCOL 4000 (UNII: 4R4HFI6D95)	
POVIDONE K90 (UNII: RDH86HJV5Z)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	blue (Dark blue and Light blue with white band)	Score	no score
Shape	CAPSULE (Biconvex)	Size	20mm
Flavor		Imprint Code	T;6
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-193-14	1 in 1 CARTON	03/06/2021	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/06/2021	

Labeler - KROGER COMPANY (006999528)

Registrant - Aurohealth LLC (078728447)

Establishment

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	analysis(30142-193) , manufacture(30142-193)

Revised: 12/2023

KROGER COMPANY