

ACETANILIDUM- acetanilide pellet
Washington Homeopathic Products

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS

ACTIVE INGREDIENTS

ACETANILIDUM 30C

USES

To relieve the symptoms of fainting.

KEEP OUT OF REACH OF CHILDREN

Keep this and all medicines out of reach of children.

INDICATIONS

Indications:

ACETANILIDUM Fainting

STOP USE AND ASK DOCTOR

If symptoms persist/worsen or if pregnant/nursing, stop use and consult your practitioner.

DIRECTIONS

Adults: Dissolve 3 to 5 under the tongue three times a day or as directed by Lic. Practitioner. Take at greater intervals as condition subsides. Children: Dissolve 3 to 5 under the tongue three times a day or as directed by Lic. Practitioner. Take at greater intervals as condition subsides.

INACTIVE INGREDIENTS

Sucrose/Lactose

PRINCIPAL DISPLAY PANEL

The OTC potency range of ACETANILIDUM is 3x–30x, 2c–30c, 200c, 1m, 10m, 50m, and CM. Availability is subject to change.



Homeopathic Medicine

Contents: 1 oz Sucrose/Lactose Pills HPUS

Acetanilidum 30C *Fainting*

Directions: Dissolve 4 under the tongue 3 times a day. Repeat at greater intervals as condition subsides. Or as directed by a licensed practitioner. **Warning:** If symptoms persist/worsen or if pregnant/nursing, consult your practitioner. Keep out of reach of children. Do not use if seal is broken.

Washington Homeopathic Products Lot 13689
260 JR Hawvermale Way, Berkeley Springs, WV 25411
800-336-1695 • homeopathyworks.com • Est No. 3006489197

All WHP single remedies are made to order; thus, the labels are printed on the same label stock as the orders are filled.

‘Bottle Size’ and ‘Potency’ vary on the label depending on customer choice.

Standard bottle sizes for pellet-form remedies are 2 dram, 4 dram, 1 ounce, 2 ounce, and 4 ounce.

ACETANILIDUM

acetanilide pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68428-863
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETANILIDE (UNII: SP86R356CC) (ACETANILIDE - UNII:SP86R356CC)	ACETANILIDE	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-863-03	75 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/31/2012	
2	NDC:68428-863-05	150 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/31/2012	
3	NDC:68428-863-11	300 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/31/2012	
4	NDC:68428-863-12	600 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/31/2012	
5	NDC:68428-863-06	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/31/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/31/2012	

Labeler - Washington Homeopathic Products (084929389)

Establishment

Name	Address	ID/FEI	Business Operations
Washington Homeopathic Products		084929389	manufacture(68428-863)

Revised: 7/2016

Washington Homeopathic Products