ACETAMINOPHEN- acetaminophen tablet, coated Central Texas Community Health Centers

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Acetaminophen Tablets

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 325 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - muscular aches
 - backache
 - minor pain of arthritis
 - the common cold
 - toothache
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 12 tablets in 24 hours, which is the maximum daily amount
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if the user has liver disease.

Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days in adults and in children 12 years and over
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

| adults and children 12 years and over | take 2 tablets every 4 to 6 hours while symptoms last do not take more than 12 tablets in 24 hours |
|--|--|
| children 6-11 years | take 1 tablet every 4 to 6 hours while symptoms last do not take more than 5 tablets in 24 hours |
| children under 6 years | do not use this adult product in children under 6 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage |

Other information

- store between 20°-25°C (68°-77°F)
- retain carton for complete product information

Inactive ingredients

crospovidone, methylparaben, povidone, pregelatinized starch, propylparaben, sodium starch glycolate, stearic acid

Distributed By McKesson One Post Street, San Francisco, CA 94104

PRINCIPAL DISPLAY PANEL - 325 MG Tablet Bottle Label

CommUnityCare Federally Qualified Health Centers

ACETAMINOPHEN 325MG #30 TABS

Date:

Name:

Dr.

TAKE AS DIRECTED.

123456

ACETAMINOPHEN 325mg #30 NDC 76413-301-30

Batch: 123456 Lot: 123456 Exp: 1/1/01 SUNMARK

Federal law prohibits the transfer of this drug to any other person than the patient for whom prescribed.

CommUnityCare Federally Qualified Health Centers

ACETAMINOPHEN 325MG #30 TABS

Date:

Name: Dr.

TAKE AS DIRECTED.

TOME COMO INDICADO.

123456

1/1/01

ACETAMINOPHEN 325mg #30 NDC 76413-301-30

Batch: 123456 Lot: 123456 Exp: 1/1/01

SUNMARK

Federal law prohibits the transfer of this drug to any other person than the patient for whom prescribed.

ACETAMINOPHEN

acetaminophen tablet, coated

Product Information

| 1 Todact Illiot mation | | | |
|------------------------|----------------|--------------------|------------------------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:76413-301(NDC:49348-973) |

Route of Administration ORAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength

| 8 | 3 | 3 |
|--|---------------|--------|
| Acetaminophen (UNII: 362O9ITL9D) (Acetaminophen - UNII:362O9ITL9D) | Acetaminophen | 325 mg |

| Inactive Ingredients | | |
|--|----------|--|
| Ingredient Name | Strength | |
| PO VIDO NES (UNII: FZ989GH94E) | | |
| STARCH, CORN (UNII: O8232NY3SJ) | | |
| SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B) | | |
| STEARIC ACID (UNII: 4EL V7Z65AP) | | |

| Product Characteristics | | | |
|-------------------------|-------|--------------|------------|
| Color | WHITE | Score | 2 pieces |
| Shape | ROUND | Size | 10 mm |
| Flavor | | Imprint Code | M2A3;57344 |
| Contains | | | |

| Packaging | | | |
|---------------------------------|--|-------------------------|-----------------------|
| # Item Code Package Description | | Marketing Start Date | Marketing End Date |
| 1 NDC:76413-301- 30 | 30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|-------------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC MONOGRAPH NOT FINAL | part343 | 12/13/2012 | |
| | | | |

Labeler - Central Texas Community Health Centers (079674019)

| Establishment | | | |
|--|---------|-----------|---------------------------------------|
| Name | Address | ID/FEI | Business Operations |
| Central Texas Community Health Centers | | 079674019 | REPACK(76413-301), RELABEL(76413-301) |

Revised: 3/2016 Central Texas Community Health Centers