CHILDRENS ALLERGY- fexofenadine hcl suspension Family Dollar (FAMILY WELLNESS)

DRUG FACTS

Active ingredient (in each 5 mL)

Fexofenadine HCL, USP 30 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

Direction

- shake well before using
- use only with enclosed dosing cup

adults and children 12 years of age and over	take 10 mL every 12 hours; do not take more than 20 mL in 24 hours
children 2 to under 12 years of age	take 5 mL every 12 hours; do not take more than 10 mL in 24 hours
children under 2 years of age	ask a doctor
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Note: mL = milliliters

Other information

- each 5 mL contains: sodium 17 mg
- store between 20° to 25°C (68° and 77°F)
- before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredients

artificial raspberry flavor, butylparaben, edetate disodium, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic, sodium phosphate monobasic, sucrose, titanium dioxide, xanthan gum, xylitol

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

*Compare to the active ingredient in Children's Allegra® Allergy

Children's Allergy

Fexofenadine HCI Oral Suspension

30 mg/5mL

Antihistamine

Indoor/Outdoor allergy relief

- Sneezing
- Runny Nose
- Itchy, watery eyes

Itchy nose or throat
 Hour Relief
 Ages 2 years and older
 Non-drowsy

Dye-free

Alcohol-free

Berry Flavor

FL OZ (mL)

Use only with enclosed dosing cup. Wash and let air dry after each use.

††This product is not manufactured or distributed by Chattem Inc., distributor of Children's Allegra® Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON, UNPRINTED FOIL INNER SEAL, OR NECKBAND PRINTED WITH "SEALED FOR PROTECTION" IS OPENED, TORN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

DISTRIBUTED BY:

MIDWOOD BRAND LLC, 500 VOLVO PKWY, CHESAPEAKE, VA 23320

Product Label

NDC XXXXX-XXX-XX NDC XXXXX-XXX-XX Drug Facts Drug Facts (continued) *Compare to the active ingredient in Children's Allegra® Allergy *Compare to the active ingredient in Children's Allegra® Allergy Inactive ingredients artificial raspberry flavor, butylparaben, Active ingredient Purpose edetate disodium, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic, sodium phosphate monebasic, sucrose, titanium dioxide, xanthan gum, xylitol (in each 5 mL) Fexofenadine HCI, USP 30 mg. Children's Children's Uses temporarily relieves these symptoms due to hay fever or Questions or comments? Allergy Allergy other upper respiratory allergies: Call X-XXX-XXX-XXXX DAYS & TIMES & ZONE ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat *This product is not manufactured or distributed by Chattern, Inc., Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients. distributor of Children's Allegra® Allergy. Fexofenadine HCI Oral Suspension Fexofenadine HCI Oral Suspension 30 mg/5 mL 30 mg/5 mL Ask a doctor before use if you have kidney disease. Your doctor Antihistamine Antihistamine should determine if you need a different dose. When using this product

do not take more than directed do not take at the same time as aluminum or magnesium antacids
 do not take with fruit juices (see Directions) Indoor/Outdoor allergy relief Indoor/Outdoor allergy relief TAMPER EVIDENT: DO NOT USE IF CARTON, UNPRINTED FOIL INNER SEAL, OR NECKBAND PRINTED WITH "SEALED FOR YOUR PROTECTION" Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. √ Sneezing √ Sneezing If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. √ Runny nose √ Runny nose IS OPENED, TORN OR MISSING. √ Itchy, watery eyes √ Itchy, watery eyes Directions √ Itchy nose or throat √ Itchy nose or throat shake well before using use only with enclosed dosing cup adults and children 12 take 10 mL every 12 hours; do not take more than 20 mL in 24 hours years of age and over 12 Hour Relief 12 Hour Relief children 2 to under 12 years of age take 5 mL every 12 hours; do not take more than 10 mL in 24 hours Ages 2 years and older Ages 2 years and older ask a doctor Non-drowsy Non-drowsy Distributed by: (Specific to customer's labeling guide. Must state either: manufacturer, packer, or distributor.) Dye-free adults 65 years of age Dye-free and older Alcohol-free Alcohol-free nsumers with kidney ask a doctor disease Note: mL = milliliters Other information ■ each 5 mL contains: sodium 17 mg ■ store between 20° to 25°C (68° to 77°F) Use only with enclosed dosing cup. Wash and let air dry after each use. Use only with enclosed dosing cup. Wash and let air dry after each use. before using any medication, read all label directions. Keep carton, it contains important information. BERRY FLAVOR BERRY FLAVOR 4 fl oz (118 mL) 4 fl oz (118 mL)



FAMILY WELLNESS Children Allergy Berry Flavor

CHILDRENS ALLERGY

fexofenadine hcl suspension

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55319-957
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII: E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	30 mg in 5 mL

Inactive Ingredients	
Ingredient Name	Strength
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS (UNII: KH7I04HPUU)	
SUCROSE (UNII: C151H8M554)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
XANTHAN GUM (UNII: TTV12P4NEE)	
XYLITOL (UNII: VCQ006KQ1E)	

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

ı	Packaging			
-	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:55319- 957-04	1 in 1 BOX	10/31/2023	
:	ı	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA203330	10/31/2023		

Labeler - Family Dollar (FAMILY WELLNESS) (024472631)

Revised: 9/2023 Family Dollar (FAMILY WELLNESS)