MEDISTIK DUAL HOT AND COLD- methyl salicylate, menthol spray Natureteg Inc.

Natureteq (as PLD) - MEDISTICK PROFESSIONAL DUAL ACTION (50231-511)

ACTIVE INGREDIENTS

Methyl Salicylate 12% Menthol 10%

PURPOSE

Topical Analgesic

USES

Provides temporary soothing relief of sore muscles associated with strains and sprains, backaches, lumbago, pain of tendons and/or ligaments as well as arthritic or rheumatic pain

WARNINGS

For external use only. Avoid contact with the eyes and mucous membranes. Do not apply to wounds or damaged skin. Do not tightly bandage. Do not inhale. Do not apply with external heat, such as an electric heating pad, as this may result in excessive skin irritation or skin burn. Keep out of the reach of children. If overdose or accidental ingestion occurs, call a Poison Control Center immediately. Consult your health care practitioner prior to use if you are pregnant or breastfeeding or if you are taking anti-coagulant medications or if you are taking medication or natural health products that cause dilation of blood vessels. Rashes and/or burning discomfort and hypersensitivity such as allergy have been known to occur; in which case; discontinue use.

DIRECTIONS

For use on adults and children over 12 years of age. For children (12 years old): Application should be supervised by an adult. Apply thinly and evenly to affected area up to 3 to 4 times per day. Rub and/or massage into skin until solution vanishes. A stinging or burning sensation will be experienced during the first few minutes as the formula begins working. For arthritis or muscle pain of the hands, retain for at least 10 minutes then wash hands. Consult your health care practitioner for use beyond 7 days

INACTIVE INGREDIENTS

Isopropyl alcohol, Water, MSM, Boswellia serrata extract, Ilex paraguariensis leaf extract, Glucosamine sulphate, Chondroitin sulphate.





ALSO INCLUDES:
MENTHOL
MSM
ILEX
GLUCOSAMINE
CHONDROITIN
BOSWELLIA

Greaseless, non-staining, colour and paraben-free



Warnings For external use only

Allergy alert: If prone to allergic reaction from aspirin or salicylates, ask a doctor before use

When using this product ■ use only as directed
■ avoid getting into the eyes and mucous membranes
■ do not bandage tightly or use with a heating pad
■ do not apply to wounds or damaged skin

Stop use and ask doctor If a condition worsens symptoms persist for more than 7 days or clear up and occur again within a few days a excessive skin irritation or redness occurs

If pregnant of breast-feeding, ask a health professional before use.

Keep out of reach of children to avoid accidental ingestion. If swallowed, get medical helpor contact a Poison Control Center immediately. Flammable: Keep a way from excessive heat or open flame. Store in a cool dry place with lid or cap closed tightly.

Directions adults and children 12 years of age and older: spray product on affected area, not more than 4 times daily achildren under 12 years of age: ask a doctor

Inactive Ingredients ■ Isopropyl alcohol, Water, MSM, Boswellia serrata extract, llex paraguariensis leaf extract, Glucosamine sulphate, Chondroitin sulphate

Distr. by Natureteq Inc. 5-62 Alness St, Toronto, ON, Canada M3J 2H1 | 855-347-0226 | Made in Canada | MEDISTIK.com

MEDISCIK PROFESSIONAL DUAL ACTION

RELIEF FOR PAIN & INFLAMMATION

MEDISTIK DUAL HOT AND COLD

methyl salicylate, menthol spray

118mL

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:50231-511 Route of Administration TOPICAL

| Active Ingredient/Active Moiety | | |
|--|----------------------|----------------|
| Ingredient Name | Basis of Strength | Strength |
| MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | MENTHOL | 10 g in 100 mL |
| METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII: O414PZ4LPZ) | METHYL SALICYLATE | 12 g in 100 mL |

| Inactive Ingredients | |
|--------------------------------------|----------|
| Ingredient Name | Strength |
| ISOPROPYL ALCOHOL (UNII: ND2M416302) | |

| WATER (UNII: 059QF0KO0R) | |
|---|--|
| BOSWELLIA SERRATA WHOLE (UNII: X7B7P649WQ) | |
| ILEX PARAGUARIENSIS LEAF (UNII: 1Q953B4O4F) | |
| GLUCOSAMINE SULFATE (UNII: 1FW7WLR731) | |
| CHONDROITIN SULFATE (CHICKEN) (UNII: 7VZ 9466BAB) | |

| ı | Packaging | Packaging | | | |
|---|------------------|---|-------------------------|-----------------------|--|
| | # Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| | 1 NDC:50231-511- | 118 mL in 1 BOTTLE; Type 0: Not a Combination Product | 02/19/2016 | | |

| Marketing Information | | | | |
|-----------------------|---|-------------------------|-----------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC Monograph Drug | M017 | 02/19/2016 | | |
| | | | | |

Labeler - Natureteq Inc. (243737371)

Revised: 1/2024 Natureteq Inc.