

STOOL SOFTENER PLUS STIMULANT LAXATIVE- docusate sodium and sennosides tablet

Walgreens

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg

Sennosides 8.6 mg

Purpose

Stool softener

Stimulant laxative

Uses

- for overnight relief from occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

- laxative products for longer than 1 week unless told to do so by a doctor
- if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

Other information

- **each tablet contains:** calcium 20 mg
- **each tablet contains:** sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

carnauba wax*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, maltodextrin*, microcrystalline cellulose, polyethylene glyco*, polyvinyl alcohol*, silicon dioxide, sodium benzoate*, stearic acid, talc*, titanium dioxide

*contains one or more of these ingredients

Questions or comments?

Call **1-888-287-1915**

Principal Display Panel

Compare to the active ingredients in Colace® 2-IN-1††

Stool Softener Plus Stimulant Laxative

DOCUSATE SODIUM 50 mg / STOOL SOFTENER

SENNOSIDES 8.6 mg / STIMULANT LAXATIVE

GENTLE DEPENDABLE

- Relief in 6 to 12 hours

TABLETS

DISTRIBUTED BY: WALGREENS CO,

200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

††This product is not manufactured or distributed by Purdue Products L.P., distributor of Colace® 2-IN-1.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Product Label

Drug Facts (continued under label)

Walgreens Pharmacist Recommended
Walgreens Pharmacist Survey
†† This product is not manufactured or distributed by Purdue Products L.P., distributor of Colace® 2-IN-1.
DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED walgreens.com ©2018 Walgreen Co.
ORG0418-F REV-0518
ITEM 484738 W10023-0418-F

how2recycle.info
Recycle the Bottle
PLASTIC BOTTLE
P.D.-EST L8006017
Lot No.: Exp. Date:
3 1191710912 1

Drug Facts (continued)
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.
adults and children 12 years and older take 2-4 tablets daily
children 6 to under 12 years of age take 1-2 tablets daily
children 2 to under 6 years of age take up to 1 tablet daily
children under 2 ask a doctor

Other information
each tablet contains calcium 20 mg.
each tablet contains sodium 6 mg VERY LOW SODIUM
store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients canthaxanthin wax*, croscarmellose sodium, dibasic calcium phosphate trihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose*, magnesium stearate, maltodextrin*, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, sodium benzoate*, stearic acid, talc*, titanium dioxide
*contains one or more of these ingredients

Questions or comments?
Call 1-877-753-3835 Monday-Friday 9AM-5PM EST

WALGREENS Stool Softener + Stimulant Laxative

STOOL SOFTENER PLUS STIMULANT LAXATIVE

docusate sodium and sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0584
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	TCL097;0806;AV;S44
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0584-60	1 in 1 BOX	11/30/2015	02/28/2025
1		60 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:0363-0584-20	200 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/30/2015	02/28/2025

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	11/30/2015	02/28/2025

Labeler - Walgreens (008965063)