

## **STOOL SOFTENER PLUS STIMULANT LAXATIVE- docusate sodium and sennosides tablet**

**Walgreens**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Drug Facts**

#### **Active ingredients (in each tablet)**

Docusate sodium 50 mg

Sennosides 8.6 mg

#### **Purpose**

Stool softener

Stimulant laxative

#### **Uses**

- for overnight relief from occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

#### **Warnings**

##### **Do not use**

- laxative products for longer than 1 week unless told to do so by a doctor
- if you are presently taking mineral oil, unless told to do so by a doctor

##### **Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

##### **Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

##### **If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

### Other information

- **each tablet contains:** calcium 20 mg
- **each tablet contains:** sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

### Inactive ingredients

carnauba wax\*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, maltodextrin\*, microcrystalline cellulose, polyethylene glycol\*, polyvinyl alcohol\*, silicon dioxide, sodium benzoate\*, stearic acid, talc\*, titanium dioxide

\*contains one or more of these ingredients

### Questions or comments?

Call **1-888-287-1915**

### Principal Display Panel

Compare to the active ingredients in Colace® 2-IN-1††

### Stool Softener Plus Stimulant Laxative

DOCUSATE SODIUM 50 mg / STOOL SOFTENER

SENNOSIDES 8.6 mg / STIMULANT LAXATIVE

GENTLE DEPENDABLE

- Relief in 6 to 12 hours

TABLETS

DISTRIBUTED BY: WALGREENS CO,

200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

††This product is not manufactured or distributed by Purdue Products L.P., distributor of Colace® 2-IN-1.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**Product Label**

**VALUE SIZE**  
Walgreens

Compare to the active ingredients in Colace® 2-IN-1†

**Stool Softener + Stimulant Laxative**  
NDC 0363-0584-20

DOCUSATE SODIUM 50 mg / STOOL SOFTENER  
SENOSIDES 8.6 mg / STIMULANT LAXATIVE

**GENTLE DEPENDABLE**  
• Relief in 6 to 12 hours

**200 TABLETS** ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**Drug Facts**  
**Active Ingredients (in each tablet)**  
Docusate sodium 50 mg.....Stool softener  
Senosides 8.6 mg.....Stimulant laxative

**Uses**  
■ for overnight relief from occasional constipation (irregularity)  
■ generally produces bowel movement in 6 to 12 hours

**Warnings**  
**Do not use**  
■ laxative products for longer than 1 week unless directed by a doctor  
■ if you are now taking mineral oil, unless directed by a doctor

**Ask a doctor before use if you have**  
■ stomach pain ■ nausea ■ vomiting  
■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks

**Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.**

**Drug Facts (continued under label)**  
Walgreens Pharmacist Recommended  
Walgreens Pharmacist Survey  
††This product is not manufactured or distributed by Purdue Products L.P., distributor of Colace® 2-IN-1.  
DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED walgreens.com ©2018 Walgreen Co.

ORG0418-F REV-0518  
ITEM 484738 W10023-0418-F

how2recycle.info  
PLASTIC BOTTLE  
Distributed by Walgreens Inc.

PLD-EST 18006017  
Lot No.:  
Exp. Date:  
3 1191710912 1

**PEEL HERE** →

**Drug Facts (continued)**  
If pregnant or breast-feeding, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
■ take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.  
adults and children 12 years and older take 2-4 tablets daily  
children 6 to under 12 years of age take 1-2 tablets daily  
children 2 to under 6 years of age take up to 1 tablet daily  
children under 2 ask a doctor

**Other information**  
■ each tablet contains: calcium 20 mg  
■ each tablet contains: sodium 6 mg VERY LOW SODIUM  
■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** carmelum wax\*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose\*, magnesium stearate, malto-dextrin\*, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol\*, silicon dioxide, sodium benzoate\*, stearic acid, talc\*, titanium dioxide  
\*contains one or more of these ingredients

**Questions or comments?**  
Call 1-877-733-3935 Monday-Friday 9AM-5PM EST

**WALGREENS Stool Softener + Stimulant Laxative**

**STOOL SOFTENER PLUS STIMULANT LAXATIVE**

docusate sodium and senosides tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0584
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg

**SENNOSIDES** (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)

SENNOSIDES

8.6 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL097;0806;AV;S44
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0584-60	1 in 1 BOX	11/30/2015	
1		60 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:0363-0584-20	200 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/30/2015	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	11/30/2015	

**Labeler** - Walgreens (008965063)

