

**MENSTRUAL COMPLETE- acetaminophen, caffeine, pyrilamine maleate tablet,
film coated**
Discount Drug Mart

Drug Mart 44-390

Active ingredients (in each caplet)

Acetaminophen 500 mg
Caffeine 60 mg
Pyrilamine maleate 15 mg

Purpose

Pain reliever
Diuretic
Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- muscle aches
- cramps
- backache
- fatigue
- water-weight gain

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- excitability may occur, especially in children
- be careful when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than the recommended dose**
- adults and children 12 years and over:
 - take 2 caplets with water
 - repeat every 6 hours, as needed

- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal display panel

NDC 53943-390-10

**DISCOUNT
drug
mart
FOOD FAIR**

MAXIMUM STRENGTH

**Menstrual
Complete**

Acetaminophen/Caffeine/Pyrilamine maleate
Pain Reliever/Diuretic/Antihistamine

MULTI-SYMPTOM RELIEF
*of Cramps, Bloating, Fatigue,
Backache & Headache*

*Actual
Size*

40
CAPLETS

**Compare to the active ingredients in MIDOL® COMPLETE*

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

*This product is not manufactured or distributed by
Bayer HealthCare LLC, owner of the registered trademark
MIDOL® COMPLETE. 50844 ORG051739010

DISTRIBUTED BY: DRUG MART - FOOD FAIR
211 COMMERCE DRIVE, MEDINA, OH 44256
www.discount-drugmart.com

SATISFACTION GUARANTEED

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE
TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO
STORE, SEND REASON FOR DISSATISFACTION, NAME,
ADDRESS AND EMPTY PACKAGE TO:
DISCOUNT DRUG MART
211 COMMERCE DRIVE, MEDINA, OHIO 44256

no print / no varnish area
lot no. & exp. date



TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

B-0380-390-10
ORG051739010

NDC 53943-390-10

MAXIMUM STRENGTH


MAY CONTAIN
ANTI-THEFT
DEVICE



Menstrual Complete

Acetaminophen/Caffeine/Pyrilamine maleate
Pain Reliever/Diuretic/Antihistamine

MULTI-SYMPTOM RELIEF
of Cramps, Bloating, Fatigue,
Backache & Headache



Actual
Size

*Compare to the active ingredients in MIDOL® COMPLETE

40
CAPLETS

Drug Facts (continued)

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than the recommended dose
- adults and children 12 years and over:
 - take 2 caplets with water
 - repeat every 6 hours, as needed
 - do not exceed 6 caplets per day
- children under 12 years: ask a doctor

Drug Facts (continued)

Other Information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, tracetin

Questions or comments? 1-800-426-9391

Drug Facts (continued)

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic beverages

Drug Facts (continued)

Increased drowsiness

- alcohol, sedatives, and tranquilizers may increase drowsiness
- excitability may occur, especially in children
- be careful when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages while taking this product, because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

If pregnant or breast-feeding, ask a health professional before use.

These could be signs of a serious condition.

Drug Mart 44-390

MENSTRUAL COMPLETE

acetaminophen, caffeine, pyrilamine maleate tablet, film coated

Drug Facts

Active ingredients
(in each caplet)
Acetaminophen 500 mg.....Pain reliever
Caffeine 60 mg.....Diuretic
Pyrilamine maleate 15 mg.....Antihistamine

Uses
for the temporary relief of these symptoms associated with menstrual periods:
bloating ■ headache ■ muscle aches
cramps ■ backache ■ fatigue

Water-weight gain

Drug Facts (continued)

Warnings

- Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
rash ■ blisters ■ skin redness

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark MIDOL® COMPLETE. 50844 ORG051739010

DISTRIBUTED BY: DRUG MART - FOOD FAIR
211 COMMERCE DRIVE, MEDINA, OH 44256
www.discount-drugmart.com

SATISFACTION GUARANTEED
IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO:
DISCOUNT DRUG MART
211 COMMERCE DRIVE, MEDINA, OHIO 44256

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:53943-390
Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)			ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)			CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)			PYRILAMINE MALEATE	15 mg
Inactive Ingredients				
Ingredient Name				Strength
STARCH, CORN (UNII: O8232NY3SJ)				
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)				
CROSPOVIDONE (UNII: 2S7830E561)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
POLYDEXTROSE (UNII: VH2XOU12IE)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
TRIACETIN (UNII: XHX3C3X673)				
Product Characteristics				
Color	white	Score	no score	
Shape	OVAL	Size	17mm	
Flavor		Imprint Code	44;390	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-390-10	1 in 1 CARTON	01/07/2020	
1		40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC Monograph Drug	M013	01/07/2020	
--------------------	------	------------	--

Labeler - Discount Drug Mart (047741335)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(53943-390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(53943-390) , pack(53943-390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(53943-390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(53943-390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(53943-390)

Revised: 12/2023

Discount Drug Mart