

MENSTRUAL COMPLETE- acetaminophen, caffeine, pyrilamine maleate tablet, film coated

Discount Drug Mart

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Mart 44-390

Active ingredients (in each caplet)

Acetaminophen 500 mg

Caffeine 60 mg

Pyrilamine maleate 15 mg

Purpose

Pain reliever

Diuretic

Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- muscle aches
- cramps
- backache
- fatigue
- water-weight gain

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- excitability may occur, especially in children
- be careful when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than the recommended dose**

- adults and children 12 years and over:
 - take 2 caplets with water
 - repeat every 6 hours, as needed
 - do not exceed 6 caplets per day
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal display panel

NDC 53943-390-10

**DISCOUNT
drug
mart
FOOD FAIR**

MAXIMUM STRENGTH

Menstrual Complete

Acetaminophen/Caffeine/Pyrilamine maleate
Pain Reliever/Diuretic/Antihistamine

MULTI-SYMPTOM RELIEF
*of Cramps, Bloating, Fatigue,
Backache & Headache*

*Actual
Size*

40
CAPLETS

**Compare to the active ingredients in MIDOL® COMPLETE*

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

*This product is not manufactured or distributed by
Bayer HealthCare LLC, owner of the registered trademark
MIDOL® COMPLETE. 50844 ORG051739010

DISTRIBUTED BY: DRUG MART - FOOD FAIR
211 COMMERCE DRIVE, MEDINA, OH 44256
www.discount-drugmart.com

SATISFACTION GUARANTEED

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE
TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO
STORE, SEND REASON FOR DISSATISFACTION, NAME,
ADDRESS AND EMPTY PACKAGE TO:
DISCOUNT DRUG MART
211 COMMERCE DRIVE, MEDINA, OHIO 44256

Drug Facts (continued)

Active ingredients
 (In each caplet)
 Acetaminophen 500 mg.....Pain reliever
 Caffeine 60 mg.....Diuretic
 Pyrilamine maleate 15 mg.....Antihistamine

Uses
 for the temporary relief of these symptoms associated with menstrual periods:
 bloating ■ headache ■ muscle aches
 cramps ■ backache ■ fatigue
 water-weight gain

Warnings
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours
 with other drugs containing acetaminophen
 3 or more alcoholic drinks every day while using this product
 Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
 skin reddening ■ blisters ■ rash

NDC 53943-390-10

MAXIMUM STRENGTH **ANTI-THEFT DEVICE**

drug mart
FOOD FAIR

Menstrual Complete

Acetaminophen/Caffeine/Pyrilamine maleate
 Pain Reliever/Diuretic/Antihistamine

MULTI-SYMPTOM RELIEF
 of Cramps, Bloating, Fatigue,
 Backache & Headache

40 CAPLETS

Actual Size

*Compare to the active ingredients in MIDOL® COMPLETE

*This product is not manufactured or distributed by Bayer Healthcare LLC, owner of the registered trademark MIDOL® COMPLETE. 50844 ORG051739010

DISTRIBUTED BY: DRUG MART - FOOD FAIR
 211 COMMERCE DRIVE, MEDINA, OH 44256
 www.discount-drugmart.com

SATISFACTION GUARANTEED
 IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO:
 DISCOUNT DRUG MART
 211 COMMERCE DRIVE, MEDINA, OHIO 44256

no print / no varnish area
 lot no. & exp. date

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

0 93351 03038 3

Drug Facts (continued)

Directions
 ■ do not take more than the recommended dose
 ■ adults and children 12 years and over:
 ■ take 2 caplets with water
 ■ repeat every 6 hours, as needed
 ■ do not exceed 6 caplets per day
 ■ children under 12 years: ask a doctor

Other Information
 Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)

Questions or comments?
 1-800-426-9391

Drug Facts (continued)

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
 ■ do not take more than the recommended dose
 ■ adults and children 12 years and over:
 ■ take 2 caplets with water
 ■ repeat every 6 hours, as needed
 ■ do not exceed 6 caplets per day
 ■ children under 12 years: ask a doctor

B-0380-390-10
 ORG051739010

Drug Facts (continued)

When using this product ■ you may get drowsy
 ■ taking sedatives or tranquilizers
 ■ taking the blood thinning drug warfarin

Ask a doctor or pharmacist before use if you are
 ■ a breathing problem such as emphysema or chronic bronchitis ■ gynecoma
 ■ prostate gland ■ liver disease
 ■ difficulty in urination due to enlargement of the prostate gland

Ask a doctor before use if you have
 ■ if you have ever had an allergic reaction to this product or any of its ingredients
 ■ if you have ever had an allergic reaction to this product or pharmacist.
 ■ ask a doctor or pharmacist.
 ■ sure whether a drug contains acetaminophen, (prescription or nonprescription). If you are not with any other drug containing acetaminophen
 ■ Do not use
 ■ with any other drug containing acetaminophen
 ■ increase drowsiness
 ■ alcohol, sedatives, and tranquilizers may help right away.

Drug Facts (continued)

Do not use
 ■ with any other drug containing acetaminophen
 ■ increase drowsiness
 ■ alcohol, sedatives, and tranquilizers may help right away.

Drug Facts (continued)

When using this product ■ you may get drowsy
 ■ taking sedatives or tranquilizers
 ■ taking the blood thinning drug warfarin

Ask a doctor or pharmacist before use if you are
 ■ a breathing problem such as emphysema or chronic bronchitis ■ gynecoma
 ■ prostate gland ■ liver disease
 ■ difficulty in urination due to enlargement of the prostate gland

Ask a doctor before use if you have
 ■ if you have ever had an allergic reaction to this product or any of its ingredients
 ■ if you have ever had an allergic reaction to this product or pharmacist.
 ■ ask a doctor or pharmacist.
 ■ sure whether a drug contains acetaminophen, (prescription or nonprescription). If you are not with any other drug containing acetaminophen
 ■ Do not use
 ■ with any other drug containing acetaminophen
 ■ increase drowsiness
 ■ alcohol, sedatives, and tranquilizers may help right away.

Drug Facts (continued)

When using this product ■ you may get drowsy
 ■ taking sedatives or tranquilizers
 ■ taking the blood thinning drug warfarin

Ask a doctor or pharmacist before use if you are
 ■ a breathing problem such as emphysema or chronic bronchitis ■ gynecoma
 ■ prostate gland ■ liver disease
 ■ difficulty in urination due to enlargement of the prostate gland

Ask a doctor before use if you have
 ■ if you have ever had an allergic reaction to this product or any of its ingredients
 ■ if you have ever had an allergic reaction to this product or pharmacist.
 ■ ask a doctor or pharmacist.
 ■ sure whether a drug contains acetaminophen, (prescription or nonprescription). If you are not with any other drug containing acetaminophen
 ■ Do not use
 ■ with any other drug containing acetaminophen
 ■ increase drowsiness
 ■ alcohol, sedatives, and tranquilizers may help right away.

Drug Facts (continued)

When using this product ■ you may get drowsy
 ■ taking sedatives or tranquilizers
 ■ taking the blood thinning drug warfarin

Ask a doctor or pharmacist before use if you are
 ■ a breathing problem such as emphysema or chronic bronchitis ■ gynecoma
 ■ prostate gland ■ liver disease
 ■ difficulty in urination due to enlargement of the prostate gland

Ask a doctor before use if you have
 ■ if you have ever had an allergic reaction to this product or any of its ingredients
 ■ if you have ever had an allergic reaction to this product or pharmacist.
 ■ ask a doctor or pharmacist.
 ■ sure whether a drug contains acetaminophen, (prescription or nonprescription). If you are not with any other drug containing acetaminophen
 ■ Do not use
 ■ with any other drug containing acetaminophen
 ■ increase drowsiness
 ■ alcohol, sedatives, and tranquilizers may help right away.

Drug Facts (continued)

When using this product ■ you may get drowsy
 ■ taking sedatives or tranquilizers
 ■ taking the blood thinning drug warfarin

Ask a doctor or pharmacist before use if you are
 ■ a breathing problem such as emphysema or chronic bronchitis ■ gynecoma
 ■ prostate gland ■ liver disease
 ■ difficulty in urination due to enlargement of the prostate gland

Ask a doctor before use if you have
 ■ if you have ever had an allergic reaction to this product or any of its ingredients
 ■ if you have ever had an allergic reaction to this product or pharmacist.
 ■ ask a doctor or pharmacist.
 ■ sure whether a drug contains acetaminophen, (prescription or nonprescription). If you are not with any other drug containing acetaminophen
 ■ Do not use
 ■ with any other drug containing acetaminophen
 ■ increase drowsiness
 ■ alcohol, sedatives, and tranquilizers may help right away.

Drug Facts (continued)

When using this product ■ you may get drowsy
 ■ taking sedatives or tranquilizers
 ■ taking the blood thinning drug warfarin

Ask a doctor or pharmacist before use if you are
 ■ a breathing problem such as emphysema or chronic bronchitis ■ gynecoma
 ■ prostate gland ■ liver disease
 ■ difficulty in urination due to enlargement of the prostate gland

Ask a doctor before use if you have
 ■ if you have ever had an allergic reaction to this product or any of its ingredients
 ■ if you have ever had an allergic reaction to this product or pharmacist.
 ■ ask a doctor or pharmacist.
 ■ sure whether a drug contains acetaminophen, (prescription or nonprescription). If you are not with any other drug containing acetaminophen
 ■ Do not use
 ■ with any other drug containing acetaminophen
 ■ increase drowsiness
 ■ alcohol, sedatives, and tranquilizers may help right away.

Drug Mart 44-390

MENSTRUAL COMPLETE
 acetaminophen, caffeine, pyrilamine maleate tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53943-390
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE (UNII: 2S7830E561)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;390
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-390-10	1 in 1 CARTON	01/07/2020	
1		40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC monograph not final	part343	01/07/2020	
-------------------------	---------	------------	--

Labeler - Discount Drug Mart (047741335)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(53943-390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	pack(53943-390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(53943-390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(53943-390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	pack(53943-390)