

**VITACILINA NEOMYCIN SULFATE FIRST AID ANTIBIOTIC- neomycin sulfate ointment**

**Compania Internacional de Comercio, S.A.P.I de C.V.**

-----  
**VITACILINA NEOMYCIN SULFATE OINTMENT FIRST AID ANTIBIOTIC**

***Drug Facts***

***Active ingredient (in each gram)***

Neomycin sulfate 5 mg (neomycin 3.5 mg)

***Purpose***

First aid antibiotic

**Uses**

First aid to help prevent infection in minor cuts, scrapes, and burns.

**Warnings**

**For external use only**

**Do not use**

- in the eyes • over large areas of the body • if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

- deep or puncture wounds • animal bites • serious burns

**Stop use and ask a doctor if**

- the condition persists or gets worse • a rash or other allergic reaction develops

**Keep out of the reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Clean the affected area • Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • May be covered with a sterile bandage

### **Other information**

store at room temperature

### **Inactive ingredients**

lanolin, methylparaben, petrolatum, propylparaben, vitamin A palmitate

### **Package Labeling: (54312-019-35)**



<b>Drug Facts</b> <b>Active ingredient (in each gram)</b> Neomycin sulfate 5 mg (neomycin 3.5 mg)		<b>Purpose</b> First aid antibiotic	 N 3 48875 01931 5
<b>Use</b> First aid to help prevent infection in minor cuts, scrapes, and burns.			
<b>Warnings</b> For external use only Do not use   ■ in the eyes   ■ over large areas of the body   ■ if you are allergic to any of the ingredients   ■ longer than 1 week unless directed by a doctor			

**NEOMYCIN SULFATE OINTMENT**  
FIRST AID ANTIBIOTIC

**VITACILINA®**

**NET WT 1 OZ (28 g)**

<b>Drug Facts (continued)</b> Ask a doctor before use if you have   ■ deep or puncture wounds   ■ animal bites   ■ serious burns Stop use and ask a doctor if   ■ the condition persists or gets worse   ■ a rash or other allergic reaction develops Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		MANUFACTURED BY FARMACRO, S.A. de C.V. CALLE 2 NO. 42, PARQUE INDUSTRIAL BENITO JUAREZ, SANITARIO DE QUERETARO, QRO. C.P. 76120, MEXICO DISTRIBUTED BY VITACILINA CORPORATION OF AMERICA, McALLEN, TX 78501 MADE IN MEXICO TO REPORT A SERIOUS ADVERSE EVENT CONTACT 1-800-631-6140
<b>Directions</b> ■ Clean the affected area   ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily   ■ may be covered with a sterile bandage.		
<b>Inactive ingredients</b> lanolin, methylparaben, petrolatum, propylparaben, vitamin A palmitate		

**NEOMYCIN SULFATE OINTMENT**  
FIRST AID ANTIBIOTIC

**VITACILINA®**

**NET WT 1 OZ (28 g)**

**Package Labeling: (54312-019-14)**



NEOMYCIN SULFATE OINTMENT  
FIRST AID ANTIBIOTIC

**VITACILINA®**

NET WT 1 OZ (28 g)

THIS UNIT NOT LABELED FOR RETAIL SALE. THIS UNIT IS PACKAGED IN AN OUTER CONTAINER. PLEASE SEE OUTER CONTAINER FOR COMPLETE DRUG FACTS INFORMATION.

ACTIVE INGREDIENT: NEOMYCIN 3.5 mg PURPOSE: FIRST AID ANTIBIOTIC USE: FIRST AID TO HELP PREVENT INFECTION IN MINOR CUTS, SCRAPES, AND BURNS

WARNINGS: FOR EXTERNAL USE ONLY. DO NOT USE: IN THE EYES; OVER LARGE AREAS OF THE BODY; IF YOU ARE ALLERGIC TO ANY OF THE INGREDIENTS; LONGER THAN 1 WEEK UNLESS DIRECTED BY A DOCTOR. ASK A DOCTOR BEFORE USE IF YOU HAVE: DEEP OR PUNCTURE WOUNDS; ANIMAL BITES; SERIOUS BURNS. STOP USE AND ASK A DOCTOR IF: THE CONDITION PERSISTS OR GETS WORSE; A RASH OR OTHER ALLERGIC REACTION DEVELOPS. KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

INACTIVE INGREDIENTS: LANOLIN, METHYLPARABEN, PETROLATUM, PROPYLPARABEN, VITAMIN A PALMITATE. DISTRIBUTED BY VITACILINA CORPORATION OF AMERICA, McALLEN, TX 78501 MADE IN MEXICO. TO REPORT A SERIOUS ADVERSE EVENT CONTACT (956)631-6140

30103-V2

Lot No.  
Expiration  
Date

**Drug Facts**

**Active ingredient (in each gram)**

Neomycin sulfate 5 mg (neomycin 3.5 mg)

**Purpose**

First aid antibiotic

**Use** First aid to help prevent infection in minor cuts, scrapes, and burns.

**Warnings**

For external use only

Do not use ■ in the eyes ■ over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor



NEOMYCIN SULFATE OINTMENT  
FIRST AID ANTIBIOTIC

**VITACILINA®**

NET WT 1 OZ (28 g)

VITACILINA®  
Lot No.  
Exp. Date

**Drug Facts (continued)**

Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use and ask a doctor if ■ the condition persists or gets worse ■ a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ Clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage.

**Inactive ingredients** lanolin, methylparaben, petrolatum, propylparaben, vitamin A palmitate

MANUFACTURED BY  
FARMACIO S.A. de C.V.  
CALLE 2 NO. 42 PARQUE  
INDUSTRIAL BENTO JUAREZ,  
SANTIAGO DE QUERETARO,  
CRO. C.P. 76120, MEXICO  
DISTRIBUTED BY VITACILINA  
CORPORATION OF AMERICA,  
McALLEN, TX 78501  
MADE IN MEXICO  
TO REPORT A SERIOUS  
ADVERSE EVENT CONTACT  
(956)631-6140



NEOMYCIN SULFATE OINTMENT  
FIRST AID ANTIBIOTIC

**VITACILINA®**


NET WT 1 OZ (28 g)

VITACILINA®



<p><b>NEOMYCIN SULFATE OINTMENT</b></p> <p>FIRST AID ANTIBIOTIC</p> <hr/> <h1>VITACILINA®</h1> <hr/> <p><b>NET WT 1 OZ (28 g)</b></p>		
<p>THIS UNIT NOT LABELED FOR RETAIL SALE. THIS UNIT IS PACKAGED IN AN OUTER CONTAINER. PLEASE SEE OUTER CONTAINER FOR COMPLETE DRUG FACTS INFORMATION.</p>		
<p><b>ACTIVE INGREDIENT:</b> NEOMYCIN SULFATE 5 mg (NEOMYCIN 3.5 mg) <b>PURPOSE:</b> FIRST AID ANTIBIOTIC  <b>USE:</b> FIRST AID TO HELP PREVENT INFECTION IN MINOR CUTS, SCRAPES, AND BURNS  <b>WARNINGS:</b> FOR EXTERNAL USE ONLY. DO NOT USE: IN THE EYES; OVER LARGE AREAS OF THE BODY; IF YOU ARE ALLERGIC TO ANY OF THE INGREDIENTS; LONGER THAN 1 WEEK UNLESS DIRECTED BY A DOCTOR.  <b>ASK A DOCTOR BEFORE USE IF YOU HAVE:</b> DEEP OR PUNCTURE WOUNDS; ANIMAL BITES; SERIOUS BURNS.  <b>STOP USE AND ASK A DOCTOR IF:</b> THE CONDITION PERSIST OR GETS WORSE; A RASH OR OTHER ALLERGIC REACTION DEVELOPS. <b>KEEP OUT OF REACH OF CHILDREN.</b> IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.</p>		
<p><b>INACTIVE INGREDIENTS:</b> LANOLIN, METHYLPARABEN, PETROLATUM, PROPYLPARABEN, VITAMIN A PALMITATE.</p> <p><b>DISTRIBUTED BY TAISHO PHARMACEUTICAL CALIFORNIA, INC. MADE IN MEXICO.</b></p> <p><b>TO REPORT A SERIOUS ADVERSE EVENT CONTACT 3528 TORRANCE BLVD. SUITE #320 TORRANCE, CA 90503</b></p>		





**Package Labeling:**



## Drug Facts

### Active ingredient (in each gram)

Neomycin sulfate 5 mg (neomycin 3.5 mg)

### Purpose

First aid antibiotic

Use First aid to help prevent infection in minor cuts, scrapes, and burns.

### Warnings

For external use only

### Do not use

■ in the eyes ■ over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

■ deep or puncture wounds ■ animal bites ■ serious burns



DISTRIBUTED BY Taisho  
Pharmaceutical California Inc.  
3528 Torrance Blvd, Suite #320  
Torrance, CA 90503 U.S.A.  
MADE IN MEXICO

### Drug Facts (continued)

Stop use and ask a doctor if ■ the condition persists or gets worse ■ a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Clean the affected area ■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ May be covered with a sterile bandage.

### Inactive Ingredients

lanolin, methylparaben, petrolatum, propylparaben, vitamin A palmitate

NEOMYCIN SULFATE OINTMENT  
FIRST AID ANTIBIOTIC

**VITACILINA®**

NET WT 1 OZ (28 g)

NEOMYCIN SULFATE OINTMENT  
FIRST AID ANTIBIOTIC

**VITACILINA®**

NET WT 1 OZ (28 g)

NEOMYCIN SULFATE OINTMENT  
FIRST AID ANTIBIOTIC

**VITACILINA®**

NET WT 1 OZ (28 g)

THIS UNIT NOT LABELED FOR RETAIL SALE. THIS UNIT IS PACKAGED IN AN OUTER CONTAINER. PLEASE SEE OUTER CONTAINER FOR COMPLETE DRUG FACTS INFORMATION.

ACTIVE INGREDIENT: NEOMYCIN SULFATE 5 mg (NEOMYCIN 3.5 mg) PURPOSE: FIRST AID ANTIBIOTIC

USE: FIRST AID TO HELP PREVENT INFECTION IN MINOR CUTS, SCRAPES, AND BURNS

WARNINGS: FOR EXTERNAL USE ONLY. DO NOT USE: IN THE EYES; OVER LARGE AREAS OF THE BODY; IF YOU ARE ALLERGIC TO ANY OF THE INGREDIENTS; LONGER THAN 1 WEEK UNLESS DIRECTED BY A DOCTOR. ASK A DOCTOR BEFORE USE IF YOU HAVE: DEEP OR PUNCTURE WOUNDS; ANIMAL BITES; SERIOUS BURNS. STOP USE AND ASK A DOCTOR IF: THE CONDITION PERSIST OR GETS WORSE; A RASH OR OTHER ALLERGIC REACTION DEVELOPS. KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

INACTIVE INGREDIENTS: LANOLIN, METHYLPARABEN, PETROLATUM, PROPYLPARABEN, VITAMIN A PALMITATE.

DISTRIBUTED BY Taisho Pharmaceutical California Inc. 3528 Torrance Blvd, Suite #320 Torrance, CA 90503 U.S.A.  
MADE IN MEXICO

Lot No.  
Expiration  
Date

# VITACILINA NEOMYCIN SULFATE FIRST AID ANTIBIOTIC

neomycin sulfate ointment

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:54312-019
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>LANOLIN</b> (UNII: 7EV65EAW6H)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:54312-019-35	1 in 1 CARTON	07/30/2016	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:54312-019-31	1 in 1 CARTON	07/30/2016	
2		28 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M004	07/30/2016	

**Labeler** - Compania Internacional de Comercio, S.A.P.I de C.V. (822165213)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Compania Internacional de Comercio, S.A.P.I de C.V.		822165213	manufacture(54312-019)



