

**BLUE LIZARD SHEER FACE SPF 50 SUNSCREEN- titanium dioxide and zinc oxide lotion**  
**Crown Laboratories**

-----  
**Blue Lizard Sheer Face Lotion SPF 50 Sunscreen**

***Active Ingredients***

Titanium Dioxide 9%

Zinc Oxide 6%

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn and photodamage caused by UVA/UVB exposure
- Higher SPF gives more sunburn protection
- If used as directed with other sun protection measures (see **Directions**), decreases the risks of skin cancer and early skin aging caused by the sun

***Warnings***

- When using this product • Keep out of eyes. Rinse with water to remove
- Stop use and ask doctor if • Rash or irritation occurs
- Do not use • On damaged or broken skin • If allergic to any ingredient
- If swallowed, get medical help or contact a Poison Control Center

***Directions***

- **Shake well prior to use**
- Apply liberally to dry skin 15 minutes before sun exposure
- For topical use only
- Children under 6 months: ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- **Reapply to dry skin:** • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

## **Keep out of reach of children**

### ***Other Information***

- Protect the product in this container from excessive heat and direct sun
- May stain some fabrics

### ***Inactive Ingredients***

Alanine, Aloe Barbadensis Leaf Juice, Alumina, Aluminum Stearate, Arginine, Aspartic Acid, Butyrospermum Parkii (Shea) Butter, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Carica Papaya (Papaya) Fruit Extract, Citric Acid, Crithmum Maritimum Extract, Cucumis Sativus (Cucumber) Fruit Extract, Diisopropyl Sebacate, Dimethoxydiphenylsilane/ Triethoxycaprylylsilane Crosspolymer, Ethylhexylglycerin, Fucus Vesiculosus (Bladderwrack) Extract, Ginkgo Biloba (Ginkgo) Leaf Extract, Glycerin, Glycine, Glycine Soja (Soybean) Oil, Hamamelis Virginiana (Witch Hazel) Leaf Extract, Histidine, Hydrogenated Vegetable Oil, Isoleucine, Isostearyl Alcohol, Isostearyl Isostearate, Oryza Sativa (Rice) Extract, Oryza Sativa (Rice) Germ Extract, PCA, Phenoxyethanol, Phenylalanine, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polycyricoleate, Polyhydroxystearic Acid, Potassium Sorbate, Proline, Purified Water, Rosa Canina (Rosehip) Fruit Oil, Sclerocarya Birrea (Marula) Seed Oil, Serine, Sodium Benzoate, Sodium Chloride, Sodium Hyaluronate, Sodium Lactate, Sodium PCA, Sorbitan Isostearate, Squalane, Threonine, Tocopheryl Acetate (Vitamin E), Valine, and Xanthan Gum

### ***Questions?***

Visit [www.bluelizardsunscreen.com](http://www.bluelizardsunscreen.com) or call **800.877.8869**

Crown Laboratories, Inc., Johnson City, TN 37604

## **Blue Lizard Sheer Lotion for Face - 1.7 fl oz Tube**

BLUE LIZARD

AUSTRALIAN SUNSCREEN

50+

SHEER LOTION for face

MINERAL SUNSCREEN

UVA/UVB PROTECTION

BROAD SPECTRUM

SPF 50+

WATER RESISTANT (80 MINUTES)

P11901.00



# BLUE LIZARD<sup>®</sup>

## AUSTRALIAN SUNSCREEN

# 50<sup>+</sup>

# SHEER LOTION

for face



MINERAL SUNSCREEN  
 UVA / UVB PROTECTION  
 BROAD SPECTRUM  
 SPF 50+  
 WATER RESISTANT  
 (80 MINUTES)

<b>Drug Facts</b>	<b>Made in USA</b>
<b>Active Ingredients</b> Titanium Dioxide 9% Zinc Oxide 6%	<b>Purpose</b> Sunscreen Sunscreen
<b>Uses</b> • Helps prevent sunburn and photodamage caused by UVA/UVB exposure • Higher SPF gives more sunburn protection • If used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> • When using this product • Keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if • Rash or irritation occurs • Do not use • On damaged or broken skin • If allergic to any ingredient • If swallowed, get medical help or contact a Poison Control Center	
<b>Directions</b> • <b>Shake well prior to use</b> • Apply liberally to dry skin 15 minutes before sun exposure • For topical use only • Keep out of reach of children • Children under 6 months: ask a doctor • <b>Sun Protection Measures:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. <b>Reapply to dry skin:</b> • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours	
<b>Other Information</b> • Protect the product in this container from excessive heat and direct sun • May stain some fabrics	
<b>Inactive Ingredients:</b> Alanine, Aloe Barbadensis Leaf Juice, Alumina, Aluminum Stearate, Arginine, Aspartic Acid, Butyrospermum Parkii (Shea) Butter, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Carica Papaya (Papaya) Fruit Extract, Citric Acid, Crithmum Maritimum Extract, Cucumis Sativus (Cucumber) Fruit Extract, Diisopropyl Sebacate, Dimethoxydiphenylsilane/Triethoxycaprylylsilane Crosspolymer, Ethylhexylglycerin, Fucus Vesiculosus (Bladderwrack) Extract, Ginkgo Biloba (Ginkgo) Leaf Extract, Glycerin, Glycine, Glycine Soja (Soybean) Oil, Hamamelis Virginiana (Witch Hazel) Leaf Extract, Histidine, Hydrogenated Vegetable Oil, Isoleucine, Isostearyl Alcohol, Isostearyl Isostearate, Oryza Sativa (Rice) Extract, Oryza Sativa (Rice) Germ Extract, PCA, Phenoxyethanol, Phenylalanine, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polycinoleate, Polyhydroxystearic Acid, Potassium Sorbate, Proline, Purified Water, Rosa Canina (Rosehip) Fruit Oil, Sclerocarya Birrea (Marula) Seed Oil, Serine, Sodium Benzoate, Sodium Chloride, Sodium Hyaluronate, Sodium Lactate, Sodium PCA, Sorbitan Isostearate, Squalane, Threonine, Tocopheryl Acetate (Vitamin E), Valine, and Xanthan Gum	
<b>Questions?</b> Visit <a href="http://www.bluelizardsunscreen.com">www.bluelizardsunscreen.com</a> or call 800.877.8869	



1.7 fl oz (48 ml)

Crown Laboratories, Inc.  
Johnson City, TN 37604

P11901.00

**Blue Lizard Sheer Lotion for face - 1.7 fl oz carton**

BLUE LIZARD

AUSTRALIAN SUNSCREEN

50+

SHEER LOTION for face

MINERAL SUNSCREEN

BLUE LIGHT PROTECTION

UVA/UVB PROTECTION

BROAD SPECTRUM SPF 50+

WATER RESISTANT (80 MINUTES)

P11900.01

## SHEER LOTION | face

MINERAL SUNSCREEN THAT GOES ON SMOOTH AND DRIES CLEAR FOR A NATURAL FINISH

Finally, a sheer mineral sunscreen that rubs in smooth and dries clear. Blue Lizard's Sheer Face Lotion contains antioxidant-rich plant extracts to help shield against blue light exposure.



### Blue Light Protection

Helps protect your skin from sunlight and screen light. Studies show blue light from cell phones, computers and TVs may cause oxidative stress, destroying collagen and damaging deeper layers of the skin.

Blue Lizard Sunscreens are designed with consciously-selected ingredients to be **healthier for you and safer for the environment** – just one reason they have been trusted by dermatologists for over 20 years.

P11900.01



[www.bluelizardsunscreen.com](http://www.bluelizardsunscreen.com)

### Drug Facts

Made in USA

Active Ingredients	Purpose
Titanium Dioxide 9%	Sunscreen
Zinc Oxide 6%	Sunscreen

### Uses

• Helps prevent sunburn and photodamage caused by UVA/UVB exposure • Higher SPF gives more sunburn protection • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

• When using this product • Keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if • Rash or irritation occurs • Do not use • On damaged or broken skin • If allergic to any ingredient • If swallowed, get medical help or contact a Poison Control Center

### Directions

• Shake well prior to use • Apply liberally to dry skin 15 minutes before sun exposure • For topical use only • Keep out of reach of children • Children under 6 months: ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m.–2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. • Reapply to dry skin: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

### Other Information

• Protect the product in this container from excessive heat and direct sun • May stain some fabrics

### Inactive Ingredients

Alanine, Aloe Barbadensis Leaf Juice, Alumina, Aluminum Stearate, Arginine, Aspartic Acid, Butyrospermum Parkii (Shea) Butter, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Carica Papaya (Papaya) Fruit Extract, Citric Acid, Cithrium Maritimum Extract, Cucumis Sativus (Cucumber) Fruit Extract, Dicospropyl Sebacate, Dimethoxydiphenylsilane/Triethoxycaprylylsilane Crosspolymer, Ethylhexylglycerin, Fucus Vesiculosus (Bladderwrack) Extract, Ginkgo Biloba (Ginkgo) Leaf Extract, Glycerin, Glycine, Glycine Soja (Soybean) Oil, Hamamelis Virginiana (Witch Hazel) Leaf Extract, Histidine, Hydrogenated Vegetable Oil, Isoleucine, Isostearyl Alcohol, Isostearyl Isostearate, Oryza Sativa (Rice) Extract, Oryza Sativa (Rice) Germ Extract, PCA, Phenoxylethanol, Phenylenamine, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polycinnamate, Polyhydrosybutyric Acid, Potassium Sorbate, Proline, Purified Water, Rosa Canina (Rosehip) Fruit Oil, Sclerocarya Birea (Marula) Seed Oil, Serine, Sodium Benzoate, Sodium Chloride, Sodium Hyaluronate, Sodium Lactate, Sodium PCA, Sorbitan Isostearate, Squalane, Threonine, Tocopheryl Acetate (Vitamin E), Valine, and Xanthan Gum

### Questions?

Visit [www.bluelizardsunscreen.com](http://www.bluelizardsunscreen.com) or call 800.877.8989

# BLUE LIZARD

## AUSTRALIAN SUNSCREEN

Born in Australia | Made in the USA

NEW

# BLUE LIZARD

## AUSTRALIAN SUNSCREEN

# 50<sup>+</sup>

# SHEER LOTION

face



MINERAL SUNSCREEN

BLUE LIGHT PROTECTION

UVA / UVB PROTECTION  
BROAD SPECTRUM  
SPF 50+

WATER RESISTANT  
(80 MINUTES)

1.7 fl oz (48 ml)



### Mineral Sunscreen

Protects your skin by acting like thousands of tiny shields that reflect UV rays

### Blue Light Protection

Contains antioxidant-rich plant extracts to help shield against blue light exposure

### Reduces Risk of Skin Aging

Prevents signs of aging caused by UV sun rays and fights free radicals with cucumber and papaya extracts

### Nourishes Skin

Super blend of hydrating hyaluronic acid, shea butter, antioxidants, and vitamin E

### Won't Clog Pores

Non-comedogenic face sunscreen made for daily wear

### Paraben and Fragrance Free

Reduces the chance of skin irritation

### We ♥ The Reef

To help protect delicate coral reefs, this sunscreen is free from Oxybenzone and Octinoxate



CROWN  
Crown Laboratories, Inc.  
Johnson City, TN 37604  
[www.crownlaboratories.com](http://www.crownlaboratories.com)

## BLUE LIZARD SHEER FACE SPF 50 SUNSCREEN

titanium dioxide and zinc oxide lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0316-2057
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	66.6 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	99.9 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM LACTATE</b> (UNII: TU7HW0W0QT)	
<b>SODIUM PYRROLIDONE CARBOXYLATE</b> (UNII: 469OTG57A2)	
<b>THREONINE</b> (UNII: 2ZD004190S)	
<b>VALINE</b> (UNII: HG18B9YRS7)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SERINE</b> (UNII: 452VLY9402)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>ISOSTEARYL ISOSTEARATE</b> (UNII: IV0Z586Z4Y)	
<b>FUCUS VESICULOSUS</b> (UNII: 535G2ABX9M)	
<b>GINKGO</b> (UNII: 19FUJ2C58T)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>HISTIDINE</b> (UNII: 4QD397987E)	
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)	
<b>HYDROGENATED RAPESEED OIL</b> (UNII: K168T6Y0YU)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>RICE GERM</b> (UNII: 7N2B70SFEZ)	
<b>PIDOLIC ACID</b> (UNII: SZB83O1W42)	
<b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)	
<b>ASPARTIC ACID</b> (UNII: 30KYC7MIAI)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>PAPAYA</b> (UNII: KU94FIY6JB)	
<b>CRITHMUM MARITIMUM</b> (UNII: J7IHY79BKY)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CUCUMBER</b> (UNII: YY7C30VXJT)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PHENYLALANINE</b> (UNII: 47E5O17Y3R)	
<b>ISOLEUCINE</b> (UNII: 04Y7590D77)	
<b>ISOSTEARYL ALCOHOL</b> (UNII: Q613OCQ44Y)	
<b>SQUALANE</b> (UNII: GW89575KF9)	

<b>SCLEROCARYA BIRREA SEED OIL</b> (UNII: WDO4TLS35F)
<b>ROSA CANINA FRUIT OIL</b> (UNII: CR7307M3QZ)
<b>PROLINE</b> (UNII: 9DLQ4CIU6V)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>DIISOPROPYL SEBACATE</b> (UNII: J8T3X564IH)
<b>HAMAMELIS VIRGINIANA LEAF</b> (UNII: T07U1161SV)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>DIMETHOXYDIPHENYLSILANE</b> (UNII: 02QB6788GC)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>HYDROGENATED PALM OIL</b> (UNII: 257THB963H)
<b>ALANINE</b> (UNII: OF5P57N2ZX)
<b>ARGININE</b> (UNII: 94ZLA3W45F)
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0316-2057-17	1 in 1 CARTON	05/13/2021	
1		48 mL in 1 TUBE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/13/2021	

**Labeler** - Crown Laboratories (079035945)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Crown Laboratories		079035945	manufacture(0316-2057)

Revised: 12/2023

Crown Laboratories