

**CALPLUS- calplus injection, solution
MWI (VetOne)**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

CalPlus

CONTAINS:

Calcium borogluconate, dextrose, magnesium borogluconate, calcium hypo-phosphite.
Total calcium chemically equivalent
to calcium borogluconate 26.0% w/v
Dextrose H2O 15.0% w/v
Magnesium borogluconate 6.0% w/v
Total phosphorus in amounts chemically equivalent to elemental phosphorus 0.5% w/v

INDICATIONS:

For intravenous use in cattle to treat milk fever, and in calcium, phosphorus, magnesium and glucose deficiency in animals.

DOSAGE AND ADMINISTRATION:

Cattle, 500 mL. For milk fever prophylaxis, give 200-500 mL at time of calving. Horses, 250-500 mL; Sheep 50-125 mL. Repeat in 2 to 6 hours if needed. Intravenous administration is always preferable. If used subcutaneously, always distribute dose in several places and massage to facilitate absorption. This product contains no preservative. Unused portion remaining in bottle must be discarded.

Parental Solution

For animal use only.
Keep out of reach of children.

CAUTION:

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

CAUTION:

Large doses administered intravenously may have toxic action on heart if the blood level of calcium is raised excessively. Doses should be carefully regulated according to severity of hypocalcemia and injected slowly so that administration may be stopped if toxic action becomes evident.

STORAGE:

Store between 15 degrees and 30 degrees C (59 degrees - 86 degrees F).

TAKE TIME OBSERVE LABEL DIRECTIONS

Manufactured by:

Nova-Tech, Inc.

Grand Island, NE 68801

Distributed by: MWI

Boise, ID 83705

(888) 694-8381

www.vetone.net

V1 510122 Net Contents: 500 mL


Rev. 06-11

18-811-50 RMS 92-590

Lot# Exp.

NDC 13985-811-50 500 mL

CONTAINS:
 Calcium borogluconate, dextrose, magnesium borogluconate, calcium hypo-phosphite.
 Total calcium chemically equivalent to calcium borogluconate 26.0% w/v
 Dextrose • H2O 15.0% w/v
 Magnesium borogluconate 6.0% w/v
 Total phosphorus in amounts chemically equivalent to elemental phosphorus 0.5% w/v



CalPlus™

Solution

CAUTION: Large doses administered intravenously may have toxic action on heart if the blood level of calcium is raised excessively. Doses should be carefully regulated according to severity of hypocalcemia and injected slowly so that administration may be stopped if toxic action becomes evident.

STORAGE: Store between 15° and 30°C (59°–86°F).


INDICATIONS: For intravenous use in cattle to treat milk fever, and in calcium, phosphorus, magnesium and glucose deficiency in animals.

DOSAGE AND ADMINISTRATION: Cattle, 500 mL. For milk fever prophylaxis, give 200–500 mL at time of calving. Horses, 250–500 mL; Sheep 50–125 mL. Repeat in 2 to 6 hours if needed. Intravenous administration is always preferable. If used subcutaneously, always distribute dose in several places and massage to facilitate absorption. This product contains no preservative. Unused portion remaining in bottle must be discarded.

MADE IN USA

Manufactured by:
 Nova-Tech, Inc.
 Grand Island, NE 68801


Distributed by: MWI
 Boise, ID 83705
 (888) 694-8381
 www.vetone.net



3 13985 00765 1


Parenteral Solution

For animal use only.
 Keep out of reach of children.



CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

V1 510122 Net Contents: 500 mL

TAKE TIME  **OBSERVE LABEL DIRECTIONS**

Rev. 06-11

18-811-50
Lot#
RMS 92-590
Exp.

CALPLUS

calplus injection, solution

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:13985-811
Route of Administration	INTRAVENOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

Calcium Borogluconate (UNII: 6915G2PQ10) (Calcium Cation - UNII:2M83C4R6ZB)	Calcium Borogluconate	26 g in 100 mL
DEXTROSE MONOHYDRATE (UNII: LX22YL083G) (ANHYDROUS DEXTROSE - UNII:5SL0G7R0OK)	DEXTROSE MONOHYDRATE	15 g in 100 mL
Magnesium Gluconate (UNII: T42NAD2KHC) (Magnesium cation - UNII:T6V3LHY838)	Magnesium Gluconate	6 g in 100 mL
Phosphorus (UNII: 27YLU75U4W) (Phosphorus - UNII:27YLU75U4W)	Phosphorus	0.5 g in 100 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13985-811-50	500 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/28/2011	

Labeler - MWI (VetOne) (019926120)

Registrant - MWI (VetOne) (019926120)

Establishment

Name	Address	ID/FEI	Business Operations
Nova-Tech, Inc.		196078976	manufacture

Revised: 6/2014

MWI (VetOne)