

DRAINER - benzoicum acidum, berber. vulg., bryonia, cantharis, carduus benedictus, ceanothus, chelidonium majus, chionanthus virginica, cinchona, dioscorea, dolichos, iris versicolor, juniperus com., nux vom., ptelea, taraxacum, uricum acidum, carduus mar., cynara scolymus, solidago liquid

DRAINER- benzoicum acidum, berber. vulg., bryonia, cantharis, carduus benedictus, ceanothus, chelidonium majus, chionanthus virginica, cinchona, dioscorea, dolichos, iris versicolor, juniperus com., nux vom., ptelea, taraxacum, uricum acidum, carduus mar., cynara scolymus, solidago liquid

Newton Laboratories, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Drainer

INDICATIONS & USAGE SECTION

Formulated for symptoms associated with toxicity such as fatigue and sluggish elimination.

DOSAGE & ADMINISTRATION SECTION

Directions: Pets, under 50 lbs., give 3 drops orally (50 to 500 lbs. - 6 drops, over 500 lbs. - 1/2 teaspoon) once per day or as directed by a health professional. Place in mouth or purified water.

ACTIVE INGREDIENT SECTION

Equal parts of Cynara 6x, Solidago 6x, Taraxacum 6x, Benzoicum ac. 15x, Berber. vulg. 15x, Bryonia 15x, Cantharis 15x, Carduus ben. 15x, Carduus mar. 15x, Ceanothus 15x, Chelidonium maj. 15x, Chionanthus 15x, Cinchona 15x, Dioscorea 15x, Dolichos 15x, Iris vers. 15x, Juniperus com.15x, Nux vom. 15x, Ptelea 15x, Taraxacum 15x, Uricum ac. 15x.

INACTIVE INGREDIENT SECTION

Inactive Ingredients: USP Purified Water; USP Gluten-free, non-GMO, organic cane alcohol 20%.

QUESTIONS SECTION

newtonlabs.net Questions? 800.448.7256

Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30013

WARNINGS SECTION

Warnings: **Keep out of reach of children. Do not use** if tamper - evident seal is missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

PREGNANCY OR BREAST FEEDING SECTION

If **pregnant or breast-feeding**, ask a doctor before use.

KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL

www.newtonlabs.net
Newton Laboratories, Inc. FDA Est#1051203 • Conyers, GA 30012
Questions? 1.800.448.7256
Warnings: Do not use if tamper-evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

NEWTON
homeopathics™ **PRO**
for **PETS**
Nurturing Naturally Since 1987™
NDC# 55714-5000-1

Drainer

Formulated for liver, kidney and colon functions and for symptoms associated with toxic conditions.

1 fl oz (29.57 ml)

Dispensed by healthcare professionals only.
Not for over-the-counter sale.

Directions: ORAL USE ONLY - SHAKE WELL.
Pets, under 50 lbs., give 3 drops orally (50 to 500 lbs. - 6 drops, over 500 lbs. - 1/2 teaspoon) once per day or as directed by a healthcare professional. Place in mouth or purified water.

Active Ingredients: Benzoicum acidum 15x, Berber. vulg. 15x, Bryonia 15x, Cantharis 15x, Carduus benedictus 15x, Ceanothus 15x, Chelidonium majus 15x, Chionanthus virginica 15x, Cinchona 15x, Dioscorea 15x, Dolichos 15x, Iris versicolor 15x, Juniperus com. 15x, Nux vom. 15x, Ptelea 15x, Taraxacum 15x, Uricum acidum 15x, Carduus mar. 3x, Cynara scolymus 3x, Solidago 3x, Taraxacum 3x.

Inactive Ingredients: USP Purified water; USP Gluten-free, non-GMO, organic cane dispensing alcohol 20%.

Stock# **V001** Lot#

newtonlabs.net ~ Questions? 800.448.7256
Newton Laboratories, Inc. FDA Est#1051203 • Conyers, GA 30013
Label statements have not been reviewed by the FDA.
WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If pregnant or breast-feeding, ask a doctor before use.

NEWTON
homeopathics™
PRO PETS
NDC# 55714-5048-1

Drainer

Formulated for symptoms associated with toxicity such as fatigue and sluggish elimination.

1 FL OZ (30 ML)

Dispensed by health professionals - not sold over-the-counter.

Directions: Pets, under 50 lbs., give 3 drops by mouth (50 to 500 lbs. - 6 drops, over 500 lbs. - 1/2 teaspoon) once per day or as directed by a health professional. Place in mouth or purified water.

Active Ingredients: Equal parts of Cynara 6x, Solidago 6x, Taraxacum 6x, Benzoicum ac. 15x, Berber. vulg. 15x, Bryonia 15x, Cantharis 15x, Carduus ben. 15x, Carduus mar. 15x, Ceanothus 15x, Chelidonium maj. 15x, Chionanthus 15x, Cinchona 15x, Dioscorea 15x, Dolichos 15x, Iris vers. 15x, Juniperus com. 15x, Nux vom. 15x, Ptelea 15x, Taraxacum 15x, Uricum ac. 15x.

Inactive Ingredients: USP Purified water; USP Gluten-free, non-GMO, organic cane alcohol 20%.

Stock# **V001** Lot#

DRAINER

benzoicum acidum, berber. vulg., bryonia, cantharis, carduus benedictus, ceanothus, chelidonium majus, chionanthus virginica, cinchona, dioscorea, dolichos, iris versicolor, juniperus com., nux vom., ptelea, taraxacum, uricum acidum, carduus mar., cynara scolymus, solidago liquid

Product Information

| | | | |
|--------------------------------|-----------------|---------------------------|----------------|
| Product Type | OTC ANIMAL DRUG | Item Code (Source) | NDC:55714-5000 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|----------------------------------|-------------------|
| Benzoic Acid (UNII: 8SKN0B0MIM) (Benzoic Acid - UNII:8SKN0B0MIM) | Benzoic Acid | 15 [hp_X] in 1 mL |
| Berberis Vulgaris Root Bark (UNII: 1TH8Q20J0U) (Berberis Vulgaris Root Bark - UNII:1TH8Q20J0U) | Berberis Vulgaris Root Bark | 15 [hp_X] in 1 mL |
| Bryonia Alba Root (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B) | Bryonia Alba Root | 15 [hp_X] in 1 mL |
| Lytta Vesicatoria (UNII: 3Q034RO3BT) (Lytta Vesicatoria - UNII:3Q034RO3BT) | Lytta Vesicatoria | 15 [hp_X] in 1 mL |
| Centaurea Benedicta (UNII: 6L5ZL09795) (Centaurea Benedicta - UNII:6L5ZL09795) | Centaurea Benedicta | 15 [hp_X] in 1 mL |
| Ceanothus Americanus Leaf (UNII: 25B1Y14T8N) (Ceanothus Americanus Leaf - UNII:25B1Y14T8N) | Ceanothus Americanus Leaf | 15 [hp_X] in 1 mL |
| Chelidonium Majus (UNII: 7E889U5RNN) (Chelidonium Majus - UNII:7E889U5RNN) | Chelidonium Majus | 15 [hp_X] in 1 mL |
| Chionanthus Virginicus Bark (UNII: S9Y4B22U2E) (Chionanthus Virginicus Bark - UNII:S9Y4B22U2E) | Chionanthus Virginicus Bark | 15 [hp_X] in 1 mL |
| Cinchona Officinalis Bark (UNII: S003A158SB) (Cinchona Officinalis Bark - UNII:S003A158SB) | Cinchona Officinalis Bark | 15 [hp_X] in 1 mL |
| Dioscorea Villosa Tuber (UNII: IWY3IWX2G8) (Dioscorea Villosa Tuber - UNII:IWY3IWX2G8) | Dioscorea Villosa Tuber | 15 [hp_X] in 1 mL |
| Mucuna Pruriens Fruit Trichome (UNII: 3E271BSI0C) (Mucuna Pruriens Fruit Trichome - UNII:3E271BSI0C) | Mucuna Pruriens Fruit Trichome | 15 [hp_X] in 1 mL |
| Iris Versicolor Root (UNII: X43D4L3DQC) (Iris Versicolor Root - UNII:X43D4L3DQC) | Iris Versicolor Root | 15 [hp_X] in 1 mL |
| Juniper Berry (UNII: O84B5194RL) (Juniper Berry - UNII:O84B5194RL) | Juniper Berry | 15 [hp_X] in 1 mL |
| Strychnos Nux-vomica Seed (UNII: 269XH13919) (Strychnos Nux-vomica Seed - UNII:269XH13919) | Strychnos Nux-vomica Seed | 15 [hp_X] in 1 mL |
| Ptelea Trifoliata Bark (UNII: 5KQR6FTT0D) (Ptelea Trifoliata Bark - UNII:5KQR6FTT0D) | Ptelea Trifoliata Bark | 15 [hp_X] in 1 mL |
| Taraxacum Officinale (UNII: 39981FM375) (Taraxacum Officinale - UNII:39981FM375) | Taraxacum Officinale | 15 [hp_X] in 1 mL |
| Uric Acid (UNII: 268B43MJ25) (Uric Acid - UNII:268B43MJ25) | Uric Acid | 15 [hp_X] in 1 mL |
| Silybum Marianum Seed (UNII: U946SH95EE) (Silybum Marianum Seed - UNII:U946SH95EE) | Silybum Marianum Seed | 3 [hp_X] in 1 mL |
| Cynara Scolymus Leaf (UNII: B71UA545DE) (Cynara Scolymus Leaf - UNII:B71UA545DE) | Cynara Scolymus Leaf | 3 [hp_X] in 1 mL |
| Solidago Virgaurea Flowering Top (UNII: 5405K23S50) (Solidago Virgaurea Flowering Top - UNII:5405K23S50) | Solidago Virgaurea Flowering Top | 3 [hp_X] in 1 mL |

Inactive Ingredients

| Ingredient Name | | Strength | | |
|------------------------------|--|--------------------------------|----------------------|--------------------|
| Alcohol (UNII: 3K9958V90M) | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:55714-5000-1 | 29.57 mL in 1 BOTTLE, GLASS | | |
| 2 | NDC:55714-5000-3 | 236.59 mL in 1 BOTTLE, PLASTIC | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| unapproved homeopathic | | 08/01/2011 | | |

DRAINER

benzoicum acidum, berber. vulg., bryonia, cantharis, carduus benedictus, ceanothus, chelidonium majus, chionanthus virginica, cinchona, dioscorea, dolichos, iris versicolor, juniperus com., nux vom., ptelea, taraxacum, uricum acidum, carduus mar., cynara scolymus, solidago liquid

| Product Information | | | |
|-------------------------|-----------------|--------------------|----------------|
| Product Type | OTC ANIMAL DRUG | Item Code (Source) | NDC:55714-5048 |
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | |
|---|--------------------------------|-------------------|
| Ingredient Name | Basis of Strength | Strength |
| Benzoic Acid (UNII: 8SKN0B0MIM) (Benzoic Acid - UNII:8SKN0B0MIM) | Benzoic Acid | 15 [hp_X] in 1 mL |
| Berberis Vulgaris Root Bark (UNII: 1TH8Q20J0U) (Berberis Vulgaris Root Bark - UNII:1TH8Q20J0U) | Berberis Vulgaris Root Bark | 15 [hp_X] in 1 mL |
| Bryonia Alba Root (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B) | Bryonia Alba Root | 15 [hp_X] in 1 mL |
| Lytta Vesicatoria (UNII: 3Q034RO3BT) (Lytta Vesicatoria - UNII:3Q034RO3BT) | Lytta Vesicatoria | 15 [hp_X] in 1 mL |
| Centaurea Benedicta (UNII: 6L5ZL09795) (Centaurea Benedicta - UNII:6L5ZL09795) | Centaurea Benedicta | 15 [hp_X] in 1 mL |
| Ceanothus Americanus Leaf (UNII: 25B1Y14T8N) (Ceanothus Americanus Leaf - UNII:25B1Y14T8N) | Ceanothus Americanus Leaf | 15 [hp_X] in 1 mL |
| Chelidonium Majus (UNII: 7E889U5RNN) (Chelidonium Majus - UNII:7E889U5RNN) | Chelidonium Majus | 15 [hp_X] in 1 mL |
| Chionanthus Virginicus Bark (UNII: S9Y4B22U2E) (Chionanthus Virginicus Bark - UNII:S9Y4B22U2E) | Chionanthus Virginicus Bark | 15 [hp_X] in 1 mL |
| Cinchona Officinalis Bark (UNII: S003A158SB) (Cinchona Officinalis Bark - UNII:S003A158SB) | Cinchona Officinalis Bark | 15 [hp_X] in 1 mL |
| Dioscorea Villosa Tuber (UNII: IWY3IWX2G8) (Dioscorea Villosa Tuber - UNII:IWY3IWX2G8) | Dioscorea Villosa Tuber | 15 [hp_X] in 1 mL |
| Mucuna Pruriens Fruit Trichome (UNII: 3E271BS10C) (Mucuna Pruriens Fruit Trichome - UNII:3E271BS10C) | Mucuna Pruriens Fruit Trichome | 15 [hp_X] in 1 mL |
| Iris Versicolor Root (UNII: X43D4L3DQC) (Iris Versicolor Root - UNII:X43D4L3DQC) | Iris Versicolor Root | 15 [hp_X] in 1 mL |

| | | |
|---|----------------------------------|----------------------|
| Juniper Berry (UNII: O84B5194RL) (Juniper Berry - UNII:O84B5194RL) | Juniper Berry | 15 [hp_X] in 1 mL |
| Strychnos Nux-vomica Seed (UNII: 269XH13919) (Strychnos Nux-vomica Seed - UNII:269XH13919) | Strychnos Nux-vomica Seed | 15 [hp_X] in 1 mL |
| Ptelea Trifoliata Bark (UNII: 5KQR6FTT0D) (Ptelea Trifoliata Bark - UNII:5KQR6FTT0D) | Ptelea Trifoliata Bark | 15 [hp_X] in 1 mL |
| Taraxacum Officinale (UNII: 39981FM375) (Taraxacum Officinale - UNII:39981FM375) | Taraxacum Officinale | 15 [hp_X] in 1 mL |
| Uric Acid (UNII: 268B43MJ25) (Uric Acid - UNII:268B43MJ25) | Uric Acid | 15 [hp_X] in 1 mL |
| Silybum Marianum Seed (UNII: U946SH95EE) (Silybum Marianum Seed - UNII:U946SH95EE) | Silybum Marianum Seed | 15 [hp_X] in 1 mL |
| Cynara Scolymus Leaf (UNII: B71UA545DE) (Cynara Scolymus Leaf - UNII:B71UA545DE) | Cynara Scolymus Leaf | 6 [hp_X] in 1 mL |
| Solidago Virgaurea Flowering Top (UNII: 5405K23S50) (Solidago Virgaurea Flowering Top - UNII:5405K23S50) | Solidago Virgaurea Flowering Top | 6 [hp_X] in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------------------------|----------|
| Alcohol (UNII: 3K9958V90M) | |
| Water (UNII: 059QF0K00R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--------------------------|----------------------|--------------------|
| 1 | NDC:55714-5048-1 | 30 mL in 1 BOTTLE, GLASS | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 01/14/2019 | |

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------------------------|---------|-----------|------------------------------|
| Newton Laboratories, Inc. | | 788793610 | MANUFACTURE, API MANUFACTURE |

Revised: 12/2019

Newton Laboratories, Inc.