

MUCUS RELIEF DM- guaifenesin, dextromethorphan hbr tablet
Gobrand, Inc. (Goodnow)

Drug Facts

Active ingredients (in each extended-release tablet)

Dextromethorphan HBr 60 mg

Guaifenesin 1200 mg

Purpose

Cough Suppressant

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

do not use more than directed.

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent

headache. These could be signs of a serious illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regards for timing of meals
- adults and children 12 years of age and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

Other information

- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to active ingredients in Maximum Strength Mucinex® DM†

12-HOUR MAXIMUM STRENGTH

Mucus Relief DM

Guaifenesin 1200 mg

Dextromethorphan HBr 60 mg

Extended-Release Tablets

Expectorant

Cough Suppressant

Controls Cough

Thins & Loosen Mucus

EXTENDED-RELEASE TABLETS

†This product is not manufactured or distributed Reckitt Benckiser LLC, distributor of Maximum Strength Mucinex® DM.

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY:

GOBRANDS, INC.

PHILADELPHIA, PA 19123

Package Label

Drug Facts

Active ingredients (in each extended-release tablet)	Purposes
Dextromethorphan HBr 60 mg.....	Cough Suppressant
Guaifenesin 1200 mg.....	Expectorant

Uses ● helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive ● temporarily relieves: ● cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants ● the intensity of coughing ● the impulse to cough to help you get to sleep

Warnings
Do not use ● for children under 12 years of age ● if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
Ask a doctor before use if you have ● persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema ● cough accompanied by too much phlegm (mucus)
When using this product do not use more than directed.
Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions ● do not crush, chew, or break tablet ● take with a full glass of water
● this product can be administered without regard for timing of meals ● adults and children 12 years of age and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours ● children under 12 years of age: do not use

Other information ● store between 20° to 25°C (68° to 77°F)

Inactive ingredients carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

†This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Maximum Strength Mucinex® DM.

DISTRIBUTED BY:
GOBRANDS, INC.
PHILADELPHIA, PA 19123
©2022 GOBRANDS, INC.
PLD-A520A FC008118

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org



8 50035 45947 8

Compare to active ingredients in Maximum Strength Mucinex® DM†

NDC 82501-7340-7



actual size



12 HOUR MAXIMUM STRENGTH
Mucus Relief DM
Guaifenesin → 1200 mg
Dextromethorphan HBr → 60 mg
Extended-Release Tablets

7
EXTENDED-RELEASE TABLETS

Controls Cough
Thins & Loosens Mucus

Expectorant
Cough Suppressant

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

LOT NO:
EXP DATE:

good now

12 HOUR MAXIMUM STRENGTH
Mucus Relief DM
Guaifenesin → 1200 mg
Dextromethorphan HBr → 60 mg
Extended-Release Tablets

GOOD NOW Maximum Strength Mucus Relief DM

MUCUS RELIEF DM

guaifenesin, dextromethorphan hbr tablet

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:82501-7340

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	60 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	1200 mg

Inactive Ingredients

Ingredient Name	Strength
CARBOMER 934 (UNII: Z135WF9208)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	yellow	Score	no score
Shape	OVAL	Size	22mm
Flavor		Imprint Code	AN039
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82501-7340-7	7 in 1 CARTON	04/22/2022	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209692	04/22/2022	

Labeler - Gobrands, Inc. (Goodnow) (057499049)