

FOSTER AND THRIVE ANTI ITCH CREAM- diphenhydramine hydrochloride, zinc acetate cream

Strategic Sourcing Services LLC

McKesson Anti-Itch Cream Drug Facts

Active ingredient

Diphenhydramine hydrochloride 2%

Zinc acetate 0.1%

Purpose

Topical analgesic

Skin protectant

Uses

- temporarily relieves pain and itching associated with:
 - insect bites
 - minor burns
 - sunburn
 - minor skin irritations
 - minor cuts
 - scrapes
 - rashes due to poison ivy, poison oak and poison sumac
- dries the oozing and weeping of poison ivy, poison oak and poison sumac

Warnings

For external use only

Do not use

- on large areas of the body
- with any other product containing diphenhydramine, even one taken by mouth

Ask a doctor before use

- on chicken pox
- on measles

When using this product

- avoid contact with the eyes

Stop use and ask a doctor if

- condition worsens or does not improve within 7 days
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- do not use more than directed
- adults and children 2 years of age and older: apply to affected area no more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)

Inactive ingredients

cetyl alcohol, diazolidinyl urea, methylparaben, PEG-2 stearate, PEG-20 stearate, propylene glycol, propylparaben, purified water

Questions or comments?

Call **833-358-6431** Monday to Friday 9:00am to 7:00pm EST

Principal Display Panel

COMPARE TO ACTIVE INGREDIENTS OF EXTRA STRENGTH BENADRYL® ITCH STOPPING CREAM

Foster & Thrive™

EXTRA STRENGTH

Anti-Itch Cream

Diphenhydramine Hydrochloride 2% and Zinc Acetate 0.1%

TOPICAL ANALGESIC SKIN PROTECTANT

Itch Stopping Cream

Relieves Itches From Insect Bites & Skin Irritations

NET WT 1 OZ (28 g)

NDC 70677-1289-1

Foster & Thrive™

EXTRA STRENGTH

Anti-Itch Cream

Diphenhydramine Hydrochloride 2% and Zinc Acetate 0.1%
TOPICAL ANALGESIC SKIN PROTECTANT
 Itch Stopping Cream
 Relieves Itches From Insect Bites & Skin Irritations

NET WT 1 OZ (28 g)

COMPARE TO ACTIVE INGREDIENTS OF EXTRA STRENGTH BENADRYL® ITCH STOPPING CREAM*

NDC 70677-1289-1

Foster & Thrive™

EXTRA STRENGTH

Anti-Itch Cream

Diphenhydramine Hydrochloride 2% and Zinc Acetate 0.1%
TOPICAL ANALGESIC SKIN PROTECTANT
 Itch Stopping Cream
 Relieves Itches From Insect Bites & Skin Irritations

NET WT 1 OZ (28 g)

COMPARE TO ACTIVE INGREDIENTS OF EXTRA STRENGTH BENADRYL® ITCH STOPPING CREAM*

NDC 70677-1289-1

Foster & Thrive™

EXTRA STRENGTH

Anti-Itch Cream

Diphenhydramine Hydrochloride 2% and Zinc Acetate 0.1%
TOPICAL ANALGESIC SKIN PROTECTANT
 Itch Stopping Cream
 Relieves Itches From Insect Bites & Skin Irritations

NET WT 1 OZ (28 g)

COMPARE TO ACTIVE INGREDIENTS OF EXTRA STRENGTH BENADRYL® ITCH STOPPING CREAM*

©2023 McKesson Corporation
 Distributed by: McKesson Corp.,
 via Strategic Sourcing Services LLC,
 Memphis, TN 38141
 Money Back Guarantee
 www.fosterandthrive.com

Rev. 03/25

10939961488
 62264 KM C1

This product is not manufactured or distributed by Johnson & Johnson consumer inc. the distributor of extra strength benadryl® itch stopping cream.

<p>Drug Facts</p> <p>Active ingredients Diphenhydramine hydrochloride 2% Topical analgesic Zinc acetate 0.1% Skin protectant</p> <p>Purpose Topical analgesic</p> <p>Uses temporarily relieves pain and itching associated with: ■ insect bites ■ sunburn ■ minor burns ■ scrapes ■ rashes due to poison ivy, poison oak and poison sumac ■ dries the oozing and weeping of poison ivy, poison oak and poison sumac</p> <p>Warnings For external use only Do not use ■ on large areas of the body ■ with any other product containing diphenhydramine, even one taken by mouth ■ Ask a doctor before use ■ on chicken pox ■ on measles When using this product ■ avoid contact with the eyes</p>	<p>Drug Facts (continued)</p> <p>Stop use and ask a doctor if ■ condition worsens or does not improve within 7 days ■ symptoms persist for more than 7 days or clear up and occur again within a few days</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions ■ do not use more than directed ■ adults and children 2 years of age and older: apply to affected area no more than 3 to 4 times daily ■ children under 2 years of age: ask a doctor</p> <p>Other information ■ store at 20°-25°C (68°-77°F) ■ Inactive ingredients: cetyl alcohol, diazolidinyl urea, methylparaben, PEG-2 stearate, PEG-20 stearate, propylene glycol, propylparaben, purified water</p> <p>Questions or comments? Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

EXTRA STRENGTH

Anti-Itch Cream

Foster & Thrive™

FOSTER AND THRIVE ANTI ITCH CREAM

diphenhydramine hydrochloride, zinc acetate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70677-1289
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	2 g in 100 g
ZINC ACETATE (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37)	ZINC ACETATE	0.1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CETYL ALCOHOL (UNII: 936JST6JCN)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DIETHYLENE GLYCOL MONO- AND DIPALMITOSTEARATE (UNII: 94YQ11Y95F)	
PEG-20 STEARATE (UNII: NBX892EA57)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-1289-1	1 in 1 CARTON	04/30/2025	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/30/2025	

Labeler - Strategic Sourcing Services LLC (116956644)

Revised: 4/2025

Strategic Sourcing Services LLC