

**GAS RELIEF EXTRA STRENGTH- dimethicone capsule, liquid filled
TOPCO ASSOCIATES LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Gas Relief Extra Strength

Drug Facts

Active ingredient (in each softgel)

Simethicone 125 mg

Purpose

Antigas

Use

for the relief of

- Pressure, bloating, and fullness commonly referred to as gas

Warnings

Keep out of reach of children.

Directions

- adults: swallow with water 1 or 2 softgels as needed after meals and at bedtime
- do not exceed 4 softgels in 24 hours except under the advice and supervision of a physician

Other information

- store between 20-25°C (68-77°F)
- protect from heat and moisture

Inactive ingredients

D&C yellow #10, FD&C blue #1, gelatin, glycerin, peppermint oil, povidone, purified water, sorbitol sorbitan solution, titanium dioxide

Questions?

Call **1-888-423-0139**

PRINCIPAL DISPLAY PANEL - 50 Softgel Blister Pack Carton

NDC 36800-801-67

*Compare to the active ingredient
in Gas-X[®] Extra Strength

Extra Strength
Gas Relief
Softgels

ANTIGAS / SIMETHICONE 125mg

FAST RELIEF OF

- Bloating
- Pressure
- Fullness & Gas

actual size

50 Softgels

NDC 36800-801-67

*Compare to the active ingredient
in Gas-X® Extra Strength

Extra Strength Gas Relief Softgels

ANTIGAS / SIMETHICONE 125mg

FAST RELIEF OF

- Bloating
- Pressure
- Fullness & Gas




actual size

50 Softgels

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS
TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

KEEP OUTER CARTON FOR COMPLETE PRODUCT INFORMATION

LOT:
EXP:



Drug Facts

Active ingredient (in each softgel)	Purpose
Simethicone 125 mg.....	Antigas

Use
for the relief of

- Pressure, bloating, and fullness commonly referred to as gas

Warnings
Keep out of reach of children.

Directions

- adults: swallow with water 1 or 2 softgels as needed after meals and at bedtime
- do not exceed 4 softgels in 24 hours except under the advice and supervision of a physician

Other information

- store between 20-25°C (68-77°F)
- protect from heat and moisture

Inactive ingredients
D&C yellow #10, FD&C blue #1, gelatin, glycerin, peppermint oil, povidone, purified water, sorbitol sorbitan solution, titanium dioxide

Questions? Call 1-888-423-0139

*This product is not manufactured or distributed by Glaxo Smith Kline Consumer Holding the owner of the registered trademark Gas-X®

REV.00-122020 CT3680080167



GAS RELIEF EXTRA STRENGTH
dimethicone capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-785
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	125 mg

Inactive Ingredients

Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
WATER (UNII: 059QF0KO0R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	GREEN	Score	no score
Shape	OVAL	Size	9mm
Flavor		Imprint Code	791
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-785-05	2 in 1 CARTON	05/01/2021	
1		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part332	05/01/2021	

Labeler - TOPCO ASSOCIATES LLC (006935977)