

**CORTIZONE 10 COOLING RELIEF- hydrocortisone gel**  
**CORTIZONE 10- hydrocortisone cream**  
**CORTIZONE 10 INTENSIVE HEALING- hydrocortisone cream**  
**CORTIZONE 10- hydrocortisone ointment**  
**CORTIZONE 10 PLUS- hydrocortisone cream**  
**Chattem, Inc.**

-----  
**Cortizone-10**

***Cortizone-10® Cooling Relief Gel***

***Active Ingredient:***

Hydrocortisone 1%

***Purpose***

Anti-itch

***Uses***

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
  - eczema
  - psoriasis
  - poison ivy, oak, sumac
  - insect bites
  - detergents
  - jewelry
  - cosmetics
  - soaps
  - seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

***Warnings***

**For external use only**

**Do not use**

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

**When using this product**

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

**Stop use and ask a doctor if**

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- **for itching of skin irritation, inflammation, and rashes:**
  - adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily

- children under 2 years of age: ask a doctor
- **for external anal and genital itching, adults:**
  - when practical, clean the affected area with mild soap and warm water and rinse thoroughly
  - gently dry by patting or blotting with toilet tissue or a soft cloth before applying
  - apply to affected area not more than 3 to 4 times daily
  - children under 12 years of age: ask a doctor

**Other information**

- contents filled by weight, not volume

**Inactive Ingredients**

aloe barbadensis leaf juice, avena sativa (oat) kernel extract, cyclopentasiloxane, dimethicone, dimethicone/vinyl dimethicone crosspolymer, disodium EDTA, glycerin, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, isohexadecane, maltodextrin, menthyl lactate, methyl gluceth-20, methylparaben, polysorbate 60, propylparaben, SD Alcohol 40-2 (15%), sodium citrate, water

CHATTEM®

\*Refers to the ingredient hydrocortisone

Distributed by CHATTEM, INC.

P.O. Box 2219, Chattanooga,

TN 37409-0219 USA ©2008

www.ditchtheitch.com 0042740-02

**Cortizone-10® Creme**

**Active Ingredient:**

Hydrocortisone 1%

**Purpose**

Anti-itch

**Uses**

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
  - eczema
  - psoriasis
  - poison ivy, oak, sumac
  - insect bites
  - detergents
  - jewelry
  - cosmetics
  - soaps
  - seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

**Warnings**

**For external use only**

**Do not use**

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

**When using this product**

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor.
- do not put directly into the rectum by using fingers or any mechanical device or applicator

**Stop use and ask a doctor if**

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- **for itching of skin irritation, inflammation, and rashes:**
  - adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
  - children under 2 years of age: ask a doctor
- **for external anal and genital itching, adults:**
  - when practical, clean the affected area with mild soap and warm water and rinse thoroughly
  - gently dry by patting or blotting with toilet tissue or a soft cloth before applying
  - apply to affected area not more than 3 to 4 times daily
  - children under 12 years of age: ask a doctor

**Other information**

- contents filled by weight, not volume

**Inactive Ingredients**

aloe barbadensis leaf juice, aluminum sulfate, beeswax, calcium acetate, cetearyl alcohol, dextrin, glycerin, maltodextrin, methylparaben, mineral oil, petrolatum, propylparaben, sodium cetearyl sulfate, sodium lauryl sulfate, water

\*Refers to the ingredient hydrocortisone

CHATTEM®

Distributed by CHATTEM, INC.

P.O. Box 2219, Chattanooga, TN 37409-0219 USA ©2008

www.chattem.com 0040433-02

Minor change

**Cortizone-10® Creme Intensive Healing Formula**

**Active Ingredient:**

Hydrocortisone 1%

**Purpose**

Anti-itch

**Uses**

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
  - eczema
  - psoriasis
  - poison ivy, oak, sumac
  - insect bites
  - detergents
  - jewelry

- cosmetics
- soaps
- seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

**Warnings**

**For external use only**

**Do not use**

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

**When using this product**

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor.
- do not put directly into the rectum by using fingers or any mechanical device or applicator

**Stop use and ask a doctor if**

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- **for itching of skin irritation, inflammation, and rashes:**
  - adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
  - children under 2 years of age: ask a doctor
- **for external anal and genital itching, adults:**
  - when practical, clean the affected area with mild soap and warm water and rinse thoroughly
  - gently dry by patting or blotting with toilet tissue or a soft cloth before applying
  - apply to affected area not more than 3 to 4 times daily
  - children under 12 years of age: ask a doctor

**Other information**

- contents filled by weight, not volume

**Inactive Ingredients**

water, glycerin, dimethicone, petrolatum, jojoba esters, cetyl alcohol, aloe barbadensis leaf juice, stearyl alcohol, distearyldimonium chloride, cetearyl alcohol, steareth-21, steareth-2, polysorbate 60, stearamidopropyl PG-dimonium chloride phosphate, methyl gluceth-20, chamomilla recutita (matricaria) flower extract, tocopheryl acetate, magnesium ascorbyl phosphate, hydrolyzed collagen, hydrolyzed elastin, retinyl palmitate, hydrolyzed jojoba esters, glyceryl stearate, EDTA, PPG-12/SMDI copolymer, potassium hydroxide, avena sativa (oat) kernel extract, menthyl lactate, diazolidinyl urea, benzyl alcohol, methylparaben, BHT, propylparaben

\*Refers to the ingredient hydrocortisone

†Contains 7 healing moisturizers and vitamins A, C & E

CHATTEM®

Distributed by CHATTEM, INC.

P.O. Box 2219, Chattanooga,

TN 37409-0219 USA ©2008 0040439-02

## **Cortizone-10<sup>®</sup> Ointment**

### **Active Ingredient:**

Hydrocortisone 1%

### **Purpose**

Anti-itch

### **Uses**

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
  - eczema
  - psoriasis
  - poison ivy, oak, sumac
  - insect bites
  - detergents
  - jewelry
  - cosmetics
  - soaps
  - seborrheic dermatitis
  - temporarily relieves external anal and genital itching
  - other uses of this product should only be under the advice and supervision of a doctor

### **Warnings**

#### **For external use only**

#### **Do not use**

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

#### **When using this product**

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

#### **Stop use and ask a doctor if**

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

#### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- **for itching of skin irritation, inflammation, and rashes:**
  - adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
  - children under 2 years of age: ask a doctor
- **for external anal and genital itching, adults:**
  - when practical, clean the affected area with mild soap and warm water and rinse thoroughly
  - gently dry by patting or blotting with toilet tissue or a soft cloth before applying
  - apply to affected area not more than 3 to 4 times daily
  - children under 12 years of age: ask a doctor

### **Other information**

- contents filled by weight, not volume

## **Inactive Ingredients**

petrolatum

\*Refers to the ingredient hydrocortisone

CHATTEM®

Distributed by CHATTEM, INC.

P.O. Box 2219, Chattanooga, TN 37409-0219 USA ©2008

www.chattem.com

0040437-02

## **Cortizone-10® Plus Creme**

### **Active Ingredient:**

Hydrocortisone 1%

### **Purpose**

Anti-itch

### **Uses**

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
  - eczema
  - psoriasis
  - poison ivy, oak, sumac
  - insect bites
  - detergents
  - jewelry
  - cosmetics
  - soaps
  - seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

### **Warnings**

#### **For external use only**

#### **Do not use**

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

#### **When using this product**

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor.
- do not put directly into the rectum by using fingers or any mechanical device or applicator

#### **Stop use and ask a doctor if**

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

#### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- **for itching of skin irritation, inflammation, and rashes:**

- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- **for external anal and genital itching, adults:**
  - when practical, clean the affected area with mild soap and warm water and rinse thoroughly
  - gently dry by patting or blotting with toilet tissue or a soft cloth before applying
  - apply to affected area not more than 3 to 4 times daily
  - children under 12 years of age: ask a doctor

**Other information**

- contents filled by weight, not volume

**Inactive Ingredients**

aloe barbadensis leaf juice, aluminum sulfate, beeswax, calcium acetate, cetearyl alcohol, cetyl alcohol, cholecalciferol, dextrin, glycerin, isopropyl palmitate, maltodextrin, methylparaben, mineral oil, petrolatum, propylene glycol, propylparaben, retinyl palmitate, sodium cetearyl sulfate, sodium lauryl sulfate, tocopheryl acetate, water, zea mays (corn) oil

\*Refers to the ingredient hydrocortisone

CHATTEM®

Distributed by CHATTEM, INC.

P.O. Box 2219, Chattanooga, TN 37409-0219 USA ©2008

www.chattem.com 0040435-02

**Principal Display Panel**

**Cooling  
gel formula  
itch relief**

**Cools**

**Itch**

**Fast  
relief**

**that  
lasts**

- Sunburn
- Poison Ivy
- Insect Bites

**Inflammation and redness**

**Cools itch on Contact**

**MAXIMUM STRENGTH**

**Cortizone-10®**

**COOLING RELIEF GEL**

**Net wt 1oz (28g) 1% Hydrocortisone Anti-Itch Gel**

**Principal Display Panel**

**10 Nourishing  
Ingredients**

**Itch relief**

**Fast**

**Itch**

**Lasts**

**10**

**Hours**

- Eczema
- Sunburn
- Dry, Itchy Skin

**Inflammation & redness**

Hydrates irritated, itchy skin

**PLUS ULTRA MOISTURIZING**

**MAXIMUM STRENGTH**

**Cortizone-10®**

**Net wt 1oz (28g) 1% Hydrocortisone Anti-Itch CREME**

***Principal Display Panel***

**Fast**

**Itch**

**Relief**

**Lasts**

**10**

**Hours**

**24 HOURS**

**MOISTURIZING**

**Itch Relief**

- Eczema
- Psoriasis
- Itchy Skin

**Inflammation & redness**

Extra creamy formula, gentle on skin

**INTENSIVE HEALING FORMULA†**

**MAXIMUM STRENGTH**

**Cortizone-10®**

**Net wt 1oz (28g) 1% Hydrocortisone Anti-Itch Crème**

***Principal Display Panel***

**Fast**

**Itch**

**Relief**

**Last**

**10**

**Hours**

**Water**

**Resistant Formula**

**Itch Relief**

- Psoriasis
- Poison Ivy
- Irritation & Rashes

**Inflammation & redness**



**Locks in moisture**

Anti - Itch Ointment

**Helps Seal in Healing**

**DOCTORS**

**#1 ITCH MEDICINE\*™**

**RECOMMEND**

**THE ITCH MEDICINE DOCTORS RECOMMEND\***

**MAXIMUM STRENGTH**

**Cortizone-10®**

**Net wt 1oz (28g) 1% Hydrocortisone Anti-Itch OINTMENT**

***Principal Display Panel***

**Fast**

**Itch**

**Relief**

**Last**

**10**

**Hours**

**Calming**

**Aloe Vera**

**Itch Relief**

- Psoriasis
- Poison Ivy
- Insect Bites

**Inflammation & redness**

**Soothes itch, irritation & rashes**

**DOCTORS**

**#1 ITCH MEDICINE\*™**

**RECOMMEND**

**MAXIMUM STRENGTH**

**Cortizone-10® plus**

**Net wt 1oz (28g) 1% Hydrocortisone Anti-Itch CREME**

**CORTIZONE 10 COOLING RELIEF**

hydrocortisone gel

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0036
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>HYDROCORTISONE</b> (UNII: W14X0X7BPJ) (HYDROCORTISONE - UNII:W14X0X7BPJ)	HYDROCORTISONE	10 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0036-0	1 in 1 CARTON	10/01/2008	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:41167-0036-1	1 in 1 CARTON	10/01/2008	
2		35 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/01/2008	

**CORTIZONE 10**

hydrocortisone cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0039
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>HYDROCORTISONE</b> (UNII: W14X0X7BPJ) (HYDROCORTISONE - UNII:W14X0X7BPJ)	HYDROCORTISONE	10 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>ALUMINUM SULFATE</b> (UNII: 34S289N54E)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CALCIUM ACETATE</b> (UNII: Y882YXF34X)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SODIUM CETOSTEARYL SULFATE</b> (UNII: 7ZBS06BH4B)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>WATER</b> (UNII: 059QF0K00R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0039-1	1 in 1 CARTON	09/01/2007	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:41167-0039-6	1 in 1 CARTON	09/01/2007	
2		56 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:41167-0039-0	1 in 1 CARTON	09/01/2007	
3		14 g in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:41167-0039-9	1 in 1 CARTON	09/01/2007	
4		35 g in 1 TUBE; Type 0: Not a Combination Product		
5	NDC:41167-0039-2	2 in 1 CASE	07/01/2023	
5		56 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/01/2007	

**CORTIZONE 10 INTENSIVE HEALING**

hydrocortisone cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0035
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>HYDROCORTISONE</b> (UNII: W14X0X7BPJ) (HYDROCORTISONE - UNII:W14X0X7BPJ)	HYDROCORTISONE	10 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>EDETIC ACID</b> (UNII: 9G34HU7RV0)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0035-0	1 in 1 CARTON	12/01/2007	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:41167-0035-3	1 in 1 CARTON	12/01/2007	
2		56 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:41167-0035-2	1 in 1 CARTON	12/01/2007	
3		35 g in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:41167-0035-1	2 in 1 CARTON	01/01/2023	
4		56 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/01/2007	

## CORTIZONE 10

hydrocortisone ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0339
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HYDROCORTISONE</b> (UNII: WI4X0X7BPJ) (HYDROCORTISONE - UNII:WI4X0X7BPJ)	HYDROCORTISONE	10 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0339-3	1 in 1 CARTON	09/01/2007	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:41167-0339-6	1 in 1 CARTON	09/01/2007	
2		56 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/01/2007	

**CORTIZONE 10 PLUS**

hydrocortisone cream

**Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0105
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: WI4X0X7BPJ) (HYDROCORTISONE - UNII:WI4X0X7BPJ)	HYDROCORTISONE	10 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ALUMINUM SULFATE (UNII: 34S289N54E)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CALCIUM ACETATE (UNII: Y882YXF34X)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	
GLYCERIN (UNII: PDC6A3C00X)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
SODIUM CETOSTEARYL SULFATE (UNII: 7ZBS06BH4B)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
WATER (UNII: 059QF0K00R)	
CORN OIL (UNII: 8470G57WFM)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0105-6	1 in 1 CARTON	09/01/2007	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:41167-0105-8	1 in 1 CARTON	09/01/2007	
2		35 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:41167-0105-7	1 in 1 CARTON	09/01/2007	
3		56 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/01/2007	

**Labeler -** Chattem, Inc. (003336013)

Revised: 2/2024

Chattem, Inc.