

**CORTIZONE 10 COOLING RELIEF- hydrocortisone gel**  
**CORTIZONE 10- hydrocortisone cream**  
**CORTIZONE 10 INTENSIVE HEALING- hydrocortisone cream**  
**CORTIZONE 10- hydrocortisone ointment**  
**CORTIZONE 10 PLUS- hydrocortisone cream**  
**Chattem, Inc.**

-----

## **Cortizone-10**

### ***Cortizone-10<sup>®</sup> Cooling Relief Gel***

#### ***Active Ingredient:***

Hydrocortisone 1%

#### ***Purpose***

Anti-itch

#### ***Uses***

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
  - eczema
  - psoriasis
  - poison ivy, oak, sumac
  - insect bites
  - detergents
  - jewelry
  - cosmetics
  - soaps
  - seborrheic dermatitis
  - temporarily relieves external anal and genital itching
  - other uses of this product should only be under the advice and supervision of a doctor

#### ***Warnings***

**For external use only**

#### **Do not use**

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

#### **When using this product**

- avoid contact with eyes

- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

**Stop use and ask a doctor if**

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- **for itching of skin irritation, inflammation, and rashes:**
  - adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
  - children under 2 years of age: ask a doctor
- **for external anal and genital itching, adults:**
  - when practical, clean the affected area with mild soap and warm water and rinse thoroughly
  - gently dry by patting or blotting with toilet tissue or a soft cloth before applying
  - apply to affected area not more than 3 to 4 times daily
  - children under 12 years of age: ask a doctor

***Other information***

- contents filled by weight, not volume

***Inactive Ingredients***

aloe barbadensis leaf juice, avena sativa (oat) kernel extract, cyclopentasiloxane, dimethicone, dimethicone/vinyl dimethicone crosspolymer, disodium EDTA, glycerin, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, isohexadecane, maltodextrin, menthyl lactate, methyl gluceth-20, methylparaben, polysorbate 60, propylparaben, SD Alcohol 40-2 (15%), sodium citrate, water

CHATTEM®

\*Refers to the ingredient hydrocortisone

Distributed by CHATTEM, INC.  
P.O. Box 2219, Chattanooga,  
TN 37409-0219 USA ©2008  
www.ditchtheitch.com 0042740-02

***Cortizone-10® Creme***

**Active Ingredient:**

Hydrocortisone 1%

**Purpose**

Anti-itch

**Uses**

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
  - eczema
  - psoriasis
  - poison ivy, oak, sumac
  - insect bites
  - detergents
  - jewelry
  - cosmetics
  - soaps
  - seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

**Warnings****For external use only****Do not use**

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

**When using this product**

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor.
- do not put directly into the rectum by using fingers or any mechanical device or applicator

**Stop use and ask a doctor if**

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## ***Directions***

- **for itching of skin irritation, inflammation, and rashes:**
  - adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
  - children under 2 years of age: ask a doctor
- **for external anal and genital itching, adults:**
  - when practical, clean the affected area with mild soap and warm water and rinse thoroughly
  - gently dry by patting or blotting with toilet tissue or a soft cloth before applying
  - apply to affected area not more than 3 to 4 times daily
  - children under 12 years of age: ask a doctor

## ***Other information***

- contents filled by weight, not volume

## ***Inactive Ingredients***

aloe barbadensis leaf juice, aluminum sulfate, beeswax, calcium acetate, cetearyl alcohol, dextrin, glycerin, maltodextrin, methylparaben, mineral oil, petrolatum, propylparaben, sodium cetearyl sulfate, sodium lauryl sulfate, water

\*Refers to the ingredient hydrocortisone

CHATTEM®

Distributed by CHATTEM, INC.

P.O. Box 2219, Chattanooga, TN 37409-0219 USA ©2008

www.chattem.com 0040433-02

Minor change

## ***Cortizone-10® Creme Intensive Healing Formula***

### ***Active Ingredient:***

Hydrocortisone 1%

### ***Purpose***

Anti-itch

### ***Uses***

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
  - eczema
  - psoriasis
  - poison ivy, oak, sumac
  - insect bites

- detergents
- jewelry
- cosmetics
- soaps
- seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

## **Warnings**

### **For external use only**

#### **Do not use**

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

#### **When using this product**

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor.
- do not put directly into the rectum by using fingers or any mechanical device or applicator

#### **Stop use and ask a doctor if**

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

#### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- **for itching of skin irritation, inflammation, and rashes:**
  - adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
  - children under 2 years of age: ask a doctor
- **for external anal and genital itching, adults:**
  - when practical, clean the affected area with mild soap and warm water and rinse thoroughly
  - gently dry by patting or blotting with toilet tissue or a soft cloth before applying
  - apply to affected area not more than 3 to 4 times daily
  - children under 12 years of age: ask a doctor

## **Other information**

- contents filled by weight, not volume

### ***Inactive Ingredients***

water, glycerin, dimethicone, petrolatum, jojoba esters, cetyl alcohol, aloe barbadensis leaf juice, stearyl alcohol, distearyldimonium chloride, cetearyl alcohol, steareth-21, steareth-2, polysorbate 60, stearamidopropyl PG-dimonium chloride phosphate, methyl gluceth-20, chamomilla recutita (matricaria) flower extract, tocopheryl acetate, magnesium ascorbyl phosphate, hydrolyzed collagen, hydrolyzed elastin, retinyl palmitate, hydrolyzed jojoba esters, glyceryl stearate, EDTA, PPG-12/SMDI copolymer, potassium hydroxide, avena sativa (oat) kernel extract, menthyl lactate, diazolidinyl urea, benzyl alcohol, methylparaben, BHT, propylparaben

\*Refers to the ingredient hydrocortisone

†Contains 7 healing moisturizers and vitamins A, C & E

CHATTEM®

Distributed by CHATTEM, INC.  
P.O. Box 2219, Chattanooga,  
TN 37409-0219 USA ©2008 0040439-02

### ***Cortizone-10® Ointment***

#### ***Active Ingredient:***

Hydrocortisone 1%

#### ***Purpose***

Anti-itch

#### ***Uses***

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
  - eczema
  - psoriasis
  - poison ivy, oak, sumac
  - insect bites
  - detergents
  - jewelry
  - cosmetics
  - soaps
  - seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

## **Warnings**

### **For external use only**

#### **Do not use**

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

#### **When using this product**

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

#### **Stop use and ask a doctor if**

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

#### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- **for itching of skin irritation, inflammation, and rashes:**
  - adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
  - children under 2 years of age: ask a doctor
- **for external anal and genital itching, adults:**
  - when practical, clean the affected area with mild soap and warm water and rinse thoroughly
  - gently dry by patting or blotting with toilet tissue or a soft cloth before applying
  - apply to affected area not more than 3 to 4 times daily
  - children under 12 years of age: ask a doctor

## **Other information**

- contents filled by weight, not volume

## **Inactive Ingredients**

petrolatum

\*Refers to the ingredient hydrocortisone

CHATTEM®

Distributed by CHATTEM, INC.

P.O. Box 2219, Chattanooga, TN 37409-0219 USA ©2008

## **Cortizone-10<sup>®</sup> Plus Creme**

### **Active Ingredient:**

Hydrocortisone 1%

### **Purpose**

Anti-itch

### **Uses**

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
  - eczema
  - psoriasis
  - poison ivy, oak, sumac
  - insect bites
  - detergents
  - jewelry
  - cosmetics
  - soaps
  - seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

### **Warnings**

#### **For external use only**

#### **Do not use**

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

#### **When using this product**

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor.
- do not put directly into the rectum by using fingers or any mechanical device or applicator

#### **Stop use and ask a doctor if**

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor



- rectal bleeding occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- **for itching of skin irritation, inflammation, and rashes:**
  - adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
  - children under 2 years of age: ask a doctor
- **for external anal and genital itching, adults:**
  - when practical, clean the affected area with mild soap and warm water and rinse thoroughly
  - gently dry by patting or blotting with toilet tissue or a soft cloth before applying
  - apply to affected area not more than 3 to 4 times daily
  - children under 12 years of age: ask a doctor

***Other information***

- contents filled by weight, not volume

***Inactive Ingredients***

aloe barbadensis leaf juice, aluminum sulfate, beeswax, calcium acetate, cetearyl alcohol, cetyl alcohol, cholecalciferol, dextrin, glycerin, isopropyl palmitate, maltodextrin, methylparaben, mineral oil, petrolatum, propylene glycol, propylparaben, retinyl palmitate, sodium cetearyl sulfate, sodium lauryl sulfate, tocopheryl acetate, water, zeamays (corn) oil

\*Refers to the ingredient hydrocortisone

CHATTEM®

Distributed by CHATTEM, INC.

P.O. Box 2219, Chattanooga, TN 37409-0219 USA ©2008

www.chattem.com 0040435-02

***Principal Display Panel***

**Cooling  
gel formula  
itch relief  
Cools  
Itch  
Fast  
relief  
that  
lasts**

- **Sunburn**
- **Poison Ivy**
- **Insect Bites**

**Inflammation and redness**

**Cools itch on Contact**

**MAXIMUM STRENGTH**

**Cortizone-10®**

**COOLING RELIEF GEL**

**Net wt 1oz (28g) 1% Hydrocortisone Anti-Itch Gel**

**COOLING  
GEL FORMULA  
ITCH RELIEF**

- Sunburn
- Poison Ivy
- Insect Bites



Inflammation & redness  
Cools itch on contact

**COOLS  
ITCH  
FAST  
RELIEF  
THAT  
LASTS**



Anti-Itch Gel  
Cools Itch Fast

**COOLING RELIEF GEL**

**Cortizone-10** MAXIMUM STRENGTH

Net wt 1 oz (28 g)

1% Hydrocortisone Anti-itch Gel



For more information please visit:  
[www.Cortizone10.com](http://www.Cortizone10.com)

**Cortizone-10**

**Cortizone-10**

094047-05

Manufactured by CHARTER, INC.  
P.O. Box 2378, Channahon, IL 61419-0238 USA

282-014

Points to the ingredient list.

**Inactive ingredients**  
 Active ingredients: 1% hydrocortisone acetate, menthyl acetate, benzyl alcohol, polyethylene glycol 400, propylene glycol, purified water, polyethylene glycol 150, polyethylene glycol 400, polyethylene glycol 600, polyethylene glycol 800, polyethylene glycol 1000, polyethylene glycol 1500, polyethylene glycol 2000, polyethylene glycol 3000, polyethylene glycol 4000, polyethylene glycol 6000, polyethylene glycol 8000, polyethylene glycol 10000, polyethylene glycol 15000, polyethylene glycol 20000, polyethylene glycol 30000, polyethylene glycol 40000, polyethylene glycol 60000, polyethylene glycol 80000, polyethylene glycol 100000, polyethylene glycol 150000, polyethylene glycol 200000, polyethylene glycol 300000, polyethylene glycol 400000, polyethylene glycol 600000, polyethylene glycol 800000, polyethylene glycol 1000000.

**Directions**  
 For itching of skin irritation, inflammation, and redness:  
 • Adults and children 2 years of age and older: apply to affected areas not more than 3 to 4 times daily.  
 • Children under 2 years of age: use a doctor.  
 • When used and gentle: shake, water.  
 • After use: wash hands with mild soap and warm water and dry thoroughly.  
 • Do not use for itching or stinging with toilet tissue or a soft cloth.  
 • Do not apply to affected areas not more than 3 to 4 times daily.  
 • Children under 12 years of age: ask a doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Do not use**  
 • in the genital area if you have a vaginal discharge. Consult a doctor.  
 • for the treatment of diaper rash. Consult a doctor.

**When using this product**  
 • do not use more than directed unless told to do so by a doctor.  
 • do not put directly over the reaction by using hygiene or any mechanical device or appliance.  
 • do not use more than directed unless told to do so by a doctor.

**Do not use**  
 • in the genital area if you have a vaginal discharge. Consult a doctor.  
 • for the treatment of diaper rash. Consult a doctor.

**Warnings**  
 For external use only.  
 • temporarily relieves itching associated with minor skin irritation, inflammation, and redness of a doctor.  
 • other uses of this product should only be under the advice of a doctor.

**Uses**  
 • temporarily relieves itching associated with minor skin irritation, inflammation, and redness of a doctor.  
 • temporarily relieves itching associated with minor skin irritation, inflammation, and redness of a doctor.

**Active ingredient**  
 Hydrocortisone 1%.

**Purpose**  
 Anti-itch.

**COOLS ITCH FAST  
RELIEF THAT LASTS**

**Cortizone-10** MAXIMUM STRENGTH

**COOLING GEL FORMULA**

**Principal Display Panel**  
**10 Nourishing  
Ingredients  
Itch relief  
Fast  
Itch  
Lasts**

**10**

**Hours**

- **Eczema**
- **Sunburn**
- **Dry, Itchy Skin**

**Inflammation & redness**

**Hydrates irritated, itchy skin**

**PLUS ULTRA MOISTURIZING**

**MAXIMUM STRENGTH**

**Cortizone-10<sup>®</sup>**

**Net wt 1oz (28g) 1% Hydrocortisone Anti-Itch CREME**

**10 NOURISHING  
INGREDIENTS  
ITCH RELIEF**

- Eczema
- Sunburn
- Dry, Itchy Skin

Inflammation & redness  
Hydrates irritated, itchy skin



**FAST  
ITCH  
RELIEF**  
LASTS  
**10  
HOURS**



Anti-Itch Creme  
Soothes Itch Fast

**PLUS ULTRA MOISTURIZING**

**Cortizone-10**  
MAXIMUM STRENGTH

Net wt 1 oz (28 g)

1% Hydrocortisone Anti-Itch Creme



For more information please visit:  
[www.Cortizone10.com](http://www.Cortizone10.com)

Cortizone-10

Cortizone-10

0941811-05

WATERPROOF ITCH MEDICINE PROFORMANT  
P.O. Box 1278, Chesham, TN 37035-0278 USA  
www.Cortizone10.com ©2011

**When used as directed:**  
Relieves the itchy symptoms of eczema, sunburn, dry skin, insect bites, and other itchy skin conditions. Soothes and hydrates irritated, itchy skin. Contains 10 nourishing ingredients to help moisturize and soothe dry, itchy skin.

**Active ingredients:** water, cetyl alcohol, glycerin, petrolatum, mineral oil, sorbic acid, polybutene-1, propylparaben, sodium lauryl sulfate, methylparaben, hexamethylresorcinol, propylparaben, polyurethane glycol, ethyl alcohol, aluminum hydroxide, calcium potassium chloride, zinc oxide, chlorophyll extract, vitamin E, and fragrance.

• Apply to affected area not more than 3 to 4 times daily.  
• Rub gently into skin.  
• Avoid contact with eyes, nose, mouth, and throat.  
• Do not use if you have a severe allergic reaction to any of the ingredients listed above.  
• Do not use if you have a severe allergic reaction to any of the ingredients listed above.  
• Do not use if you have a severe allergic reaction to any of the ingredients listed above.  
• Do not use if you have a severe allergic reaction to any of the ingredients listed above.

**Directions:** For itching of skin irritation, inflammation, and redness. Rub gently into skin 2 to 4 times daily.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued):**

**Warnings:**  
• Do not use if you have a severe allergic reaction to any of the ingredients listed above. Consult a doctor.  
• Do not use if you have a severe allergic reaction to any of the ingredients listed above. Consult a doctor.  
• Do not use if you have a severe allergic reaction to any of the ingredients listed above. Consult a doctor.

**Do not use:**  
• Do not use if you have a severe allergic reaction to any of the ingredients listed above. Consult a doctor.  
• Do not use if you have a severe allergic reaction to any of the ingredients listed above. Consult a doctor.

**Use:**  
• Corticosteroid (relieves itching associated with minor skin irritations, inflammation, and redness due to:  
• eczema, • psoriasis, • poison ivy, oak, sumac, • insect bites, • dermatitis, • allergic dermatitis, • contact dermatitis, • sunburn, and itching associated with eczema).

**Drug Facts:**  
• **Active ingredient:** 1% Hydrocortisone.  
• **Purpose:** Anti-Itch.  
• **Drug Facts (continued):**

**FAST ITCH RELIEF  
LASTS  
10  
HOURS**

**Cortizone-10**  
MAXIMUM STRENGTH

**10 NOURISHING INGREDIENTS**

**Principal Display Panel**

**Fast  
Itch  
Relief  
Lasts  
10  
Hours**

**24 HOURS  
MOISTURIZING**

**Itch Relief**

- Eczema
- Psoriasis
- Itchy Skin

**Inflammation & redness**

**Extra creamy formula, gentle on skin**

**INTENSIVE HEALING FORMULA†**

**MAXIMUM STRENGTH**

**Cortizone-10®**

**Net wt 1oz (28g) 1% Hydrocortisone Anti-Itch Crème**



24 HR  
MOISTURIZING  
ITCH RELIEF

- Eczema
- Psoriasis
- Itchy Skin

Inflammation & redness  
Extra creamy formula, gentle on skin



**FAST  
ITCH  
RELIEF**

LASTS  
**10**  
HOURS\*



Anti-Itch Creme with  
Antioxidants and Chamomile

INTENSIVE HEALING FORMULA\*

MAXIMUM STRENGTH  
**Cortizone-10**<sup>®</sup>

Net wt 1 oz (28 g)

1% Hydrocortisone Anti-itch Creme



For more information please visit:  
[www.Cortizone10.com](http://www.Cortizone10.com)

Cortizone-10

Cortizone-10

004835-00

<p><b>Drug Facts</b></p> <p><b>Active ingredient</b> Hydrocortisone 1%.</p> <p><b>Purpose</b> Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b> For itching of skin irritation, inflammation, and redness: • Adults and children 2 years of age and older: Apply to affected area not more than 2 to 4 times daily. • Children under 2 years of age: Ask a doctor. • For redness, heat and genital itching, adults: • Adults: Apply to affected area with mild soap and warm water and rinse thoroughly. • Children: Apply to affected area not more than 3 to 4 times daily. • Children under 12 years of age: Ask a doctor.</p> <p><b>Warnings</b> • For external use only. • Do not use: • In the genital area if you have a vaginal discharge. Consult a doctor. • For the treatment of diaper rash. Consult a doctor. • When using this product: • Avoid contact with eyes. • Do not use more than directed unless told to do so by a doctor. • Do not put directly into the rectum by using fingers or any mechanical device or applicator. • Cortizone-10 cream, ointment, gel, spray, or foam: • Do not use again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor. • Do not use if the product is past its expiration date.</p> <p><b>Other information</b> • Contains 7 healing moisturizers and vitamin A, C &amp; E.</p>	
<p><b>Drug Facts (continued)</b></p> <p><b>Contains 7 healing moisturizers and vitamin A, C &amp; E.</b></p> <p><b>Other information</b> • Contains 7 healing moisturizers and vitamin A, C &amp; E.</p>	

FAST ITCH RELIEF  
LASTS  
**10**  
HOURS\*

MAXIMUM STRENGTH  
**Cortizone-10**

24 HR MOISTURIZING

### Principal Display Panel

Fast  
Itch  
Relief  
Last  
10  
Hours

**Water**

**Resistant Formula**

**Itch Relief**

- **Psoriasis**
- **Poison Ivy**
- **Irritation & Rashes**

**Inflammation & redness**

**Locks in moisture**

Anti - Itch Ointment

**Helps Seal in Healing**

**DOCTORS**

**#1 ITCH MEDICINE\*™**

**RECOMMEND**

**THE ITCH MEDICINE DOCTORS RECOMMEND\***

**MAXIMUM STRENGTH**

**Cortizone-10®**

**Net wt 1oz (28g) 1% Hydrocortisone Anti-Itch OINTMENT**





**Principal Display Panel**

**Fast  
Itch  
Relief  
Last**

**10  
Hours  
Calming  
Aloe Vera  
Itch Relief**

- **Psoriasis**
- **Poison Ivy**
- **Insect Bites**

**Inflammation & redness  
Soothes itch, irritation & rashes**

**DOCTORS**

**#1 ITCH MEDICINE\*™**

**RECOMMEND**

**MAXIMUM STRENGTH**

**Cortizone-10® plus**

**Net wt 1oz (28g) 1% Hydrocortisone Anti-Itch CREME**

**CALMING  
ALOE VERA  
ITCH RELIEF**

- Psoriasis
- Poison Ivy
- Insect Bites

Inflammation & redness  
Soothes itch, irritation & rashes



**FAST  
ITCH  
RELIEF**  
LASTS  
**10**  
HOURS



Anti-Itch Creme for  
Fast Comfort

**CREME WITH ALOE**

**Cortizone-10**<sup>®</sup>  
MAXIMUM STRENGTH

Net wt 1 oz (28 g)

1% Hydrocortisone Anti-Itch Creme

**Cortizone-10**



For more information please visit:  
[www.Cortizone10.com](http://www.Cortizone10.com)

**Cortizone-10**

0040433-05

Manufactured by CHARTER, Inc.  
P.O. Box 2216, Chattanooga, TN 37402-0216 USA  
www.Chartier.com 02917

**Directions**  
For itching of the ankles, inflammation, and rashes:  
Apply to affected area not more than 3 to 4 times daily.  
Children under 2 years of age: ask a doctor.  
For external use and general itching, adults:  
When practical, cover the affected area with mild soap and warm water and rinse thoroughly.  
Gently dry by patting or blotting with soft tissue or a soft cloth.  
Apply to affected area not more than 3 to 4 times daily.  
Children under 12 years of age: ask a doctor.

**Warnings**  
For external use only.  
Do not use if you have a vaginal discharge. Consult a doctor for the treatment of diaper rash. Consult a doctor if you have a skin condition that is not improved by the use of this product.  
Do not use more than directed unless told to do so by a doctor.  
Do not put directly into the rectum by using fingers or any mechanical device or applicator.  
Avoid contact with eyes.  
When using this product:  
Do not use more than directed unless told to do so by a doctor.  
Do not use more than directed unless told to do so by a doctor.  
Do not use more than directed unless told to do so by a doctor.

**Drug Facts**  
**Active ingredient**  
Hydrocortisone 1%  
**Purpose**  
Anti-itch  
**Directions**  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**FAST ITCH RELIEF**  
LASTS **10** HOURS

**CALMING ALOE VERA**

**Cortizone-10**  
MAXIMUM STRENGTH

**CORTIZONE 10 COOLING RELIEF**

hydrocortisone gel

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0036
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>HYDROCORTISONE</b> (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	10 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:41167-0036-0	1 in 1 CARTON	10/01/2008	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:41167-0036-1	1 in 1 CARTON	10/01/2008	
2		35 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M017	10/01/2008	

**CORTIZONE 10**

hydrocortisone cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0039
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>HYDROCORTISONE</b> (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	10 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>ALUMINUM SULFATE</b> (UNII: 34S289N54E)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CALCIUM ACETATE</b> (UNII: Y882YXF34X)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SODIUM CETOSTEARYL SULFATE</b> (UNII: 7ZBS06BH4B)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:41167-0039-1	1 in 1 CARTON	09/01/2007	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:41167-0039-6	1 in 1 CARTON	09/01/2007	
2		56 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:41167-0039-0	1 in 1 CARTON	09/01/2007	
3		14 g in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:41167-0039-9	1 in 1 CARTON	09/01/2007	01/01/2022
4		35 g in 1 TUBE; Type 0: Not a Combination Product		
5	NDC:41167-0039-2	2 in 1 CASE	07/01/2023	
5		56 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/01/2007	

## CORTIZONE 10 INTENSIVE HEALING

hydrocortisone cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0035
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HYDROCORTISONE</b> (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>EDEIC ACID</b> (UNII: 9G34HU7RV0)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC 41167			

1	NDC:41167-0035-0	1 in 1 CARTON	12/01/2007	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:41167-0035-3	1 in 1 CARTON	12/01/2007	
2		56 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:41167-0035-2	1 in 1 CARTON	12/01/2007	01/01/2022
3		35 g in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:41167-0035-1	2 in 1 CARTON	01/01/2023	
4		56 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/01/2007	

## CORTIZONE 10

hydrocortisone ointment

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0339
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0339-3	1 in 1 CARTON	09/01/2007	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:41167-0339-6	1 in 1 CARTON	09/01/2007	

2

56 g in 1 TUBE; Type 0: Not a Combination Product

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/01/2007	

**CORTIZONE 10 PLUS**

hydrocortisone cream

**Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0105
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>HYDROCORTISONE</b> (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	10 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>ALUMINUM SULFATE</b> (UNII: 34S289N54E)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CALCIUM ACETATE</b> (UNII: Y882YXF34X)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CHOLECALCIFEROL</b> (UNII: 1C6V77QF41)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOPROPYL PALMITATE</b> (UNII: 8CRQ2TH63M)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>SODIUM CETOSTEARYL SULFATE</b> (UNII: 7ZBS06BH4B)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CORN OIL</b> (UNII: 8470G57WFM)	



**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0105-6	1 in 1 CARTON	09/01/2007	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:41167-0105-8	1 in 1 CARTON	09/01/2007	01/01/2022
2		35 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:41167-0105-7	1 in 1 CARTON	09/01/2007	
3		56 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/01/2007	

**Labeler** - Chattem, Inc. (003336013)

Revised: 6/2024

Chattem, Inc.