

MILK OF MAGNESIA ORIGINAL- magnesium hydroxide liquid
Geri-Care Pharmaceuticals, Corp

gc mom

Active ingredient (in each 15 mL tablespoonful)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- usually produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are

taking a prescription drug.

This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor

- drink a full glass (8 oz) of liquid with each dose

adults and children 12 years and older	2 to 4 tablespoonfuls
children 6 to 11 years	1 to 2 tablespoonfuls
children under 6 years	ask a doctor

Other information

- **each 15 mL tablespoonful contains:** magnesium 500 mg
- store at room temperature and avoid freezing
- close cap tightly after use

Inactive ingredients

purified water, sodium hypochlorite

Questions or comments?

1-800-540-3765

package Label

Compare to Phillips'®
Milk of Magnesia active ingredient*
NDC 57896-649-16



Milk of Magnesia

MAGNESIUM HYDROXIDE/SALINE LAXATIVE

Cramp-Free Relief

- Overnight relief
- Stimulant free



16 FL OZ (473 mL)

Original

210-19111-5 REV0622

Drug Facts

TAMPER EVIDENT: Do not use if Imprinted neckband is missing or broken.

Active ingredient (in each 15 mL tablespoonful)	Purpose
Magnesium hydroxide 1200 mg	Saline laxative

- Use**
- relieves occasional constipation (irregularity)
 - usually produces bowel movement in ½ to 6 hours

Warnings

- Ask a doctor before use if you have**
- kidney disease
 - a magnesium-restricted diet
 - stomach pain, nausea, or vomiting
 - a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- follow each dosage with a full glass (8 oz) of liquid

age	dose
adults and children 12 years and older	2 to 4 tablespoonfuls
children 6 to 11 years	1 to 2 tablespoonfuls
children under 6 years	ask a doctor

- Other information**
- each 15 mL tablespoonful contains: magnesium 500 mg
 - store at room temperature and avoid freezing • close cap tightly after use

Inactive ingredients purified water, sodium hypochlorite

Questions or comments? 1-800-540-3765

Distributed by
Geri-Care Pharmaceuticals
1295 Towbin Ave.
Lakewood, NJ 08701 910-19111-7 Rev 0123

*This product is not manufactured or distributed by the owner of the registered trademark Phillips'® Milk of Magnesia.



MILK OF MAGNESIA ORIGINAL

magnesium hydroxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-649
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-649-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2011	
2	NDC:57896-649-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2011	
3	NDC:57896-649-28	3785 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	01/01/2000	

Labeler - Geri-Care Pharmaceuticals, Corp (611196254)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(57896-649) , pack(57896-649)

Revised: 11/2023

Geri-Care Pharmaceuticals, Corp