

LIDOCAINE DRY- lidocaine spray
CVS

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CVS 4% Lidocaine spray

Active Ingredient

Lidocaine 4%

Topical Anesthetic

Use

temporarily relieves minor pain

Warnings

For external use only

Do not use

- On large areas of the body or on cut, irritated or swollen skin.
- On puncture wounds
- for more than one week without consulting a doctor

When using this product

- Use only as directed. Read and follow all directions and warnings on this label
- do not allow contact with the eyes and mucous membranes
- avoid spraying on face
- avoid inhalation of spray
- do not bandage or apply local heat (such as heating pads) or a medicated patch to area of use
- do not use at the same time as other topical analgesics

Stop use and as a doctor if

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days.

Extremely Flammable

- do not use near heat or flame or while smoking
- avoid long term storage above 104°F (40°C)
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120°F (49°C)

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children over 12 years:

- spray affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period
- product will dry quickly on its own, and does not need to be rubbed in

children 12 years or younger: ask a doctor

Inactive Ingredients

caprylic/capric triglyceride, isobutane, propylene glycol, alcohol 40B (30%)

Principal Display Panel

69842-543-04



Compare to the active ingredient in Aspercreme® Lidocaine 4% Dry Spray*

MAXIMUM STRENGTH

Lidocaine Pain Relief Dry Spray

LIDOCAINE 4%

Odor Free

- Numbs away pain
- Dries instantly
- No greasy residue



WARNING CONTENTS UNDER PRESSURE. Read carefully other warnings on the Drug Facts panel.

NET WT 4 OZ (113 g)

Drug Facts

Active Ingredient	Purpose
Lidocaine 4%.....	Topical Anesthetic

Use temporarily relieves minor pain

Warnings

For external use only

Do not use ■ on large areas of the body or on cut, irritated or swollen skin
 ■ on puncture wounds ■ for more than one week without consulting a doctor

When using this product

■ use only as directed. Read and follow all directions and warnings on this label.
 ■ do not allow contact with the eyes and mucous membranes
 ■ avoid spraying on face ■ avoid inhalation of spray
 ■ do not bandage or apply local heat (such as heating pads) or a medicated patch to area of use
 ■ do not use at the same time as other topical analgesics

Stop use and ask a doctor if

■ condition worsens ■ redness is present ■ irritation develops
 ■ symptoms persist for more than 7 days or clear up and occur again within a few days

Extremely Flammable

■ do not use near heat or flame or while smoking
 ■ avoid long term storage above 104°F (40°C)
 ■ do not puncture or incinerate. Contents under pressure.
 ■ do not store at temperatures above 120°F (49°C)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children over 12 years:

■ spray affected area every 6-8 hours, not to exceed 3 applications in a 24 hour period
 ■ product will dry quickly on its own, and does not need to be rubbed in

Inactive ingredients:

caprylic/capric triglyceride, isobutane, propylene glycol, SD alcohol 40B (30%)



*This product is not manufactured or distributed by Chattem, Inc., the distributor of Aspercreme®.



DOT 2Q MS655

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2021 CVS/pharmacy CVS.com® 1-800-SHOP CVS V-37046

LIDOCAINE DRY

lidocaine spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-543
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-543-04	113 mL in 1 CAN; Type 0: Not a Combination Product	07/22/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/22/2021	

Labeler - CVS (062312574)

Revised: 8/2021

CVS