# ISOPROPYL ALCOHOL 91 PERCENT- isopropyl alcohol liquid MEIJER, INC.

-----

#### **Drug Facts**

#### Active ingredient (by volume)

Isopropyl alcohol (91% conc.)

## **Purpose**

First aid antiseptic

#### Uses

• first aid to help prevent the risk of infection in minor cuts, scrapes and burns.

#### Warnings

#### For external use only.

if taken internally, serious gastic disturbance will result

## Flammable, keep away from fire or flame.

• use only in a well-ventilated area; fumes may be toxic

## Ask a doctor before use if you have

deep or puncture wounds, animal bites or serious burns

## When using this product

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor

## Stop use and ask a doctor if

condition persists or gets worse

## Keep out of reach of children.

In case of ingestion, get medical help or contact a Poison Control Center right away(1-800-222-1222).

#### **Directions**

- clean affected area
- apply small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

#### Other information

- store at room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol

#### **Inactive ingredient**

purified water

#### **Questions or comments?**

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

### **Principal Display Panel**

DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

#### 91% Isopropyl Alcohol

First Aid Antiseptic

For Topical Antimicrobial Use

## WARNING: FLAMMABLE, KEEP AWAY FROM SPARK, HEAT OR FLAME.

FL OZ (mL)

DIST. BY MEIJER

DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com

## Package Label



## Drug Facts

#### Active ingredient (by volume)

Purpose

Isopropyl alcohol (91% conc.).....

.First aid antiseptic

**Uses** first aid to help prevent the risk of infection in minor cuts, scrapes, and burns.

#### Warnings

For external use only.

- if taken internally, serious gastric disturbances will result Flammable, keep away from fire or flame.
- use only in a well-ventilated area; fumes may be toxic

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.

When using this product do not get into eyes

- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away (1-800-222-1222)

#### Directions ■ clean affected area

- apoly small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

#### Other information ■ store at room temperature

does not contain, nor is intended as a substitute for grain or ethyl alcohol

Inactive ingredient purified water

#### Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544 www.meijer.com



PID 3433720 PLD-A228C LB006912



**MEIJER Isopropyl Alcohol 91%** 

#### **ISOPROPYL ALCOHOL 91 PERCENT**

isopropyl alcohol liquid

Droduct	Inform	ation

HUMAN OTC DRUG Item Code (Source) NDC:41250-773 **Product Type** 

**Route of Administration TOPICAL** 

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	91 mL in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		

ı	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:41250- 773-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/30/2019	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M003	06/30/2019		

## **Labeler -** MEIJER, INC. (006959555)

Revised: 1/2024 MEIJER, INC.