PEPTO BISMOL CHEWS- bismuth subsalicylate tablet, chewable The Procter & Gamble Manufacturing Company

Pepto Bismol ® Chews

Drug Facts

Active ingredient (in each chewable tablet)

Bismuth subsalicylate 262 mg

Purposes

Upset stomach reliever and antidiarrheal

Uses

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
 - heartburn
 - indigestion
 - nausea
 - gas
 - belching
 - fullness

Warnings

Reye's syndrome:

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert:

Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

an ulcer

- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

When using this product

a temporary, but harmless, darkening of the stool and/or tongue may occur

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- fully chew before swallowing
- adults and children 12 years and over:
- 2 chewable tablets every ½ hour or 4 chewable tablets every hour as needed for diarrhea
- 2 chewable tablets every ½ hour to 1 hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- do not exceed 8 doses (16 chewable tablets) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

- each chewable tablet contains:
- calcium 50 mg salicylate 123 mg low sodium

• Store at no greater than 25°C. Avoid excessive heat (over 40°C.)

Inactive ingredients

acacia, beeswax, calcium carbonate, caprylic/capric triglyceride, carmine, carnauba wax, citric acid, corn starch, corn syrup, dextrin, flavor, hydrogenated coconut oil, maltodextrin, potassium hydroxide, propylene glycol, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose, titanium dioxide, water

Questions?

1-800-717-3786

TAMPER EVIDENT: Do not use if printed shrinkband is broken or missing.

DIST. BY PROCTER & GAMBLE, CINCINNATI OH 45202

PRINCIPAL DISPLAY PANEL - 24 Tablet Carton

Bismuth Subsalicylate

Upset Stomach Reliever/ Antidiarrheal

Pepto Bismol ®

CHEWS


5 SYMPTOM


RELIEF

NAUSEA HEARTBURN INDIGESTION UPSET STOMACH DIARRHEA

24 CHEWABLE TABLETS













PEPTO BISMOL CHEWS

bismuth subsalicylate tablet, chewable

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37000-996
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII: 0414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg	

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBIC ACID (UNII: X045WJ989B)	
HYDROGENATED COCONUT OIL (UNII: JY810XM10M)	
SORBITOL (UNII: 506T60A25R)	
ICODEXTRIN (UNII: 2NX48Z0A9G)	
ACACIA (UNII: 5C5403N26O)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
CORN SYRUP (UNII: 9G5L16BK6N)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
POTASSIUM HYDROXIDE (UNII: WZ H3C48M4T)	
SHELLAC (UNII: 46N107B710)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CARMINIC ACID (UNII: CID8Z8N95N)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	pink	Score	no score
Shape	ROUND	Size	18mm
Flavor	WNTERGREEN	Imprint Code	РВ
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37000- 996-24	24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/01/2020		
2	NDC:37000- 996-72	3 in 1 CELLO PACK	09/01/2020		
2		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	09/01/2020	

Labeler - The Procter & Gamble Manufacturing Company (004238200)

Revised: 10/2023

The Procter & Gamble Manufacturing Company