HARRIS TEETER ANTI-ITCH INTENSIVE HEALING- hydrocortisone cream Harris Teeter

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredient

Purpose

Hydrocortisone 1%.....Anti-itchD

Uses

- Itemporarily relieves itching associated with minor skin irritations, inflammation and rashes due to:
- eczema
- insect bites
- cosmetics
- psoriasis
- detergents
- soaps
- poison ivy, oak, sumac
- jewelry
- seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervison of a doctor

Warnings

For external use only $\!\!\!\!$

Do not use

- Iin the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

When using this product

- Davoid contact with the eyes
- do not use more than directed unless told to do so by a doctor
- do not pull directly into the rectum by using fingers or any mechanical device or applicator

OStop use and ask a doctor if

• Icondition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other

hydrocortisone product unless you have asked a doctor.

• rectal bleeding occurs

Example 2 Keep out of reach of children. Eff swallowed, get medical help or contact a Poison Control Center right away.

Directions

- for itching of skin irriation, inflammation, and rashes:
- Dadults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- Dfor external anal and genital itching, adults:
- when practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or soft cloth before applying

- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

Other information

- Istore at room temperature 20°-25°C (68°-77°F)
- lot no. & exp. date: see box or see crimp of tube

Inactive ingredients

alpha-tocopherol acetate, ascorbig acid, butylated hydroxtoluene, ceteth-20, cetyl alcohol, chamomile flower oil, decolorized aloe vera leaf,

methylparaben, mineral oil, propylene glycol, propylparaben, sodium hydroxide, sorbitan monostearate, stearyl alcohol, vitamin A palmitate,

water[]

Distributed by:

Harris Teeter, LLC Matthews, NC 28105 Made in Koreal



nydrocortisone crean		-ITCH INTENSIVE I	ILAL				
Product Informati	ion						
Product Type		HUMAN OTC DRUG	Ite m Co	de (Source)		NDC:72036	5-404
Route of Administrat	ion	TOPICAL					
Route of Administrat	1011						
Active Ingredient/	Active Moi	ety					
Ingredient Name Basis of Str						Strength	Strength
HYDROCORTISONE (UNII: WI4X0 X7BPJ) (HYDROCORTISONE - UNII:WI4X0 X7BPJ) HYDROCORTIS						RTISONE	1 g in 100 g
Inactive Ingredier	nts						
Ingredient Name							trength
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)							
ASCORBIC ACID (UNII							
BUTYLATED HYDRO X	XYTOLUENE (U	JNII: 1P9 D0 Z171K)					
CETETH-20 (UNII: 1835)	H2IHHX)						
CETYL ALCOHOL (UN	MII: 936JST6JC1	N)					
CHAMO MILE FLO WEI	ROIL (UNII: 60	F80Z61A9)					
ALOE VERA LEAF (UN	II: ZY8 1Z8 3H0 2	ζ)					
METHYLPARABEN (UN	NII: A2I8C7HI9T	[•])					
MINERAL OIL (UNII: T	5L8T28FGP)						
PROPYLENE GLYCOL	UNII: 6 DC 9 Q	167V3)					
PROPYLPARABEN (UN	NII: Z8IX2SC10	H)					
SO DIUM HYDRO XIDE	(UNII: 55X04Q0	2321)					
SORBITAN MONOSTE	EARATE (UNII:	NVZ4I0H58X)					
STEARYL ALCOHOL ((UNII: 2KR89I4I	-11Y)					
VITAMIN A PALMITAT							
WATER (UNII: 059QF01							
Packaging							
# Item Code		Package Description		Marketing St	tart Date	Marketin	g End Dat
1 NDC:72036-404-28	1 in 1 CARTON			4/20/2017			
1	28 g in 1 TUBE	; Type 0: Not a Combination Prod	uct				
Marketing Info	rmation						
					_		
Marketing Category	v Annlicat	ion Number or Monograph Ci	tation	Marketing	Start Date	Markati	ng End Date

Revised: 4/2017