

SHEET SPF 30 MINERAL- titanium dioxide, zinc oxide lotion
Vivier Pharma Inc.

Sheet SPF 30 Mineral

Product Facts

Medicinal ingredients

10% Titanium Dioxide

8% Zinc Oxide

Purpose

Sunscreen

Uses

• Helps prevent sunburn and provides a sun protection factor of 30. Broad Spectrum. • Ideal for daily use; can be applied under makeup.

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

avoid contact with eyes. If contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if

rash occurs.

Other warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children over 6 months of age:

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Sun Protection Measures: Spending time in the sun increase your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: - limits time in the sun, especially from 10 a.m.-2 p.m. ; and wear long-sleeved shirts, pants, hats, and sunglasses.

Other information

Store at room temperature (15-30°C / 59-86°F).

Non-medicinal ingredients

Alumina, Ammonium Acryloyldimethyltaurate/VP Copolymer, Bis-PEG/PPG-16/16 PEG/PPG-16/16 Dimethicone, Butylparaben, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetareth-20, Cetearyl Alcohol, Cetyl Dimethicone, Citrus Aurantium Dulcis (Orange) Peel Extract, Citrus Limon (Lemon) Peel Extract, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dipropylene Glycol Dibenzoate, DL-alpha Tocopheryl Acetate, Ethylparaben, Glycerin, Glyceryl Stearate, Green Tea Extract, Iron Oxides CI 77491, Iron Oxides CI 77492, Iron Oxides CI 77499, Isopropyl Titanium Triisostearate, Methylparaben, Phenoxyethanol, Phytic Acid, Polyhydroxystearic Acid, Polysorbate 20, PPG-15 Stearyl Ether Benzoate, Propylene Glycol, Propylparaben, Pyrus Malus (Apple) Fruit Extract, Saccharum Officinarum (Sugar Cane) Extract, Sodium Ascorbyl Phosphate, Sodium Hydroxide, t-Butyl Alcohol, Triethoxycaprylylsilane, VP/Eicosene Copolymer, Water/Eau, Xanthan Gum.

Questions?

Call 1 877 484 8437

Package Labeling:

NPN 80107857 | NDC 67226-2232-6



SHEER

SPF / FPS

30

MINERAL
WITH ANTIOXIDANTS

MINÉRALE
AVEC ANTIOXYDANTS

BROAD SPECTRUM
À LARGE SPECTRE

TINTED / TINTÉE

LOTION

60 ml | 2 fl oz

Directions

Apply daily to face, neck and chest. Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. Store at room temperature (15-30°C / 59-86°F).

Warnings

For external use only. Do not use on broken skin. When using this product avoid contact with eyes. If contact occurs, rinse thoroughly with water. Stop use and ask a doctor if rash occurs. Keep out of reach of children.

This unit is packaged in an outer container. Please see outer container for complete drug facts information.

**Medicinal ingredients /
Ingrédients médicinaux**
Titanium Dioxide 10% /
Dioxyde de Titane 10 %
Zinc Oxide 8% /
Oxyde de Zinc 8 %

Mode d'emploi

Appliquer quotidiennement au visage, cou et décolleté. Appliquer abondamment et uniformément 15 minutes avant l'exposition au soleil. Appliquer de nouveau au moins toutes les 2 heures. Utiliser un écran solaire résistant à l'eau lors d'une activité aquatique ou s'il y a transpiration. Conserver à la température ambiante (15-30 °C / 59-86 °F).

Mises en garde

Pour usage externe seulement. Ne pas utiliser sur une peau éraflée. Lorsque vous utilisez ce produit éviter tout contact avec les yeux. Le cas échéant, bien rincer avec de l'eau. Cessez d'utiliser et consultez un médecin si une éruption cutanée se développe. Garder hors de la portée des enfants.

Cette unité est emballée dans un contenant extérieur. Veuillez vous y référer pour consulter toute l'information sur le médicament.

Questions? 1 877 484 8437



Vivier Canada Inc. | Mfd. for Vivier Pharma
Vaudreuil-Dorion QC Canada J7V 5V5
Champlain NY USA 12919
vivierskin.com



Made in Canada
01-8033-01D10



NPN 80107857 | NDC 67226-2232-6



SHEER
SPF / FPS
30
MINERAL
WITH ANTIOXIDANTS

MINÉRALE

Informations sur le produit (suite)
longues, des pantalons, un chapeau et des lunettes de soleil.
Autre renseignement
Conserver à la température ambiante (15-30 °C / 59-86 °F).
Ingrédients non-médicinaux
Voir ci-dessous.
Questions ?
Composez le 1 877 484 8437

**Non-medicinal ingredients /
Ingrédients non-médicinaux**
Alumina, Ammonium Acryloyldimethyltaurate/VP Copolymer, Bis-PEG/PPG-16/16 PEG/PPG-16/16 Dimethicone, Butylparaben, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Ceteareth-20, Cetearyl Alcohol, Cetyl Dimethicone, Citrus Aurantium Dulcis (Orange) Peel Extract, Citrus Limon (Lemon) Peel Extract, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dipropylene Glycol Dibenzate, DL-alpha Tocopheryl Acetate, Ethylparaben, Glycerin, Glyceryl Stearate, Green Tea Extract, Iron Oxides CI 77491, Iron Oxides CI 77492, Iron Oxides CI 77499, Isopropyl Titanium Triacetate, Methylparaben, Phenylethylalcohol

Product Facts
Medicinal ingredients Purpose
10% Titanium Dioxide } Sunscreen
8% Zinc Oxide }
Uses
• Helps prevent sunburn and provides a sun protection factor of 30. Broad Spectrum.
• Ideal for daily use; can be applied under makeup.
Warnings
For external use only.
Do not use on damaged or broken skin.
When using this product avoid contact with eyes. If contact occurs, rinse thoroughly with water.
Stop use and ask a doctor if rash occurs.
Other warnings Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
Keep out of reach of children.
If swallowed, get medical help or contact Poison Control Center at 1-800-235-0235.

Informations sur le produit
Ingrédients médicinaux Utilité
Dioxyde de Titane 10% } Écran solaire
Oxyde de Zinc 8% }
Usages
• Aide à prévenir les coups de soleil et offre un facteur de protection solaire de 30 à large spectre.
• Idéal pour utilisation quotidienne; peut être utilisé sous le maquillage.
Mises en garde
Pour usage externe seulement.
Ne pas utiliser sur la peau endommagée ou présentant des lésions.
Lorsque vous utilisez ce produit éviter tout contact avec les yeux. Le cas échéant, bien rincer avec de l'eau.
Cesser d'utiliser ce produit et consulter un médecin si une éruption cutanée se développe éruptions apparaissent.
Autres avertissements Cancer de la peau/vieillessement cutané : passé du temps au soleil augmente le risque de cancer de la peau et de vieillissement prématuré de la peau. Il a uniquement été montré que ce produit contribue à

Phytic Acid, Polyhydroxystearic Acid, Polysorbate 20, PPG-15 Stearyl Ether Benzoate, Propylene Glycol, Propylparaben, Pyrus Malus (Apple) Fruit Extract, Saccharum Officinarum (Sugar Cane) Extract, Sodium Ascorbyl Phosphate, Sodium Hydroxide, t-Butyl Alcohol, Triethoxycaprylsilane, VP/Eicosene Copolymer, Water/Eau, Xanthan Gum.

THE BEAUTY OF RESULTS®
LA BEAUTÉ DES RÉSULTATS®



Vivier Canada Inc. | Mfd. for Vivier Pharma
Vaudreuil-Dorion QC Canada J7V 5V5
Champlain NY USA 12919
vivierskin.com
© Vivier Canada Inc. - used under license



Made in Canada
07-8033-01D10

a Poison Control Center right away.

Directions

Adults and children over 6 months of age:

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Sun Protection Measures: Spending time in the sun increase your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: - limits time in the sun, especially from 10 a.m.–2 p.m. ; and wear long-sleeved shirts, pants, hats, and sunglasses.

Other information

Store at room temperature (15-30°C / 59-86°F).

Non-medicinal ingredients

See back panel.

Questions?

Call 1 877 484 8437

MINÉRALE
AVEC ANTIOXYDANTS

BROAD SPECTRUM
À LARGE SPECTRE
TINTED / TINTÉE
LOTION

60 ml | 2 fl oz

comme que ce produit contribue à prévenir les coups de soleil et non le cancer de la peau ou le vieillissement cutané prématuré.

Garder hors de la portée des enfants.
En cas d'ingestion, obtenir des soins médicaux ou appeler immédiatement un Centre anti-poison.

Mode d'emploi

Adultes et enfants de plus de 6 mois :

- Appliquer abondamment et uniformément 15 minutes avant l'exposition au soleil.
- Appliquer de nouveau au moins toutes les deux heures.
- Mesure de protection contre le soleil : Passer du temps au soleil augmente le risque de cancer de la peau et du vieillissement prématuré de la peau. Afin de diminuer ce risque, il convient d'utiliser régulièrement un écran solaire avec un F.P.S. à large spectre d'au moins 15 et d'appliquer d'autres mesures de protection contre le soleil, telles que: -limiter le temps passé au soleil, notamment entre 10h – 14h; et -porter des chemises à manches



SHEET SPF 30 MINERAL

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67226-2232
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	100 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	80 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG)	
BIS-PEG/PPG-16/16 PEG/PPG-16/16 DIMETHICONE (UNII: 55A74AJ3KB)	

BUTYLPARABEN (UNII: 3QPI1U3FV8)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
ORANGE PEEL (UNII: TI9T76XD44)
LEMON PEEL (UNII: 72O054U628)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 6OA5ZDY41O)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
ETHYLPARABEN (UNII: 14255EXE39)
GLYCERIN (UNII: PDC6A3C0OX)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)
METHYLPARABEN (UNII: A2I8C7HI9T)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FYTIC ACID (UNII: 7IGF0S7R8I)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
APPLE (UNII: B423VGH5S9)
SUGARCANE (UNII: 81H2R5AOH3)
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
WATER (UNII: 059QF0KO0R)
XANTHAN GUM (UNII: TTV12P4NEE)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67226-2232-6	1 in 1 BOX	01/04/2021	02/28/2027
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/04/2021	02/28/2027

