ZICAM COLD REMEDY RAPIDMELTS ELDERBERRY CITRUS- zinc acetate anhydrous, zinc gluconate, and sambucus nigra flowering top tablet Church & Dwight Co., Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Zicam [®] Cold Remedy Rapidmelts[®] Elderberry Citrus

Active ingredients (in each tablet)

Zincum aceticum 2x

Zincum gluconicum 1x

Sambucus nigra (elderberry) 5x

Purpose

| Active ingredients (in each tablet) | Purpose | | |
|-------------------------------------|---|--|--|
| Zincum aceticum 2x | Reduces duration of the common cold and helps | | |
| Zincum gluconicum 1x | relieve nasal congestion | | |
| Sambucus nigra (elderberry) | Helps relieve cold | | |
| 5x | symptoms * | | |
| * Claims based on traditional homeo | ppathic practice, not | | |

 Claims based on traditional homeopathic practice, no accepted medical evidence. Not FDA evaluated.

Uses

• reduces duration of the common cold and helps relieve nasal congestion

Zicam [®] Cold Remedy was not formulated to be effective for flu and allergies.

Warnings

If you are allergic or sensitive to zinc, consult a doctor before using

Stop use and ask a doctor if symptoms persist or are accompanied by a fever or new symptoms occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- for best results, use at the first sign of a cold and continue to use until symptoms completely subside
- adults and children 12 years of age and older:
 - take 1 tablet at the onset of symptoms
 - dissolve entire tablet in mouth. Do not chew. Do not swallow whole.
 - repeat every 2 3 hours, not to exceed 7 tablets in 24 hours. Take until symptoms are gone.
 - to avoid minor stomach upset, do not take on an empty stomach
 - do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.
- children under 12 years of age: ask a doctor before use

Other information

• store between 15-29°C (59-84°F)

Inactive ingredients

ascorbic acid, crospovidone, D&C Red No. 27 aluminum lake, FD&C Blue No. 1 aluminum lake, magnesium stearate, mannitol, mono-ammonium glycyrrhizinate, natural and artificial flavor, sodium starch glycolate, stearic acid, sucralose

Questions? Comments? Side Effects?

call 877-942-2626 toll free

www.zicam.com

PRINCIPAL DISPLAY PANEL - 25 Tablet Bottle Carton

plus ELDERBERRY

ZICAM®

COLD REMEDY

SHORTENS COLDS

TAKE AT THE FIRST

SIGN OF A COLD

THE

PRE-COLD®

MEDICINE

ZICAM®

COLD REMEDY

SHORTENS COLDS

RAPIDMELTS® Citrus Flavor SHORTENS COLDS • TWO FORMS OF ZINC plus ELDERBERRY RAPIDMELTS® Citrus Flavor 25 Quick Dissolve TABLETS HOMEOPATHIC



ZICAM COLD REMEDY RAPIDMELTS ELDERBERRY CITRUS

zinc acetate anhydrous, zinc gluconate, and sambucus nigra flowering top tablet

| Product Information | | | | | | | | |
|-------------------------|----------------|--------------------|---------------|--|--|--|--|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:10237-461 | | | | | |
| Route of Administration | ORAL | | | | | | | |

| Active Ingred | ient/Act | tive Moiety | | | | | | |
|---|----------------------|---------------------|------------------------------|---------------------------------|--------------------------|----------|-----------------|--|
| | | Ingredient Name | | | Basis of Strength | | Strength | |
| ZINC ACETATE ANHYDROUS (UNII: H2ZEY72PME) (ZINC CATION - UNII: 13S1S8SF37) | | | | | | 2 [hp_X] | | |
| ZINC GLUCONATE | (UNII: U6 | WSN5SQ1Z) (ZI | NC CATION - UNII:13S1 | S8SF37) | ZINC GLUCON | IATE | 1 [hp_X] | |
| SAMBUCUS NIGRA FLOWERING TOP (UNII: CT03BSA18U) (SAMBUCUS NIGRA FLOWERING TOP - UNII:CT03BSA18U) | | | JCUS NIGRA | SAMBUCUS NIGRA FLOWERING TOP | | 5 [hp_X] | | |
| Inactive Ingre | edients | | | | | | | |
| | | Ingr | edient Name | | | S | trength | |
| ASCORBIC ACID (| | | | | | | | |
| CROSPOVIDONE (| | | | | | | | |
| D&C RED NO. 27 | | | | | | | | |
| FD&C BLUE NO. 1 | | | | | | | | |
| MAGNESIUM STE | | | | | | | | |
| MANNITOL (UNII: 3 | | • | | | | | | |
| | | | | 2) | | | | |
| | | | TATO (UNII: 5856J3G2A | 4Z) | | | | |
| STEARIC ACID (UN SUCRALOSE (UNII: | | | | | | | | |
| | | | | | | | | |
| Product Char | acterist | tics | | | | | | |
| Color | | PURPLE | Score | Score no s | | | score | |
| Shape | | ROUND | Size | Size | | | | |
| Flavor | | BERRY | Imprint Code | | Z | Z | | |
| Contains | | | | | | | | |
| Packaging | | | | | | | | |
| # Item Code | | Package Description | | | | | ing End ate | |
| 1 NDC:10237-461- 25 | 1 in 1 C/ | ARTON | | 04/30/2021 | | | | |
| 1 | 25 in 1 E Product | BOTTLE; Type 0 | : Not a Combination | | | | | |
| | | | | | | | | |
| Marketing | Inform | nation | | | | | | |
| Marketing | Α | | umber or Monogra Citation | ph Mark | eting Start Date | | ting End ate | |
| Category | | | | | | | | |

Labeler - Church & Dwight Co., Inc. (001211952)

Revised: 1/2024