

POWDER- zinc oxide, titanium dioxide powder
Oxygen development

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Tarteguard Mineral Powder sunscreen Broad Spectrum SPF 30

Active ingredients

Titanium Dioxide 8.6

zinc Oxide 10.0

Purpose

Sunscreen

Uses

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Stop Use

Stop use and ask doctor if rash occurs

Do not use

Do not use on damaged or broken skin

When using

When using this product keep out of eyes. Rinse with water to remove

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control center right away

Directions

Apply liberally 15 minutes before sun exposure. Use a water resistant sunscreen if swimming or sweating. reapply at lease every 2 hours. Children under 6 months: ask a doctor. optional: apply toall skin exposed to the sun. Sun Protection measures. spending time in the sin increases your risk ofg skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m- 2p.m. Wear long-sleeved shirts, pants, hats and sunglasses.

Other information

Protect the product in this container from excessive heat and direct sunlight. You may report a serious adverse reaction to: tarte c/o report Reaction, LLC,P.O.Box 22,Plainsboro, New Jersey 08536-0222.

Primary package

812C
Purple C

Active Ingredients:
Titanium Dioxide 8.0%
Zinc Oxide 10.0%

Warnings - For external use only. Stop use and seek medical advice if you experience: Do not use on damaged or broken skin. When using this product near and of eyes, rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


Directions: Apply liberally 15 minutes before sun exposure. Use a water resistant sunscreen if swimming or sweating. Reapply at least every 2 hours. Children under 6 months: Ask a doctor. Apply to all skin exposed to the sun.

tarte®
TARTEGUARD 30
mineral powder sunscreen
Broad Spectrum SPF 30


net wt 8 g / 0.28 Oz.
www.tarte.com

△	-	-	0	ASSY	-	-	-
△	-	-	NO	NAME	MATERIAL	COLOR	DWG NO.
NO	DATE	DESCRIPTION			TITLE	NEW ROD PUMP DISPENSING BRUSH WITH CAP	CODE NO. 1027
DESIGNED	CHECK1	CHECK2	CONFIRMED	APPROVED	TOL	±0.1	UNITS MM SUPPLIER TS-1971S
					SCALE	1:1	3RD CUSTOMER - DATE 17.06.07
					SUNG JIN		COSMETIC ACCESSORIES (1/1) LTD. SHEET 1

A4(210*297)



812C
Purple C





△	-	-	0	ASSY	-	-	-
△	-	-	NO	NAME	MATERIAL	COLOR	DWG NO.
NO	DATE	DESCRIPTION			TITLE	NEW ROD PUMP DISPENSING BRUSH WITH CAP	CODE NO. 1027
DESIGNED	CHECK1	CHECK2	CONFIRMED	APPROVED	TOL	±0.1	UNITS MM
					SCALE	1:1	3RD
					SUPPLIER	CUSTOMER	TS-1971S
							DATE 17.06.07
SUNG JIN						COSMETIC ACCESSORIES (1/4) LTD.	SHEET 1/1

A4(210*297)

Secondary Package

CTT013539_20191017.pdf 1 2019/10/17 上午10:54





POWDER

zinc oxide, titanium dioxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61354-052
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	8.6 mg in 100 mg
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	10 mg in 100 mg

Inactive Ingredients

Ingredient Name	Strength
JOJOBA OIL (UNII: 724GKU717M)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61354-052-01	1 in 1 CARTON	02/23/2021	
1		8 mg in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/22/2021	

Labeler - Oxygen development (137098492)

Establishment

Name	Address	ID/FEI	Business Operations
Oxygen Development		137098492	manufacture(61354-052)

Revised: 2/2023

Oxygen development