

**ALLERGY- cetirizine hydrochloride tablet, film coated**  
**Kroger Company**

-----  
**Kroger Cetirizine Hydrochloride Tablets USP, 10 mg**

**DRUG FACTS**

Cetirizine HCl 10 mg

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are** taking tranquilizers or sedatives.

**When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

(1-800-222-1222).

**Directions**

adults and children 6 years and over: one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.

adults 65 years and over: ask a doctor

children under 6 years of age: ask a doctor  
consumers with liver or kidney disease: ask a doctor

## OTHER INFORMATION

### Other information

- store between 20° to 25°C (68°to 77°F)

**Inactive ingredients** corn starch, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, titanium dioxide

**Questions or comments? 1-800-632-6900**

**Kroger** health NDC 41226-692-70

**ORIGINAL PRESCRIPTION STRENGTH**  
**Allergy Relief**  
Cetirizine Hydrochloride Tablets USP, 10 mg  
Antihistamine  
Indoor & Outdoor Allergies

SNEEZING  
ITCHY, WATERY EYES  
RUNNY NOSE  
ITCHY THROAT OR NOSE

**UP TO 24 HR RELIEF**

**70 TABLETS**

**RETAIN CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION**

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients, or to an antihistamine containing hydroxyzine.  
**Ask a doctor before use** if you have liver or kidney disease. Your doctor should determine if you need a different dose.  
**Ask a doctor or pharmacist before use if you are** taking tranquilizers or sedatives.  
**When using this product** ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery  
**Stop use and ask a doctor** if an allergic reaction to this product occurs. Seek medical help right away.  
**If pregnant or breast-feeding** ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions** ■ adults and children 6 years and over: one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. ■ adults 65 years and over: ask a doctor ■ children under 6 years of age: ask a doctor ■ consumers with liver or kidney disease: ask a doctor

**Other information** ■ **TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING** ■ store between 20° to 25°C (68° to 77°F)

**Questions or comments?** Call 1-800-632-6900  
**DISTRIBUTED BY THE KROGER CO.**  
**CINCINNATI, OHIO 45202**

**MADE IN INDIA** 692R 0424

LOT:  
EXP: **Varnish Omit Area**

Varnish  
Omit

692R 0424  
or Call 800-632-6900  
Scan UPC Using Your Kroger App  
For More Product Information,  
MADE IN INDIA  
CINCINNATI, OHIO 45202  
DISTRIBUTED BY THE KROGER CO.

TAMPER EVIDENT: DO NOT USE THIS PRODUCT  
IF THE IMPRINTED FOIL SEAL OVER THE  
MOUTH OF THE BOTTLE IS CUT, TORN,  
BROKEN OR MISSING

Varnish/Print Omit Area

NDC 41226-692-70  
**Kroger** health  
COMPARE TO ACTIVE  
INGREDIENT IN ZYRTEC® TABLETS

ORIGINAL PRESCRIPTION STRENGTH

**Allergy Relief**  
UP TO 24 HR RELIEF

Cetirizine Hydrochloride  
Tablets USP, 10 mg  
Antihistamine  
Indoor & Outdoor Allergies

SNEEZING  
ITCHY, WATERY EYES  
RUNNY NOSE  
ITCHY THROAT OR NOSE  
ACTUAL SIZE  
**70 TABLETS**

RETAIN CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

**Drug Facts**  
**Active ingredient (in each tablet)** Purpose  
Cetirizine HCl 10 mg.....Antihistamine

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
runny nose sneezing  
itchy, watery eyes  
itching of the nose or throat

**Warnings**  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients, or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.  
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

**Drug Facts (continued)**

**When using this product**  
drowsiness may occur  
avoid alcoholic drinks  
alcohol, sedatives, and tranquilizers may increase drowsiness  
be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding**  
if breast-feeding: not recommended  
if pregnant: ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**  
adults and children 6 years and over one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be

**Drug Facts (continued)**

	appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**  
store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**  
corn starch, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, titanium dioxide

**Questions or comments?**  
Call 1-800-632-6900

Zyrtec® is a registered trademark of Kenvue Inc. Kenvue Inc. is not affiliated with The Kroger Co. or this product.

**OUR PHARMACIST RECOMMENDED**

Our Brands. Our Guarantee.  
Love it or Your Money Back.  
www.kroger.com



LOT: Varnish Omit  
EXP:

Varnish  
Omit

INDOOR & OUTDOOR ALLERGIES  
**Allergy**  
 ORIGINAL PRESCRIPTION STRENGTH  
 Cetrizine Hydrochloride Tablets, 10 mg  
 Antihistamine



RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

**Drug Facts**

**Active ingredient (in each tablet) Purpose**  
 Cetrizine HCl 10 mg, Antihistamine

**Uses** Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ runny nose ■ sneezing ■ itchy, watery eyes  
 ■ itching of the nose or throat

**Warnings**  
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.  
 Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.  
 Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

**When using this product**  
 ■ drowsiness may occur ■ avoid alcoholic drinks  
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness  
 ■ be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor** if an allergic reaction to this product occurs. Seek medical help right away.  
 If pregnant or breast-feeding:  
 ■ If breast-feeding, not recommended  
 ■ If pregnant, ask a health professional before use.

**Drug Facts (continued)**

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**  
 adults and children 6 years and over one 10 mg tablet once daily, do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.

adults 65 years and over ask a doctor  
 children under 6 years of age ask a doctor  
 consumers with liver or kidney disease ask a doctor

**Other information**

■ store between 20° to 25°C (68° to 77°F)

**Inactive ingredients** corn starch, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, titanium dioxide

**Questions or comments?** 1-800-632-6900

**TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING**

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202

FOR MORE PRODUCT INFORMATION, SCAN UPC USING YOUR KROGER APP OR CALL 800-632-6900

Our Brands. Our Guarantee. Love It or Your Money Back. www.kroger.com



PLEASE RECYCLE

692R 0321

80% SIZE  
 12-digit UPC-A  
 (non-suppressed)  
 For Position Only

0 41260 01238 9

Lot No.:  
 Exp. Date:

COMPARE TO the active ingredient of ZYRTEC® TABLETS \*See side panel

NDC 41225-692-14



ORIGINAL PRESCRIPTION STRENGTH

**Allergy**

Cetrizine Hydrochloride Tablets, 10 mg  
 Antihistamine  
 INDOOR & OUTDOOR ALLERGIES

WINDOW

WINDOW



ORIGINAL PRESCRIPTION STRENGTH

**Allergy**

Cetrizine Hydrochloride Tablets, 10 mg  
 Antihistamine  
 INDOOR & OUTDOOR ALLERGIES



24 HOUR

actual size

70 TABLETS (140)

24 HOUR RELIEF OF:

Sneezing;  
 Runny Nose;  
 Itchy, Watery Eyes  
 Itchy Throat or Nose


2 BOTTLES



actual size

\*Zyrtec® is a registered trademark of Johnson & Johnson, New Brunswick, NJ 08933. Johnson & Johnson is not affiliated with The Kroger Co. or this product.





**ORIGINAL PRESCRIPTION STRENGTH**

# Allergy

Cetrizine Hydrochloride Tablets, 10 mg Antihistamine

**INDOOR & OUTDOOR ALLERGIES**

**24 HOUR RELIEF OF:**  
Sneezing; Runny Nose; Itchy, Watery Eyes; Itchy Throat or Nose

**24 HOUR**

**365 TABLETS**

**TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING**

**RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION**

**Drug Facts**  
**Active ingredient (in each tablet) Purpose**  
Cetrizine HCl, 10 mg. . . . . Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have liver or kidney disease.**  
Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are taking** tranquilizers or sedatives.

**When using this product**  

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if an allergic reaction to this product occurs.** Seek medical help right away.

**If pregnant or breast-feeding:**  

- if pregnant, ask a health professional before use.
- if breast-feeding, not recommended

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions** ■ adults and children 6 years and over: take one 10 mg tablet once daily. do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. ■ adults 65 years and over: ask a doctor. ■ children under 6 years of age: ask a doctor ■ consumers with liver or kidney disease: ask a doctor

**Questions or comments? 1-800-632-6900**

**DISTRIBUTED BY THE KROGER CO.**  
CINCINNATI, OHIO 45202

**Our Brands. Our Guarantee. Love It or Your Money Back.** www.kroger.com

LOT #: 692R 0121  
EXP. DATE:

**5-TYLENOL** is a registered trademark of Johnson & Johnson, New Brunswick, NJ 08933. Johnson & Johnson is not affiliated with The Kroger Co. or this product.

**DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202**

**FOR MORE PRODUCT INFORMATION, SCAN UPC USING YOUR KROGER APP OR CALL 800-632-6900**

Our Brands. Our Guarantee. Love It or Your Money Back. www.kroger.com

0 41260 01239 4

692R 0321

PLEASE RECYCLE



NDC 41226-692-14

ORIGINAL  
PRESCRIPTION STRENGTH**Allergy**Cetirizine Hydrochloride  
Tablets, 10 mg/Antihistamine  
INDOOR & OUTDOOR ALLERGIES**24 HOUR RELIEF OF:**  
Sneezing; Runny Nose;  
Itchy, Watery Eyes;  
Itchy Throat or  
Nose**24  
HOUR****70 TABLETS****RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION****Uses:** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat**Warnings****Do not use** if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.**Ask a doctor or pharmacist before use if you are** taking tranquilizers or sedatives.**When using this product** ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery**Stop use and ask a doctor if an allergic reaction** to this product occurs. Seek medical help right away.**If pregnant or breast-feeding:**

■ if breast-feeding: not recommended

■ if pregnant, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).**Directions** ■ adults and children 6 years and over: take one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. ■ adults 65

years and over: ask a doctor ■ children under 6 years of age: ask a doctor ■ consumers with liver or

kidney disease: ask a doctor

**Other information** ■ **TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING**

■ store between 20° to 25°C (68° to 77°F)

**Questions or comments? 1-800-632-6900****DISTRIBUTED BY THE KROGER CO.****CINCINNATI, OHIO 45202**

Our Brands. Our Guarantee. Love It or Your Money Back. www.kroger.com

692R 0321

LOT #:

EXP. DATE:

**ALLERGY**

cetirizine hydrochloride tablet, film coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41226-692
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>CETIRIZINE HYDROCHLORIDE</b> (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

**Product Characteristics**

<b>Color</b>	white ((white to off white))	<b>Score</b>	no score
<b>Shape</b>	RECTANGLE (Rounded-off rectangular shaped)	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	J;220
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41226-692-65	1 in 1 CARTON	05/11/2021	
1		365 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:41226-692-14	2 in 1 CARTON	05/11/2021	
2		70 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:41226-692-70	1 in 1 CARTON	06/03/2024	
3		70 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078933	05/11/2021	

**Labeler** - Kroger Company (006999528)

**Registrant** - TIME CAP LABORATORIES, INC. (037052099)

### Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		925822975	manufacture(41226-692)

Revised: 6/2024

Kroger Company