APOCYNUM CANNABINUM- apocynum cannabinum pellet Hahnemann Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

APOCYNUM CANNABINUM 6C

Min. net wt:5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490
TWIST TO OPEN - USE ONLY IF SEALED

Min. net wt:30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



APOCYNUM CANNABINUM 6C

Min. net wt:100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



APOCYNUM CANNABINUM 12C

Min. net wt:5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Min. net wt:30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



APOCYNUM CANNABINUM 12C

Min. net wt:100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc. APOCYNUM CANNABINUM **30C** Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as dry cough Keep out of reach of children Directions: Take 5 pellets orally once Inactive ingredients: sucrose 00000

APOCYNUM CANNABINUM 30C

Min. net wt:5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Min. net wt:30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



APOCYNUM CANNABINUM 30C

Min. net wt:100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc. APOCYNUM CANNABINUM 100C Min. net wt: 1g HOMEOPATHIC MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as dry cough Keep out of reach of children Directions: Take 5 pellets orally once Inactive ingredients: sucrose

APOCYNUM CANNABINUM 100C

Min. net wt:5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



APOCYNUM CANNABINUM 100C

Min. net wt:30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



APOCYNUM CANNABINUM 6C

Min. net wt:100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc. APOCYNUM CANNABINUM 200C Min. net wt: 1g HOMEOPATHIC MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as dry cough Keep out of reach of children Directions: Take 5 pellets orally once Inactive ingredients: sucrose

APOCYNUM CANNABINUM 200C

Min. net wt:5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



APOCYNUM CANNABINUM 200C

Min. net wt:30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



APOCYNUM CANNABINUM 200C

Min. net wt:100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc. APOCYNUM CANNABINUM 500C Min. net wt: 1g HOMEOPATHIC MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as dry cough Keep out of reach of children Directions: Take 5 pellets orally once Inactive ingredients: sucrose

APOCYNUM CANNABINUM 500C

Min. net wt:5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



APOCYNUM CANNABINUM 500C

Min. net wt:30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



APOCYNUM CANNABINUM 500C

Min. net wt:100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc. APOCYNUM CANNABINUM **1M** Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as dry cough Keep out of reach of children Directions: Take 5 pellets orally once Inactive ingredients: sucrose

APOCYNUM CANNABINUM 1M

Min. net wt:5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



APOCYNUM CANNABINUM 1M

Min. net wt:30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



APOCYNUM CANNABINUM 1M

Min. net wt:100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc. APOCYNUM CANNABINUM 10M Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as dry cough Keep out of reach of children Directions: Take 5 pellets orally once Inactive ingredients: sucrose

Min. net wt:5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Min. net wt:30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



APOCYNUM CANNABINUM 10M

Min. net wt:100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

APOCYNUM CANNABINUM LM1

Min. net wt:30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as dry cough

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



00000

APOCYNUM CANNABINUM

apocynum cannabinum pellet

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:63545-058

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
APOCYNUM CANNABINUM ROOT (UNII: 2F92409L9Z) (APOCYNUM CANNABINUM ROOT - UNII:2F92409L9Z)	APOCYNUM CANNABINUM ROOT	6 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63545- 058-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/23/2021			
2	NDC:63545- 058-02	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/23/2021			
3	NDC:63545- 058-03	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/23/2021			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		02/23/2021		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-059	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
APOCYNUM CANNABINUM ROOT (UNII: 2F92409L9Z) (APOCYNUM CANNABINUM ROOT - UNII:2F92409L9Z)	APOCYNUM CANNABINUM ROOT	12 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains	Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63545- 059-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/23/2021			
2	NDC:63545- 059-02	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/23/2021			
3	NDC:63545- 059-03	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/23/2021			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		02/23/2021		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-060	
Route of Administration	ORAL			

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
APOCYNUM CANNABINUM ROOT (UNII: 2F92409L9Z) (APOCYNUM CANNABINUM ROOT - UNII:2F92409L9Z)	APOCYNUM CANNABINUM ROOT	30 [hp_C]			

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape ROUND Size 3mm					
Flavor Imprint Code					
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63545- 060-01	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/23/2021			
2	NDC:63545- 060-02	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/23/2021			
3	NDC:63545- 060-03	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/23/2021			
4	NDC:63545- 060-04	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/23/2021			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		02/23/2021		
·				

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-061
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
APOCYNUM CANNABINUM ROOT (UNII: 2F92409L9Z) (APOCYNUM CANNABINUM ROOT - UNII:2F92409L9Z)	APOCYNUM CANNABINUM ROOT	100 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score

Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging					
#	# Item Code Package Description		Marketing Start Date	Marketing End Date		
1	NDC:63545- 061-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/23/2021			
2	NDC:63545- 061-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/23/2021			
3	NDC:63545- 061-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/23/2021			
4	NDC:63545- 061-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/23/2021			

Marketing Information				
rketing End Date				

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-062	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
APOCYNUM CANNABINUM ROOT (UNII: 2F92409L9Z) (APOCYNUM CANNABINUM ROOT - UNII:2F92409L9Z)	APOCYNUM CANNABINUM ROOT	200 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63545- 062-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/23/2021		
2	NDC:63545- 062-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/23/2021		
3	NDC:63545- 062-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/23/2021		
4	NDC:63545- 062-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/23/2021		

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
	02/23/2021			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-063	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
APOCYNUM CANNABINUM ROOT (UNII: 2F92409L9Z) (APOCYNUM CANNABINUM ROOT - UNII:2F92409L9Z)	APOCYNUM CANNABINUM ROOT	500 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63545- 063-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/23/2021		
2	NDC:63545- 063-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/23/2021		
3	NDC:63545- 063-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/23/2021		
4	NDC:63545- 063-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/23/2021		

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		02/23/2021		

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-064		
Route of Administration	ORAL				

I	Active Ingredient/Active Moiety				
l	Ingredient Name	Basis of Strength	Strength		
	APOCYNUM CANNABINUM ROOT (UNII: 2F92409L9Z) (APOCYNUM CANNABINUM ROOT - UNII:2F92409L9Z)	APOCYNUM CANNABINUM ROOT	1 [hp_M]		

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

ı	Packaging						
	# Item Code	Package Description	Marketing Start Date	Marketing End Date			

1	NDC:63545- 064-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/23/2021	
2	NDC:63545- 064-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/23/2021	
3	NDC:63545- 064-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/23/2021	
4	NDC:63545- 064-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/23/2021	

Marketing Information				
Marketing Application Number or Monograph Marketing Sta Category Citation Date				
	02/23/2021			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

apocynum cannabinum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-065
--------------	----------------	--------------------	---------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength	
CYNUM CANNABINUM ROOT (UNII: 2F92409197) (APOCYNUM CANNABINUM	APOCYNUM		

APOCYNUM CANNABINUM ROOT (UNII: 2F92409L9Z) (APOCYNUM CANNABINUM APOCYNUM CANNABINUM ROOT 10 [hp_M]

Inactive Ingredients

Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

ı	Packaging					
7	# Item Code Package Description		Marketing Start Date	Marketing End Date		
	NDC:63545- 065-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/23/2021			
	NDC:63545-	500 in 1 VIAL, GLASS; Type 0: Not a Combination	02/22/2021			

1	_	065-02	Product	UZ/Z3/ZUZ1	
	-		3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/23/2021	
4	1	NDC:63545- 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		02/23/2021	

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	02/23/2021			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

apocynum cannabinum pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-066	
Route of Administration	ORAL			

Active Ingredient/Active Moiety Ingredient Name APOCYNUM CANNABINUM ROOT (UNII: 2F92409L9Z) (APOCYNUM CANNABINUM ROOT APOCYNUM CANNABINUM ROOT APOCYNUM CANNABINUM ROOT 1 [hp_Q]

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	1mm	
Flavor		Imprint Code		
Contains				

Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:63545- 066-01	10000 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/23/2021			

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/23/2021	

Labeler - Hahnemann Laboratories, Inc. (147098081)

Registrant - Hahnemann Laboratories, Inc. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, Inc.		147098081	manufacture(63545-058, 63545-059, 63545-060, 63545-061, 63545-062, 63545-063, 63545-064, 63545-065, 63545-066)

Revised: 2/2021 Hahnemann Laboratories, Inc.