

**SUNMARK ANTACID- aluminum hydroxide, magnesium hydroxide, simethicone suspension  
McKesson**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**McKesson Antacid Drug Facts**

**Active ingredients (in each 10 mL)**

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg

Magnesium hydroxide 400 mg

Simethicone 40 mg

**Purpose**

Antacid

Antigas

**Uses**

for the relief of

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms
- pressure and bloating commonly referred to as gas

**Warnings**

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

**Ask a doctor or pharmacist before use if you are**

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**When using this product**

do not take more than 80 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician

**Keep out of reach of children.**

**Directions**

- shake well before using

- only use the dose cup provided
- adults and children 12 years and older: take 10 mL to 20 mL four times a day or as directed by a physician
- do not take more than 80 mL in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: consult a physician

### **Other information**

- each 10 mL contains: magnesium 175 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F)
- protect from freezing

### **Inactive ingredients**

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution

### **Questions or comments?**

1-800-719-9260

### **Principal Display Panel**

COMPARE TO MAALOX® ADVANCED ACTIVE INGREDIENTS

antacid

Regular Strength

Advanced

Antacid / Antigas

Fast relief heartburn & acid indigestion Pressure & Bloating

MINT FLAVOR

GLUTEN FREE

12 FL OZ (355 mL)



COMPARE TO  
MAALOX® ADVANCED  
ACTIVE INGREDIENTS\*

NDC 49348-019-39

# antacid

**Regular Strength**

**Advanced  
Antacid / Antigas**

**Fast relief  
heartburn &  
acid indigestion  
Pressure & Bloating**



**MINT FLAVOR**

**GLUTEN FREE**

**12 FL OZ (355 mL)**

: 85140 S1 F5

**Drug Facts**

Active ingredients (in each 10 mL)	Purpose
Aluminum hydroxide (equiv. to dried gel, USP) 400 mg.....	Antacid
Magnesium hydroxide 400 mg.....	Antacid
Simethicone 40 mg.....	Antigas

**Uses** for the relief of ■ acid indigestion ■ heartburn ■ sour stomach  
 ■ upset stomach associated with these symptoms  
 ■ pressure and bloating commonly referred to as gas

**Warnings**  
**Ask a doctor before use if you have** ■ kidney disease ■ a magnesium-restricted diet  
**Ask a doctor or pharmacist before use if you are** presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**When using this product** do not take more than 80 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician

**Keep out of reach of children.**

**Directions** ■ shake well before using ■ only use the dose cup provided  
 ■ adults and children 12 years and older: take 10 mL to 20 mL four times a day or as directed by a physician  
 ■ do not take more than 80 mL in 24 hours or use the maximum dosage for more than 2 weeks  
 ■ children under 12 years: consult a physician

**Other information**  
 ■ each 10 mL contains: magnesium 175 mg  
 ■ does not meet USP requirements for preservative effectiveness  
 ■ store at 20-25°C (68-77°F) ■ protect from freezing

**Inactive ingredients** butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution ▶

**DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by Novartis Consumer Health, Inc., distributor of Maalox® Advanced.



**Drug Facts (continued)**  
**Questions or comments?**  
 1-800-719-9260

**McKesson**  
 Another Quality Product  
 Distributed By McKesson  
 One Post Street,  
 San Francisco, CA 94104  
 Money Back Guarantee  
 Please visit us at  
 www.sunmarkbrand.com

: 85140 S1 B5

**SUNMARK ANTACID**

aluminum hydroxide, magnesium hydroxide, simethicone suspension

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49348-019
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDRO XIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDRO XIDE	400 mg in 10 mL
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY04S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDRO XIDE ION - UNII:9159UV381P)	MAGNESIUM HYDRO XIDE	400 mg in 10 mL

<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	40 mg in 10 mL
---	-------------	-------------------

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>BUTYL PARABEN</b> (UNII: 3QPI1U3FV8)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>PROPYL PARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>PEPPERMINT OIL</b> (UNII: AV092KU4JH)	

### Product Characteristics

<b>Color</b>	WHITE (opaque)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MINT	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49348-019-39	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/13/2003	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	09/13/2003	

**Labeler** - McKesson (177667227)