

**SKIN SHIELD- benzethonium chloride and dyclonine hydrochloride liquid**  
**Insight Pharmaceuticals**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Skin Shield®**  
**Liquid Bandage**

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Benzethonium chloride 0.2%	First aid antiseptic
Dyclonine hydrochloride 0.75%	Topical analgesic

**Uses**

first aid for the temporary relief of pain and to help protect against infection in minor cuts, scrapes and burns.

**Warnings**

**For external use only**

**Flammable:** Keep away from fire or flame

**Do not use** in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites or serious burns, consult a doctor. Do not use for longer than 1 week unless directed by a doctor.

**When using this product** avoid contact with the eyes.

**Stop use and ask a doctor if** the condition gets worse, or if symptoms persist for more than 7 days, or clear up and occur again within a few days.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Adults and children 2 years of age and older:

- Clean the affected area.
- Dry thoroughly.
- Brush a small amount of product on the area 1 to 3 times daily and let dry.
- Hold knees, elbows, knuckles in bent position during application and drying.
- For more protection, apply second coat.

Children under 2 years of age:

- Consult a doctor.

**Other information**

- To remove: peel off or apply a fresh layer of product over dry product and using gauze, rub off gently while still wet.

- Cap bottle tightly
- Store at room temperature 15°-25°C (59°-77°F).
- Keep carton for full drug facts.

**Inactive ingredients**

acetone, amyl acetate, castor oil, drometrizole, ethyl acetate, nitrocellulose, SD alcohol 40-B

**Questions?**

call 1-800-344-7239

Distributed by: **Insight Pharmaceuticals Corp.**  
Langhorne, PA 19047-1749

**PRINCIPAL DISPLAY PANEL - 26.6 ml Bottle Carton*****ECONOMY SIZE******Skin Shield®******Liquid Bandage******First Aid Antiseptic******Pain Reliever***

NET WT. 0.9 fl oz (26.6 ml)

Invisible • Flexible • Waterproof

**ECONOMY  
SIZE**

# SHIELDS CUTS BETTER THAN ADHESIVE BANDAGES

## Dual Action Liquid Bandage

- antiseptic helps prevent infections
- added pain reliever



- Perfect for scrapes and cuts from shaving, wood working, arts and crafts, etc.
- Helps avoid sports induced blister and callus formations on hands and feet
- Protects cracked heels and fingers



**ECONOMY  
SIZE**

# Skin Shield®

**Liquid Bandage** First Aid Antiseptic Pain Reliever

NET WT. 0.9 fl oz (26.6 ml)

**ECONOMY  
SIZE**

# Skin Shield®

Liquid Bandage  
First Aid Antiseptic Pain Reliever

# Skin Shield®

Liquid Bandage First Aid Antiseptic Pain Reliever

Questions? call 1-800-344-7239  
Distributed by: Insight Pharmaceuticals Corp.  
Langhorne, PA 19047-1749



08327A

**Drug Facts**

**Active Ingredients**  
Benzethonium chloride 0.2%  
Dyclonine hydrochloride 0.75%  
First aid antiseptic  
Topical analgesic

**Uses**  
Use first aid for the temporary relief of pain and to help protect against infection in minor cuts, scrapes and burns.

**Warnings**  
For external use only.  
Flammable: Keep away from fire or flame.  
Do not use in the eyes or apply over large areas of the body in case of deep or puncture wounds, animal bites or serious burns; consult a doctor. Do not use for longer than 1 week unless directed by a doctor.  
When using this product avoid contact with the eyes.  
Stop use and ask a doctor if the condition gets worse, or if symptoms persist for more than 7 days, or if it occurs again within a few days.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
Adults and children 2 years of age and older: Clean the affected area. Dry thoroughly. Brush a small amount of product on the area 1 to 3 times daily and let dry. Hold knees, elbows, knuckles in bent position during application and drying. For more protection, apply second coat.  
Children under 2 years of age: Consult a doctor.

**Other information**  
To remove: peel off or apply a fresh layer of product over dry product and using gauze, rub off gently while still wet. Cap bottle tightly. Store at room temperature 15°-25°C (59°-77°F). Keep cap on for full drug facts.

**Inactive ingredients**  
acetic acid, benzocaine, butyl acetate, castor oil, dimethylsiloxane, ethyl acetate, nitrocellulose, SD alcohol 40-B

# SKIN SHIELD

benzethonium chloride and dyclonine hydrochloride liquid

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63736-293
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Benzethonium Chloride</b> (UNII: PH41D05744) (Benzethonium - UNII:1VU15B70BP)	Benzethonium Chloride	0.0532 mL in 27 mL
<b>Dyclonine Hydrochloride</b> (UNII: ZEC193879Q) (Dyclonine - UNII:078A24Q30O)	Dyclonine Hydrochloride	0.0997 mL in 27 mL

## Inactive Ingredients

Ingredient Name	Strength
Acetone (UNII: 1364PS73AF)	
Amyl Acetate (UNII: 92Q24NH7AS)	
Castor Oil (UNII: D5340Y2I9G)	
Drometrizole (UNII: 5X93W9OFZL)	
Ethyl Acetate (UNII: 76845O8NMZ)	

## Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63736-293-24	24 in 1 CASE		
1		1 in 1 BOX		
1		26.9 mL in 1 BOTTLE		
2	NDC:63736-293-36	36 in 1 CASE		
2		1 in 1 BOX		
2		29.6 mL in 1 BOTTLE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	06/01/2010	

