

**MENSTRUAL RELIEF- acetaminophen, caffeine and pyrilamine maleate tablet,
film coated**

Target Corporation

Target 44-390

Active ingredients (in each caplet)

Acetaminophen 500 mg

Caffeine 60 mg

Pyrilamine maleate 15 mg

Purpose

Pain reliever

Diuretic

Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- muscle aches
- cramps
- backache
- fatigue
- water-weight gain

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- excitability may occur, especially in children
- use caution when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over:
 - take 2 caplets with water
 - repeat every 6 hours, as needed

- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

Other information

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions?

Call 1-800-910-6874

Principal Display Panel

Compare to active ingredients in Midol® Complete*

Multi-Symptom Menstrual Relief

Acetaminophen, Caffeine, Pyrilamine Maleate
Pain Reliever, Diuretic, Antihistamine

Multi-symptom relief of:
cramps, bloating, fatigue,
backache and headache

40 CAPLETS

Actual Size
40 Caplets

up&up™

Satisfaction guaranteed –
Love it or your money back.

Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2024 Target Brands, Inc.

*This product is not manufactured or distributed by
Bayer HealthCare LLC, owner of the registered
trademark Midol® Complete.
50844 ORG062339010

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY
SEAL UNDER CAP IS BROKEN OR MISSING**



MENSTRUAL RELIEF
 acetaminophen, caffeine and pyrilamine maleate tablet, film coated

Target 44-390

Drug Facts (continued)

Do not use ■ With any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ If you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

■ difficulty in urination due to enlargement of the prostate gland ■ liver disease ■ glaucoma ■ a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

■ taking the blood thinning drug warfarin ■ taking sedatives or tranquilizers ■ avoid alcoholic beverages

When using this product

■ drowsiness may occur

Drug Facts (continued)

medical help right away.

■ alcohol, sedatives, and tranquilizers may increase drowsiness

■ excitability may occur, especially in children or use caution when driving a motor vehicle or operating machinery

■ limit the use of caffeine-containing products, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

■ new symptoms occur

■ redness or swelling is present

■ pain gets worse or lasts more than 10 days

■ fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts

Active Ingredients
 (in each caplet)
 Acetaminophen 500 mg ■ Pain reliever
 Caffeine 60 mg ■ Diuretic
 Pyrilamine maleate 15 mg ■ Antihistamine

Uses
 for the temporary relief of these symptoms associated with menstrual periods:
 ■ bloating ■ headache ■ muscle aches ■ cramps ■ backache ■ fatigue

Purpose
 Pain reliever

Warnings
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours

Drug Facts (continued)

Warnings
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours

■ with other drugs containing acetaminophen

■ 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
 ■ skin redness ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

B-1920-390-10-R
 ORG062339010

Compare to active ingredients in Midol® Complete*

Multi-Symptom Menstrual Relief

Acetaminophen, Caffeine, Pyrilamine Maleate
 Pain Reliever, Diuretic, Antihistamine

Multi-symptom relief of:
 cramps, bloating, fatigue,
 backache and headache

p&u **40 CAPLETS**

Actual Size
 40 Caplets

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

094 01 0032 R00 C-002262-01-034-0000

NDC 11673-390-10

3 11673 89010 3

No print/No varnish
 Lot & Exp date

Drug Facts (continued)

Directions

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. For prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

■ do not take more than directed

■ adults and children 12 years and over:
 ■ take 2 caplets with water

■ repeat every 6 hours, as needed

■ do not exceed 6 caplets per day

■ children under 12 years: ask a doctor

Other Information

■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

■ see end flap for expiration date and lot number

Inactive ingredients corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions? Call 1-800-910-8874

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Midol® Complete.
 50844 ORG062339010

Satisfaction guaranteed -
 Love it or your money back.

Distributed by Target Corporation
 Minneapolis, MN 55403
 TM & ©2024 Target Brands, Inc.

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-390
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;390
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-390-10	1 in 1 CARTON	04/01/2019	
1		40 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M013	04/01/2019	

Labeler - Target Corporation (006961700)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(11673-390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(11673-390) , pack(11673-390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(11673-390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(11673-390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(11673-390)

Revised: 1/2024

Target Corporation