

**WALGREENS HIGH BLOOD PRESSURE COLD AND FLU- acetaminophen,
dextromethorphan liquid
WALGREENS CO.**

Walgreen's High Blood Pressure Daytime COLD & FLU

Drug Facts

<i>Active ingredients (in each 30 mL dose cup)</i>	<i>Purpose</i>
Acetaminophen 650 mg	Pain reliever/fever reducer
Dextromethorphan HBr 20 mg	Cough suppressant

Uses

temporarily relieves common cold/flu symptoms:

- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

Warnings

Liver warning

- This product contains acetaminophen. Severe liver damage may occur if you take more than 4 doses (30 mL each dose) in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- Skin reddening
- Blisters
- Rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- use dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL per dose every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

Other information

- **each 30 mL contains:** sodium 12 mg
- store at room temperature

Inactive ingredients

Anhydrous citric acid, disodium edetate, FD&C Yellow no. 6, flavor, glycerin, menthol, potassium citrate, propylene glycol, sodium benzoate, sorbitol, sucralose, water, xanthan gum

Questions?

1-866-467-2748

Distributed by:

PRINCIPAL DISPLAY PANEL - 236 ml Bottle Label

Compare to the active ingredients in Vicks® DayQuil™ High Blood Pressure Cold & Flu*

NDC 0363-6190-08

High Blood Pressure

Daytime

COLD & FLU

Acetaminophen, Dextromethorphan HBr

Headache, Fever, Sore Throat, Minor Aches & Pains

Cough

Sugar Free & No Added Alcohol

8 FL OZ (236 mL)

*This product is not manufactured or distributed by Procter & Gamble, the distributor of Vicks® DayQuil™ High Blood Pressure Cold & Flu.

NDC 0363-6190-08

TAMPER EVIDENT: DO NOT USE IF PRINTED SHRINK BAND IS MISSING OR BROKEN

Drug Facts

Active ingredients (in each 30 mL)

Acetaminophen 650 mg.....Pain reliever/fever reducer
Dextromethorphan HBr 20 mg.....Cough suppressant

Uses

- temporarily relieves common cold/flu symptoms:
 - cough due to minor throat & bronchial irritation
 - sore throat
 - minor aches & pains
- headache
- fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses (30 mL each dose) in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- Skin reddening
- Blisters
- Rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

*This product is not manufactured or distributed by The Procter & Gamble Company, distributor of Vicks® DayQuil™ High Blood Pressure Cold & Flu.

Walgreens

Compare to the active ingredients in Vicks® DayQuil™ High Blood Pressure Cold & Flu*

DAYTIME

Cold & Flu High Blood Pressure

ACETAMINOPHEN / PAIN RELIEVER / FEVER REDUCER
DEXTROMETHORPHAN HBr / COUGH SUPPRESSANT

Sugar Free

- Headache, fever, sore throat, cough, minor aches & pains

8 FL OZ (236 mL)

Drug Facts (continued)

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have ■ liver disease ■ cough that occurs with too much phlegm (mucus) ■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
©2023 Walgreen Co.
ITEM 639322 W00000-0000-0

3 11917 00809 7

LOT: UNVARNISHED AREA

EXP:

W3ORG0423-F 61908WAGLR

PEEL BACK HERE FOR DRUG FACTS ▶

Drug Facts (continued)

Stop use and ask a doctor if ■ pain or cough get worse or lasts more than 7 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur ■ cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

■ pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- only use dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL per dose every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

Other information

- each 30 mL contains: sodium 12 mg
- store at room temperature

Inactive ingredients anhydrous citric acid, disodium edetate, FD&C Yellow No. 6, flavor, glycerin, menthol, potassium citrate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum.

Questions or comments? 1-866-467-2748

WALGREENS HIGH BLOOD PRESSURE COLD AND FLU

acetaminophen, dextromethorphan liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-6190
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)			ACETAMINOPHEN	650 mg in 30 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)			DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 30 mL
Inactive Ingredients				
Ingredient Name				Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
GLYCERIN (UNII: PDC6A3C0OX)				
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)				
POTASSIUM CITRATE (UNII: EE90ONI6FF)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SORBITOL (UNII: 506T60A25R)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
XANTHAN GUM (UNII: TTV12P4NEE)				
Product Characteristics				
Color	orange	Score		
Shape		Size		
Flavor	CITRUS	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-6190-08	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/03/2023	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	03/03/2023		

Labeler - WALGREENS CO. (008965063)