

TING- tolnaftate cream
Insight Pharmaceuticals LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Ting

▢ **Drug Facts**

TING Antifungal Cream

Active ingredient

Tolnaftate 1%

▢ **Purpose**

Antifungal

▢ **Uses**

- For effective treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris) and ringworm (tinea corporis)
- For effective relief of itchy, scaly skin between toes
- Clears up most athlete's foot infection and with daily use helps keep it from coming back

▢ **Warnings**

▢ **For external use only**

▢ **Do not use**

on children under 2 years of age unless directed by a doctor

When using this product avoid contact with the eyes

Stop use and ask a doctor if

- Irritation occurs or if there is no improvement within 4 weeks (for athlete's foot and ringworm)
- Irritation occurs or if there is no improvement within 2 weeks (for jock itch)

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

▢ **Directions**

- Clean the affected area and dry thoroughly
- Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor
- Supervise children in the use of this product

For athlete's foot use daily for 4 weeks. If condition persists longer, consult a doctor.

- Pay special attention to the spaces between the toes.

- Wear well-fitting, ventilated shoes and change shoes and socks at least once daily.
- To prevent athlete's foot, clean feet and dry thoroughly, then apply a thin layer of product to feet once or twice daily (morning and/or night) following the above directions.

For ringworm use daily for 4 weeks. If condition persists longer, consult a doctor.

For jock itch use daily for 2 weeks. If condition persists longer, consult a doctor.

This product is not effective on the scalp or nails.

Inactive ingredients

Butylated Hydroxytoluene, PEG-400, PEG-3350, Titanium Dioxide, White Petrolatum

Principal Display Panel

**TING
TOLNAFTATE
ANTIFUNGAL
CREAM**

NET WT. 0.5 oz (14 g)

Some active ingredients
as Tinactin®. Complete and Save.
Con los mismos ingredientes activos de
Tinactin®. Ahora y complete.

TING®

TOLNAFTATE • TOLNAFTATO

CURES MOST ATHLETE'S FOOT & JOCK ITCH

EFICAZ EN EL TRATAMIENTO DE LA MAYORÍA DE INFECCIONES
DE PIE DE ATLETA Y PICAZÓN INGUINAL

*Tinactin is a registered trademark of Schering-Plough Corporation. *Tinactin es una marca registrada de Schering-Plough Corporation.

TING®

TOLNAFTATE

CREMA ANTIMICÓTICA

- Alivia la picazón y el ardor
- Su uso diario previene la reaparición del pie de atleta.

Store at room temperature (20° - 25°C (68° - 77°F)).
Manténgase a temperatura ambiente (20° - 25°C (68° - 77°F)).

NET WT. 14 g (0.5 oz)

TING®

TOLNAFTATE

ANTIFUNGAL CREAM

- Relieves itching and burning
- Daily use prevents reinfection of athlete's foot

NET WT. 0.5 oz (14 g)

TING®


TOLNAFTATE

ANTIFUNGAL CREAM

- Relieves itching and burning
- Daily use prevents reinfection of athlete's foot

NET WT. 0.5 oz (14 g)

QUESTIONS? Call 1-800-34-4730
or visit www.tinactin.com



0481548

Información sobre el fármaco

Ingredientes activos
Acetato
Tinactin®

Indicaciones
Este medicamento es eficaz en el tratamiento de las infecciones de la piel causadas por hongos (pie de atleta, picazón inguinal, etc.).

Modo de empleo
Aplicar una capa fina y uniforme del medicamento sobre la zona afectada de la piel. Evitar el contacto con los ojos y la mucosa nasal.

Precauciones
Evitar el uso prolongado de este medicamento, ya que puede causar irritación de la piel.

Contraindicaciones
Este medicamento está contraindicado en personas con hipersensibilidad a cualquiera de sus componentes.

Efectos secundarios
Los efectos secundarios más comunes son: irritación de la piel, picazón y ardor.

Interacciones
Este medicamento puede interactuar con otros medicamentos que se apliquen a la piel.

Precauciones especiales de advertencia
Este medicamento debe utilizarse con precaución en personas con heridas o quemaduras en la piel.

Uso en embarazadas y lactantes
Este medicamento debe utilizarse con precaución en embarazadas y lactantes.

Uso en ancianos
Este medicamento puede utilizarse en ancianos.

Uso en niños
Este medicamento puede utilizarse en niños.

Drug Facts

Active ingredient
Tinactin®

Uses
For relief of itching and burning of athlete's foot and jock itch.

Warnings
Do not use if you are allergic to any of the ingredients. Do not use if you have a skin condition that is not athlete's foot or jock itch.

Directions
Apply a thin layer of cream over affected areas twice daily.

Other information
Keep out of reach of children. Store at room temperature.

tolnaftate cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:63736-051 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|-----------------|
| TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV) | TOLNAFTATE | 10 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) | |
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | |
| POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| PETROLATUM (UNII: 4T6H12BN9U) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:63736-051-01 | 1 in 1 BOX | 06/08/2009 | |
| 1 | | 14 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| OTC monograph final | part333C | 06/08/2009 | |

Labeler - Insight Pharmaceuticals LLC (055665422)

Revised: 3/2018

Insight Pharmaceuticals LLC