ZOHAR ANTI CAVITY MOUTHWASH BUBBLE GUM FLAVOUR- sodium fluoride liquid ZOHAR KOSHER LIMITED

Zohar Anti-Cavity Mouthwash Bubble Gum Flavour

Drug Facts

Active ingredient

Sodium fluoride 0.05% (0.02% w/v fluoride ion)

Purpose

Anticavity

Use

Aids in the prevention of dental cavities

Warnings

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 6 years of age and older:
- use once a day after brushing your teeth with a toothpaste
- vigorously swish 10 ml (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary untill capable of using without supervision.
- Children under 6 years of age: consult a dentist or doctor.

Inactive ingredients

Water, Xylitol, Glycerin, Sodium Benzoate, Flavor, Sodium Citrate, Sodium Saccharin, Citric Acid, Poloxamer 407, FD&C Red #40.

Label





Drug Facts

Active ingredient Purpos
Sodium fluoride 0.05%..... Anticavity Purpose

(0.02% w/v fluoride ion)

Se Aids in the prevention of dental cavities

warnınas

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

> Distributed by: Zohar Kosher Limited,

Unit 11 Orchard Trading Estate, Langley Road South, Salford, England, M6 6SD.

Tel +44 (0)161 721 4418



www.zoharkosher.co.uk

Drug Facts (continued)

Directions • Adults and children 6 years of age and older: • use once a day after brushing your teeth with a toothpaste • vigorously swish 10 ml (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out • do not swallow the rinse • do not eat or drink for 30 minutes after rinsing • instruct children under 12 years of age in good rinsing habits (to minimize swallowing) • supervise children as necessary until capable of using without supervision • Children under 6 years of age: consult a dentist or doctor.

Inactive ingredients Water, Xylitol, Glycerin, Sodium Benzoate, Flavor, Sodium Citrate, Sodium Saccharin, Citric Acid, Poloxamer 407 FD&C Red #40.

Best used before end of:

ZOHAR ANTI CAVITY MOUTHWASH BUBBLE GUM FLAVOUR

sodium fluoride liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:84045-002

DENTAL Route of Administration

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O) | FLUORIDE ION 0.2 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength			
WATER (UNII: 059QF0KO0R)				
XYLITOL (UNII: VCQ006KQ1E)				
GLYCERIN (UNII: PDC6A3C0OX)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM CITRATE (UNII: 1Q73Q2JULR)				
SACCHARIN SODIUM (UNII: SB8ZUX40TY)				
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
POLOXAMER 407 (UNII: TUF2IVW3M2)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				

l	P	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1	NDC:84045-002- 00	250 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/15/2024		

Marketing In	rketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M021	03/15/2024			

Labeler - ZOHAR KOSHER LIMITED (221033261)

Revised: 2/2024 ZOHAR KOSHER LIMITED