

MEDI-FIRST ANTISEPTIC- benzalkonium chloride spray
Unifirst First Aid Corporation

Medi-First® Antiseptic Spray

Drug Facts

Active ingredient

Benzalkonium Chloride 0.13%

Purpose

First aid antiseptic

Uses

first aid to help prevent infection in minor cuts, scrapes & burns

Warnings

For external use only.

Do not use

- in the eyes or apply over large areas of the body
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if

- the condition persists or gets worse

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- spray a small amount of this product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Other information

- store at room temperature
- you may report a serious adverse reaction to this product to 1-800-634-7680

Inactive ingredients

diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, trolamine, water

Questions or comments? 1-800-634-7680

Medi-First®
Antiseptic Spray

Pump Spray
 Benzalkonium Chloride 0.13%
 First Aid Antiseptic
 Treats minor cuts, scrapes and abrasions
 Helps prevent infection
 Store at room temperature
 2 FL OZ (59.1 ML)

MEDI-FIRST®

Antiseptic Spray

Pump Spray

Benzalkonium Chloride 0.13%
First Aid Antiseptic

Treats minor cuts, scrapes
and abrasions

Helps prevent infection

Store at room temperature

2 FL OZ (59.1 ML)

Drug Facts

Active ingredient	Purpose
Benzalkonium Chloride 0.13%	First aid antiseptic

Uses first aid to help prevent infection in minor cuts, scrapes & burns

Warnings
For external use only.

Do not use ■ in the eyes or apply over large areas of the body ■ longer than 1 week unless directed by a doctor

Ask a doctor before use if you have ■ deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if ■ the condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ clean the affected area ■ spray a small amount of this product on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first

Other information ■ store at room temperature ■ you may report a serious adverse reaction to this product to 1-800-634-7680

Inactive ingredient diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, trolamine, water

Questions or comments? 1-800-634-7680



3 47682 24402 6

Reorder #24402 Rev. 02/21
 Mfg. for Medique Products
 Fort Myers, FL 33967 USA
 www.mediqueproducts.com

MEDI-FIRST ANTISEPTIC

benzalkonium chloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-243
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 g in 1 L

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
OCTOXYNOL 9 (UNII: 7JPC6Y25QS)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
TROLAMINE (UNII: 9O3K93S3TK)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-243-02	0.0591 L in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	06/01/2021	05/20/2025

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	06/01/2021	05/20/2025

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 1/2024

Unifirst First Aid Corporation