INVERNESS EAR PIERCING- benzalkonium chloride The Richline Group, Inc.

Drug Facts

Active Ingredient

Benzalkonium Chloride 0.12% w/w

Purpose

Ear Care Antiseptic

Use

for care of your pierced ears

Warnings

- For external use only. Do not ingest. If swallowed, get medical help or contact Poison Control Center immediately.
- In case of contact with eyes, flush with water.

Keep out of reach of children.

Stop use and ask a doctor

if you experience pain, redenss, or swelling.

Directions

For optimal results, follow these steps everday.

- Clean hands thoroughly with antibacterial soap before touching ears and studs.
- Using cotton swabs, cleanse front and back of ears 3 times a day with Ear Care Antiseptic. Gently rotate the studs 2 or 3 times a day. DO NOT remove earrings.
- Keep hair, hair spray, shampoo, soap, cosmetics, perfume, ets. away from newly pierced ears. After shampooing, exercising, swimming, hot tubs, or use of any of the above products, rinse yours ears in clear water and reapply Ear Care Antiseptic

Inactive Ingredients

Purified Water

Questions?

Call 1-800-255-8556

Package Labeling:

| Ear Care Antiseptic Drug Facts Active Ingredient Purpose Benzalkonium Chloride 0.12% w/wEar Care Antiseptic Use for care of your pierced ears Warnings • For external use only Do not ingest. If swallowed, get meen help or contact Polson Control Center immediately. • In case of contact with eyes, flush with water. • Keep but of reach of chlorden. Stop use and ask a doctor if you experience pain, redness, or swelling. Directions • Gran Antiseptic Genty rotate the study 2 of stores awith far care Antiseptic Genty rotate the study 2 of stores awith far care Antiseptic Genty rotate the study 2 of stores awith far Care Antiseptic Genty rotate the study 2 of stores awith far Care Antiseptic Genty rotate the study 2 of stores awith far Care Antiseptic Genty rotate the study 2 of stores awith far Care Antiseptic Genty rotate the study 2 of stores awith far Care Antiseptic Genty rotate the study 2 of stores awith far Care Antiseptic Genty rotate the study 2 of stores awith far Care Antiseptic Genty rotate the study 2 of stores awith far Care Antiseptic Genty rotate the study 2 of stores awith far Care Antiseptic Genty rotate the study 2 of stores awith far Care Antiseptic Genty rotate the study 2 of stores awith far Care Antiseptic Genty rotate the study 2 of stores awith far Care Antiseptic Genty rotate the study 2 of stores awith far Care Antiseptic Genty rotate the study 2 of stores awith far Care Antiseptic Genty rotate the shore products, rin your ears in clear water and reappty far Care Antiseptic. Inactive Ingredients Purified Water Questions? Call 1.800-255-8556 | a day with Ear Care Antiss • Turn earrings during clean process 3 times a day. • For earlobe piercings, lear earrings in for 6 weeks. For next 6 months, do not go than 24 hours without ea to prevent the holes from • For cartilage piercings, lear earrings in for 12 weeks. For next 6 months, to prevent holes from closing, do no remove earrings without replacing immediately. | eptic. ning ve or the longer trings closing. ave to the to the to the to the to the longer including EAR CARE ANTISEP | Priercing • Trial Size Ear Care Antiseptic 2FL OZ (60ml) R • Trial Size Ear Care Antiseptic 2FL OZ (60ml) Note: All piercing earrings have polished or 24 karat gold plated stainless steel Safety Backs [™] . PTIC • Contested in the UK by competition and validated with the ASA Pat. 6,074,406 | |
|--|---|--|--|--|
| INVERNESS EAR PIER | RCING | | | |
| Product Information | | | | |
| Product Type HUMAN | OTC DRUG | ltem Code (Source) | NDC:70094-002 | |
| | | | | |
| Packaging | | | | |
| | ge Description | Marketing Start Date | Marketing End Date | |
| 1 NDC:70094-002-02 1 in 1 KIT | | 01/01/2020 | | |
| | | | | |
| | | | | |
| Quantity of Parts | | | | |
| Part # Package Q | uantity | Total Prod | uct Quantity | |
| Part 1 1 BOTTLE | | | | |
| | | 60 mL | | |
| | | 60 mL | | |
| Part 1 of 1 | | 60 mL | | |
| Part 1 of 1 HYGIENIC EAR CARE | ANTISEPTIO | | | |
| | | | | |
| HYGIENIC EAR CARE | | | | |
| HYGIENIC EAR CARE | | | | |

| | Route of Administration | тс |
|-----|-------------------------|----|
| - 1 | Nouce of Automisciacion | |

| R | oute of Admini | stration | TOPICAL | | | | | | | |
|---|-----------------------|------------------------------|--------------------------------------|----------------------------|----------------------|------|--------------------|--|--|--|
| | | | | | | | | | | |
| Active Ingredient/Active Moiety | | | | | | | | | | |
| Ingredient Name | | | | Basis of Strength Strength | | | | | | |
| BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y) | | | | BENZ ALKONIUM CHLORIDE | 1.2 mg in 1 mL | | | | | |
| | | | | | | | | | | |
| In | active Ingre | dients | | | | | | | | |
| Ingredient Name | | | Strength | | | | | | | |
| W | ATER (UNII: 059Q | F0KO0R) | | | | | | | | |
| | | | | | | | | | | |
| Pa | ackaging | | | | | | | | | |
| # | ltem Code | Pa | ckage Description | Mark | ceting Start Date | Mark | ceting End Date | | | |
| 1 | | 60 mL in 1 BOT Co-Package | TLE; Type 1: Convenience Kit of | | | | | | | |
| | | | | | | | | | | |
| Marketing Information | | | | | | | | | | |
| | Marketing Category | Applica | tion Number or Monograph Citation | Mar | keting Start Date | Mar | keting End Date | | | |
| ОТ | C Monograph Dru | g M003 | | 01/01/2 | 2020 | | | | | |
| | | | | | | | | | | |
| Marketing Information | | | | | | | | | | |
| | Marketing Category | Applica | tion Number or Monograph Citation | Mar | keting Start Date | Mar | keting End Date | | | |
| ОТ | C Monograph Dru | g M003 | | 01/01/2 | 2020 | | | | | |
| | | | | | | | | | | |

Labeler - The Richline Group, Inc. (962801937)

Revised: 11/2023

The Richline Group, Inc.