

HIGH LEVEL VITAMIN B COMPLEX- thiamine hydrochloride niacinamide pyridoxine hydrochloride dexpanthanol riboflavin 5 phosphate sodium cyanocobalamin injection
Durvet, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

High Level Vitamin B Complex

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

Injectable Sterile Solution

Indications

For use as a supplemental source of B complex vitamins in cattle, swine and sheep.

PRECAUTIONS

Allergic-type reactions following the injection of products containing thiamine have been reported. Administer with caution and keep treated animals under close observation.

DOSAGE AND ADMINISTRATION

Inject intramuscularly. May be administered subcutaneously or intravenously if recommended by your veterinarian. The following are suggested dosages, depending on the condition of the animal and the desired response.

▯**Adult Cattle**▯-▯ 1 to 2 mL per 100 pounds of body weight.

▯**Calves, Swine** ▯and ▯**Sheep**▯-▯ 5 mL per 100 pounds of body weight.

Maybe repeated daily, if indicated.

▯**TAKE TIME OBSERVE LABEL DIRECTIONS**

Each mL of sterile aqueous solution contains:

▯**ACTIVE INGREDIENTS**

Thiamine Hydrochloride (B₁) 100 mg, Riboflavin (B₂) (as Riboflavin 5'-Phosphate Sodium) 5 mg, Niacinamide 100 mg, Pyridoxine Hydrochloride (B₆) 10 mg, d-Panthenol , Cyanocobalamin (B₁₂) 100 mcg

INACTIVE INGREDIENTS

Citric Acid and Benzyl Alcohol 1.5% v/v (preservative).

▯**Store at controlled room temperature between 15° and 30°C (59°-86°F)**

Protect from light.

FOR USE IN ANIMALS ONLY

INDICATIONS:

For use as a supplemental source of B Complex vitamins in cattle, swine and sheep.

PRECAUTIONS:

Allergic-type reactions following the injection of products containing thiamine have been reported. Administer with caution and keep treated animals under close observation.

DOSAGE AND ADMINISTRATION:

Inject intramuscularly. May be administered subcutaneously or intravenously if recommended by your veterinarian. The following are suggested dosages, depending on the condition of the animal and the desired response.

Adult Cattle: 1 to 2 mL per 100 pounds of body weight.

Calves, Swine and Sheep: 5 mL per 100 pounds of body weight.

May be repeated daily, if indicated.

Manufactured for:
DURVET, INC.
Blue Springs, Missouri 64014
www.durvet.com



NDC 30798-332-13



**HIGH LEVEL
Vitamin B
Complex**

**INJECTABLE STERILE
SOLUTION**



For use as a supplemental source of B complex vitamins in cattle, swine and sheep.

**NET CONTENTS:
250 mL
(8.5 FL. OZ.)**

**KEEP OUT OF REACH
OF CHILDREN**

ACTIVE INGREDIENTS:

Each mL of sterile aqueous solution contains:

- Thiamine Hydrochloride (B₁) 100 mg
- Riboflavin (B₂) 5 mg
(as Riboflavin 5'-Phosphate Sodium)
- Niacinamide 100 mg
- Pyridoxine Hydrochloride (B₆) 10 mg
- d-Panthenol 10 mg
- Cyanocobalamin (B₁₂) 100 mcg

INACTIVE INGREDIENTS:

Citric Acid and Benzyl Alcohol 1.5% v/v (preservative).

Store at controlled room temperature between 15° and 30°C (59°– 86°F). Protect from light.

V-0606-05 Lot No.: EXP. DATE: REV 04-18



HIGH LEVEL VITAMIN B COMPLEX

thiamine hydrochloride niacinamide pyridoxine hydrochloride dexpanthanol riboflavin 5 phosphate sodium cyanocobalamin injection

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:30798-332
Route of Administration	INTRAMUSCULAR, SUBCUTANEOUS, INTRAVENOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	0.1 mg in 1 mL
THIAMINE HYDROCHLORIDE (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE HYDROCHLORIDE	100 mg in 1 mL
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1B16Z)	PYRIDOXINE	10 mg in 1 mL
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	100 mg in 1 mL
DEXPANTHENOL (UNII: 106C93RI7Z) (DEXPANTHENOL - UNII:106C93RI7Z)	DEXPANTHENOL	10 mg in 1 mL
RIBOFLAVIN 5'-PHOSPHATE SODIUM (UNII: 20RD1DZH99) (FLAVIN MONONUCLEOTIDE - UNII:7N464URE7E)	FLAVIN MONONUCLEOTIDE	5 mg in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30798-332-10	100 mL in 1 VIAL		
2	NDC:30798-332-13	250 mL in 1 VIAL		

3	NDC:30798-332-17	500 mL in 1 VIAL		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		09/15/2002		

Labeler - Durvet, Inc. (056387798)

Revised: 7/2019

Durvet, Inc.