

## **PANOXYL OIL CONTROL MOISTURIZER- titanium dioxide and zinc oxide lotion Crown Laboratories**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **PanOxyl Oil Control Moisturizer with SPF 30 Mineral Sunscreen**

#### **Active Ingredients**

Titanium Dioxide - 1.0%

Zinc Oxide - 7.8%

#### **Purpose**

Sunscreen

#### **Uses**

- Helps prevent sunburn and photodamage caused by UVA/UVB exposure
- Higher SPF gives more sunburn protection
- If used as directed with other sun protection measures (see Directions), decreases the risks of skin cancer and early skin aging caused by the sun

#### **Warnings**

- When using this product • Keep out of eyes. Rinse with water to remove
- Stop use and ask doctor if rash or irritation occurs
- **Do not use:** • On damaged or broken skin • If allergic to any ingredient
- If swallowed, get medical help or contact a Poison Control Center

#### **Directions**

- **Shake well prior to use**
- Apply liberally to dry skin 15 minutes before sun exposure
- For topical use only
- Keep out of reach of children • Children under 6 months: ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.

- **Reapply to dry skin:** • At least every 2 hours • Use a water resistant suscreen if swimming for sweating

### **Other Information**

- Protect the product in this container from excessive heat and direct sun
- May stain some fabrics

### **Inactive Ingredients**

Alumina, Aluminum Starch Octenylsuccinate, Aluminum Stearate, Beeswax, C12-15 Alkyl Benzoate, C13-14 Isoparaffin, Caffeine, Camellia Sinensis Leaf (Green Tea) Extract, Caprylyl Glycol, Chlorphenesin, Cyclomethicone, Dimethoxydiphenylsilane/Triethoxycaprylylsilane Crosspolymer, Isostearyl Alcohol, Laureth-7, Lauryl PEG/PPG 18/18 Methicone, Phenoxyethanol, Polyacrylamide, Polyhydroxystearic Acid, Purified Water, Sodium Hyaluronate, Triethoxycaprylylsilane

### **Questions ?**

Call **800.877.8869**

or visit **[www.panoxyl.com](http://www.panoxyl.com)**

Crown Laboratories, Inc., Johnson City, TN 37604

Made in USA

### **PanOxyl Oil Control Moisturizer 1.7oz Tube**

DERMATOLOGIST RECOMMENDED

PanOxyl AM

OIL CONTROL MOISTURIZER

Broad Spectrum SPF 30

Mineral Sunscreen

Lightweight Daily Moisturizer

Absorbs Excess Oil

UVA/UVB Protection

Won't Clog Pores

P11833.00



<b>Drug Facts</b>	
<b>Active Ingredients</b> Titanium Dioxide 1.0% Zinc Oxide 7.8%	<b>Purpose</b> Sunscreen Sunscreen
<b>Uses</b> Helps prevent sunburn and photodamage caused by UVA/UVB exposure • Higher SPF gives more sunburn protection • If used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> When using this product • Keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash or irritation occurs <b>Do not use:</b> • On damaged or broken skin • If allergic to any ingredient • If swallowed, get medical help or contact a Poison Control Center	
<b>Directions</b> <b>Shake well prior to use</b> • Apply liberally to dry skin 15 minutes before sun exposure • For topical use only • Keep out of reach of children • Children under 6 months: ask a doctor • <b>Sun Protection Measures:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m.– 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses <b>Reapply to dry skin:</b> • At least every 2 hours • Use a water resistant sunscreen if swimming or sweating	
<b>Other Information</b> Protect the product in this container from excessive heat and direct sun • May stain some fabrics	
<b>Inactive Ingredients</b> Alumina, Aluminum Starch Octenylsuccinate, Aluminum Stearate, Beeswax, C12-15 Alkyl Benzoate, C13-14 Isoparaffin, Caffeine, Camellia Sinensis Leaf (Green Tea) Extract, Caprylyl Glycol, Chlorphenesin, Cyclomethicone, Dimethoxydiphenylsilane/Triethoxycaprylylsilane Crosspolymer, Isostearyl Alcohol, Laureth-7, Lauryl PEG/PPG 18/18 Methicone, Phenoxyethanol, Polyacrylamide, Polyhydroxystearic Acid, Purified Water, Sodium Hyaluronate, Triethoxycaprylylsilane	
<b>Questions or Comments?</b> Call 800-877-8869 or visit <a href="http://www.panoxyl.com">www.panoxyl.com</a> .	

Crown Laboratories, Inc.  
Johnson City, TN 37604  
Made in USA

 CROWN P11833.00

## PanOxyl Oil Control Moisturizer 1.7oz Carton

New

DERMATOLOGIST RECOMMENDED

PanOxyl AM

OIL CONTROL MOISTURIZER

Broad Spectrum SPF 30

Mineral Sunscreen

Lightweight Daily Moisturizer

Absorbs Excess Oil

UVA/UVB Protection

Won't Clog Pores

P11834.01

**Drug Facts**

<b>Active Ingredients</b>	<b>Purpose</b>
Titanium Dioxide 1.0%	Sunscreen
Zinc Oxide 7.8%	Sunscreen

**Uses**  
Helps prevent sunburn and photodamage caused by UVA/UVB exposure • Higher SPF gives more sunburn protection • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
When using this product • Keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash or irritation occurs **Do not use:** • On damaged or broken skin • If allergic to any ingredient • If swallowed, get medical help or contact a Poison Control Center

**Directions**  
**Shake well prior to use** • Apply liberally to dry skin 15 minutes before sun exposure • For topical use only • Keep out of reach of children • Children under 6 months: ask a doctor • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m.–2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses **Reapply to dry skin:** • At least every 2 hours • Use a water resistant sunscreen if swimming or sweating

**Other Information**  
Protect the product in this container from excessive heat and direct sun • May stain some fabrics

**Inactive Ingredients**  
Alumina, Aluminum Starch Octenylsuccinate, Aluminum Stearate, Beeswax, C12-15 Alkyl Benzoate, C13-14 Isoparaffin, Caffeine, Camellia Sinensis Leaf (Green Tea) Extract, Caprylyl Glycol, Chlorphenesin, Cyclothicone, Dimethoxydiphenylsilane/Triethoxypropylsilane Copolymer, Isostearyl Alcohol, Laureth-7, Lauryl PEG-9 PG-18/18 Methicone, Phenoxyethanol, Polyacrylamide, Polyhydroxyoctanoic Acid, Purified Water, Sodium Hyaluronate, Triethoxypropylsilane

**Questions or Comments?**  
Call 1-800-877-8888 or visit [www.panoxyl.com](http://www.panoxyl.com).

P11834.01  
Made in USA

3 03180 26301 9

PANOXYL is a registered trademark of Crown Laboratories, Inc.  
Distributed by:  
Crown Laboratories, Inc.  
Johnson City, TN 37604

Net wt. 1.7 oz (48 g)

**new**

**DERMATOLOGIST RECOMMENDED**

**PanOxyl<sup>®</sup> AM**

**OIL CONTROL MOISTURIZER**

Broad Spectrum SPF 30 Mineral Sunscreen

Lightweight Daily Moisturizer

Absorbs Excess Oil

UVA/UVB Protection

Won't Clog Pores

PanOxyl<sup>®</sup> Oil Control Moisturizer absorbs excess oil and locks in healthy hydration. Gentle on acne-prone and sensitive skin, this lightweight facial lotion leaves a matte finish and protects with broad spectrum SPF 30 mineral sunscreen.

UVA/UVB Protection Broad Spectrum SPF 30 Mineral Sunscreen

Lightweight, Won't Clog Pores

Hyaluronic Acid & Antioxidants

Free of Parabens, Fragrances & Chemical Sunscreen Active Ingredients

actual size

[panoxyl.com](http://panoxyl.com)

## PANOXYL OIL CONTROL MOISTURIZER

titanium dioxide and zinc oxide lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0316-0263
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	10 mg in 1 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	83.4 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CAFFEINE</b> (UNII: 3G6A5W338E)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>LAURYL PEG/PPG-18/18 METHICONE</b> (UNII: ZJ5S27D9NX)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>ISOSTEARYL ALCOHOL</b> (UNII: Q613OCQ44Y)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>POLYACRYLAMIDE (1500 MW)</b> (UNII: 5D6TC4BRWW)	
<b>DIMETHOXYDIPHENYLSILANE</b> (UNII: 02QB6788GC)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>CYCLOMETHICONE</b> (UNII: NMQ347994Z)	
<b>C13-14 ISOPARAFFIN</b> (UNII: E4F12ROE70)	
<b>LAURETH-7</b> (UNII: Z95S6G8201)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0316-0263-02	1 in 1 CARTON	03/09/2021	
1		48 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/09/2021	

**Labeler** - Crown Laboratories (079035945)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Crown Laboratories		079035945	manufacture(0316-0263)

Revised: 2/2023

Crown Laboratories