

TOPCARE HYDROCORTISONE- hydrocortisone ointment

Topco Associates LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

TopCare Hydrocortisone

Drug Facts

Active ingredient

Hydrocortisone 1%

Purpose

Anti-itch

Uses

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
 - eczema
 - psoriasis
 - poison ivy, oak, sumac
 - insect bites
 - detergents
 - jewelry
 - cosmetics
 - soaps
 - seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should be only under the advice and supervision of a doctor

Warnings

For external use only

Do not use

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

When using this product

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **for itching of skin irritation, inflammation, and rashes:**
 - adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
 - children under 2 years of age: ask a doctor
- **for external anal and genital itching, adults:**
 - when practical, clean the affected area with mild soap and warm water and rinse thoroughly
 - gently dry by patting or blotting with toilet tissue or a soft cloth before applying
 - apply to affected area not more than 3 to 4 times daily
 - children under 12 years of age: ask a doctor

Other information

- To open: unscrew cap, pull tab to remove foil seal, and screw cap back onto tube
- store at room temperature
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

fractionated coconut oil, methylparaben, propylparaben, white petrolatum

Questions?

Call 1-888-423-0139

DISTRIBUTED BY
TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

NDC 36800-018-02

TopCare
health™

MAXIMUM STRENGTH

• OUR PHARMACISTS
RECOMMEND •

Hydrocortisone Ointment 1%

ANTIPRURITIC (ANTI-ITCH)
Ointment

NET WT 1 OZ (28.4 g)

COMPARE TO CORTIZONE •10®
ACTIVE INGREDIENT*

Itch & Rash Relief Ointment

Relief of Skin Irritation, Rashes,
Inflammation, Itching & Redness

RELIEVES:

- Skin Irritation & Rashes • Inflammation & Redness
- Insect Bites & Poison Ivy • Psoriasis



MAXIMUM STRENGTH

Hydrocortisone Ointment 1%

ANTIPRURITIC (ANTI-ITCH)

Ointment



NET WT 1 OZ (28.4 g)

NDC 36800-018-02



DISTRIBUTED BY
TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
©TOPCO TARA0718
QUESTIONS? 1-888-423-0139
topcare@topco.com
www.topcarebrand.com
MADE IN CANADA



Scan here for
more information



This TopCare® product is laboratory
tested to guarantee its highest quality.
Your total satisfaction is guaranteed.

**This product is not manufactured or distributed by Chatham, Inc., owner of the registered trademark Cortizone•10®.*

Questions? Call 1-888-423-0139

Inactive ingredients
fractionated coconut oil, methylparaben, propylparaben, white petrolatum

Other information

- children under 2 years of age: ask a doctor
- when practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or a soft cloth before applying
- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor
- To open: unscrew cap, pull tab to remove foil seal, and screw cap back onto tube
- store at room temperature
- see carton or tube crimp for lot number and expiration date

Warnings

For external use only

- insect bites
- detergents
- jewelry
- seborrheic dermatitis
- cosmetics
- soaps
- other uses of this product should be only under the advice and supervision of a doctor

Do not use

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

When using this product

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs



Hydrocortisone
Ointment 1%

Drug Facts

Active ingredient
Hydrocortisone 1%
.....Anti-itch

Purpose
.....Anti-itch

Uses

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
- eczema
- psoriasis
- poison ivy, oak, sumac

Directions

- for itching of skin irritation, inflammation, and rashes:
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily

Drug Facts (continued)


Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.



LPK-5799-3
0219-3
14

T28

NO COPY ON THIS FLAP
FOR LOT # AND EXPIRY
DATE PRINT ONLY



Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-018
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Hydrocortisone (UNII: W14X0X7BPJ) (Hydrocortisone - UNII:W14X0X7BPJ)	Hydrocortisone	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
Medium-chain triglycerides (UNII: C9H2L21V7U)	
Methylparaben (UNII: A2I8C7HI9T)	
Propylparaben (UNII: Z8IX2SC1OH)	
Petrolatum (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-018-02	1 in 1 CARTON	10/03/1989	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part348	10/03/1989	

Labeler - Topco Associates LLC (006935977)**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)**Establishment**

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(36800-018)