

**MEDI-FIRST PLUS BURN WITH LIDOCAINE- benzalkonium chloride, lidocaine cream**

**MEDI-FIRST BURN WITH LIDOCAINE- benzalkonium chloride, lidocaine cream**  
**Unifirst First Aid Corporation**

-----  
**Medi-First Burn Cream with Lidocaine**

***Drug Facts***

***Active ingredients***

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

***Purposes***

First aid antiseptic

External analgesic

***Uses***

first aid to help prevent infection and for the temporary relief of pain and itching associated with

- minor cuts
- scrapes
- burns

***Warnings***

**For external use only.**

**Do not use**

- in the eyes or apply over large areas of the body
- longer than 1 week unless directed by a doctor
- in large quantities, particularly over raw surfaces or blistered areas

**Ask a doctor before use if you have**

deep or puncture wounds, animal bites or serious burns

**When using this product** avoid contact with the eyes

**Stop use and ask a doctor if**

- condition worsens
- symptoms persist for more than 7 days
- condition clears up and occurs again within a few days

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center immediately.

***Directions***

- adults and children 2 years of age and older:
  - clean the affected area
  - apply a small amount of this product on the area 1 to 3 times daily

- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

**Other information**

- store at room temperature
- tamper evident. Do not use if packet is opened or torn
- you may report a serious adverse reaction to this product to 800-634-7680

**Inactive ingredients**

aloe barbadensis leaf juice, cetyl alcohol, diazolidinyl urea, disodium EDTA,, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG 100, propylene glycol, propylparaben, stearic acid, triethanolamine, water

**Questions or comments?** 1-800-634-7680

Medi-First®

Burn Cream with Lidocaine

Benzalkonium Chloride 0.13% / First Aid Antiseptic

Lidocaine HCl 0.5% / External Analgesic

Product # 20669

10 Units Net Wt 0.9 g (1/32 oz)

<p><b>Drug Facts</b></p> <p><b>Active ingredients</b> Benzalkonium chloride 0.13% Lidocaine HCl 0.5%</p> <p><b>Purposes</b> First aid antiseptic External analgesic</p> <p><b>Uses</b> first aid to help prevent infection and for the temporary relief of pain and itching associated with ■ minor cuts ■ scrapes ■ burns</p> <p><b>Warnings</b> For external use only. Do not use ■ in the eyes or apply over large areas of the body ■ longer than 1 week unless directed by a doctor ■ in large quantities, particularly over raw surfaces or blistered areas</p> <p>Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns</p> <p>When using this product avoid contact with eyes</p> <p>Stop use and ask a doctor if ■ condition worsens ■ symptoms persist for more than 7 days</p>	<p><b>Drug Facts (continued)</b></p> <p>■ condition clears up and occurs again within a few days</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.</p> <p><b>Directions</b> ■ adults and children 2 years of age and older: ■ clean the affected area ■ apply a small amount of this product on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ children under 2 years of age: consult a doctor</p> <p><b>Other information</b> ■ store at room temperature ■ tamper evident. Do not use packet if opened or torn ■ you may report a serious adverse reaction to this product to 800-634-7680</p> <p><b>Inactive ingredients</b> aloe barbadensis leaf juice, cetyl alcohol, diazolidinyl urea, disodium EDTA, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, triethanolamine, water</p> <p><b>Questions or comments?</b> 1-800-634-7680</p>	<p><b>Burn Cream with Lidocaine</b> Mfg. for Medique Products, Fort Myers, FL 33907</p>	<p><b>MEDI-FIRST®</b></p> <p><b>Burn Cream with Lidocaine</b></p> <p>Benzalkonium Chloride 0.13% / First Aid Antiseptic Lidocaine HCl 0.5% / External Analgesic</p> <p>Product # 20669      10 Units / Net Wt 0.9 g (1/32 oz)</p>	<p><b>Burn Cream with Lidocaine</b> Product # 20669 10 per Box</p>
--	--	---	---	--

Medi-First® Plus


Burn Cream with Lidocaine

Benzalkonium Chloride 0.13% / First Aid Antiseptic

Lidocaine HCl 0.5% / External Analgesic

25 Units of 0.9 g Packets

Item #93973

<p><b>Drug Facts (continued)</b></p> <p>Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns</p> <p>When using this product avoid contact with eyes</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> <li>condition worsens</li> <li>symptoms persist for more than 7 days</li> <li>condition clears up and occurs again within a few days</li> </ul> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>adults and children 2 years of age and older: clean the affected area</li> <li>apply a small amount of this product on the area 1 to 3 times daily</li> <li>may be covered with a sterile bandage</li> </ul>	<p><b>Drug Facts (continued)</b></p> <ul style="list-style-type: none"> <li>children under 2 years of age: consult a doctor</li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>store at room temperature</li> <li>tamper evident. Do not use packet if opened or torn</li> <li>you may report a serious adverse reaction to this product to 800-634-7680</li> </ul> <p><b>Inactive ingredients</b></p> <p>aloe barbadensis leaf juice, cetyl alcohol, diazolidinyl urea, disodium EDTA, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, triethanolamine, water</p> <p><b>Questions or comments?</b> 1-800-634-7680</p>	<p>Pull up and tear off to dispense</p> 	<p><b>MEDI FIRST Plus</b></p> <p><b>Burn Cream with Lidocaine</b></p> <p>Benzalkonium Chloride 0.13% / First Aid Antiseptic Lidocaine HCl 0.5% / External Analgesic</p> <p>25 Units / Net Wt 0.9 g (1/32 oz)    Item #93973</p>	<p><b>Drug Facts</b></p> <p><b>Active ingredients Purposes</b></p> <p>Benzalkonium Chloride 0.13% ..... antiseptic Lidocaine HCl 0.5% ..... analgesic</p> <p><b>Uses</b></p> <p>first aid to help prevent infection and for the temporary relief of pain and itching associated with</p> <ul style="list-style-type: none"> <li>minor cuts</li> <li>scrapes</li> <li>burns</li> </ul> <p><b>Warnings</b></p> <p>For external use only.</p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>in the eyes or apply over large areas of the body</li> <li>longer than 1 week unless directed by a doctor</li> <li>in large quantities, particularly over raw surfaces or blistered areas</li> </ul> <p>Mfd for Medique Products, Fort Myers, FL 33967</p>
--	---	---	---	---

Retain carton for complete product information.

## MEDI-FIRST PLUS BURN WITH LIDOCAINE

benzalkonium chloride, lidocaine cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-930
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 g
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII: 98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>GLYCERYL STEARATE/PEG-100 STEARATE</b> (UNII: RD25J5V947)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	

### Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:47682-930-73	25 in 1 BOX	03/11/2021	04/30/2028
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	03/11/2021	04/30/2028

## MEDI-FIRST BURN WITH LIDOCAINE

benzalkonium chloride, lidocaine cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-270
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 g
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>GLYCERYL STEARATE/PEG-100 STEARATE</b> (UNII: RD25J5V947)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-270-73	25 in 1 BOX	06/01/2021	04/30/2028
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-270-12	10 in 1 BOX	06/01/2021	04/30/2028
2		0.9 g in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-270-99	0.9 g in 1 PACKET; Type 0: Not a Combination Product	06/01/2021	04/30/2028

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	06/01/2021	04/30/2028

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 1/2024

Unifirst First Aid Corporation