

**ANTI-DIARRHEAL- loperamide hydrochloride capsule, liquid filled  
CARDINAL HEALTH**

-----  
***Loperamide HCl Capsules - Leader***

***Active ingredient (in each capsule)***

Loperamide HCl 2 mg

***Purpose***

Anti-diarrheal

***Use***

controls symptoms of diarrhea, including Travelers' Diarrhea

***Warnings***

**Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

**Heart alert:** Taking more than directed can cause serious heart problems or death

**Do not use**

- if you have bloody or black stool
- in children under 12 years of age

**Ask a doctor before use if you have**

- fever
- mucus in the stool
- a history of liver disease
- a history of abnormal heart rhythm

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug. Loperamide may interact with certain prescription drugs.

**When using this product**

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

**Stop use and ask a doctor if**

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea.**
- **not for use in children under 12 years of age**
- adults and children 12 years and over: 2 capsules after the first loose stool; 1 capsule after each subsequent loose stool; but no more than 4 capsules in 24 hours

***Other information***

- store at 20°-25°C (68°-77°F). Protect from Light.
- avoid excessive heat above 40°C (104°F)
- do not use if carton or blister unit is open or torn
- see side panel for lot number and expiration date

***Inactive ingredients***

butylated hydroxyanisole, edible ink, FD&C Blue #1, gelatin, glycerin, glyceryl caprylate, polyoxyl 40 hydrogenated castor oil, purified water

***Questions or comments?***

call toll free **1-888-235-2466**

**CardinalHealth™**

**DISTRIBUTED BY CARDINAL HEALTH**

**DUBLIN, OHIO 43017**

**www.myleader.com 1-800-200-6313**

**Essential to Care™ since 1979**

**All LEADER™ Brand Products Have A 100% Money Back Guarantee**

**Return to place of purchase if not satisfied.**

**†This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Imodium® A-D.**

© 2018 Cardinal Health. All Rights Reserved.  
**CARDINAL HEALTH, the Cardinal Health LOGO,  
ESSENTIAL TO CARE, LEADER, and the LEADER LOGO  
are trademarks or registered trademarks of  
Cardinal Health. All other marks are the property  
of their respective owners.**

**THIS PRODUCT IS PACKAGED IN A CHILD-RESISTANT AND TAMPER  
EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.  
KEEP OUTER CARTON FOR COMPLETE  
WARNINGS AND PRODUCT INFORMATION.**

**Manufactured for:**

**BIONPHARMA**

**Princeton, NJ 08540**

**L0000786**

**Lot#**

**Expiration Date**

**R0224**

**Principal Display Panel**

LEADER™

NDC 70000-0461-1

Anti-Diarrheal

Loperamide Hydrochloride Capsules, 2 mg

Controls the Symptoms of Diarrhea

Suitable for Adults and Children

12 years and over

24 SOFTGELS\*

\*Each Liquid-Filled Capsule

Contains 2 mg Loperamide HCl

Actual Size

COMPARE TO

IMODIUM® A-D

active ingredient †

100 % Money Back Guarantee

PRINT SIDE GLUE

NO INK NO VARNISH

NO INK NO VARNISH

**Drug Facts**

**Active ingredient (in each capsule)** Loperamide HCl 2 mg. **Ant-diarrheal**

**Use** controls symptoms of diarrhea, including Traveler's Diarrhea

**Warnings**

Do not use if you have ever had a rash or other allergic reaction to loperamide HCl. Baking soda in a drench can cause serious heart problems or death.

Do not use if you have blood or black stool, if you have been under 12 years of age. Ask a doctor before use if you have: liver, muscle in throat, a history of liver disease, a history of abnormal heart rhythm.

Ask a doctor or pharmacist before use if you are taking a prescription drug. Loperamide may interact with certain prescription drugs.

When using this product, redness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery. Stop use and ask a doctor if you get abdominal swelling or bloating. These may be signs of a serious condition.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact Poison Control Center (1-800-222-1222) right away.

**Directions**

Drink plenty of clear fluids to help prevent dehydration as used by diarrhea.

Adults and children 12 years and over: 2 capsules after the first loose stool; 1 capsule thereafter, sublingual, as needed. Do not take more than 4 capsules in 24 hours.

**Other information**

Store at 20°-25° C (68°-77° F). Protect from light.

Avoid excessive heat above 40° C (104° F).

Do not use if carbon or other units are open or in use. See side panel for lot number and expiration date.

**Inactive ingredients** butylated hydroxytoluene, dibutyltin dilaurate, FD&C Blue #1, gelatin, glycerin, glyceryl caprylate, polyoxy 40 hydrogenated castor oil, purified water.

**Questions or comments?** call toll free 1-888-235-2456

**Anti-Diarrheal**  
Loperamide Hydrochloride Capsules, 2 mg



1-810-000-0407



**Anti-Diarrheal**  
Loperamide Hydrochloride Capsules, 2 mg

Manufactured by:  
**BIONPHARMA**  
Princeton, NJ 08540

Controls the Symptoms of Diarrhea  
Suitable for Adults and Children  
12 Years and Over

**24 SOFTGELS\***

\*Each Liquid-filled Capsule  
Contains 2 mg Loperamide HCl



Actual Size

**COMPARE TO  
IMODIUM® A-D**  
active ingredient†

100% Money Back Guarantee

THIS PRODUCT IS A HAZARDOUS SUBSTANCE AND HAZARDOUS WASTE. KEEP OUT OF REACH OF CHILDREN. SEE THE BACK OF THE PACKAGE FOR COMPLETE WARNINGS AND PREVENTION INFORMATION.

L0000706  
Lot #  
Expiration Date  
R0224



DISTRIBUTED BY CARDINAL HEALTH  
DUBLIN, OHIO 43017  
www.myleader.com 1-800-300-6376  
Essential to Care® since 1979



†This product is not manufactured or distributed by Kervue Inc., owner of the registered trademark Imodium® A-D.

©2024 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, ESSENTIAL TO CARE, LEADER, and the LEADER LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

# ANTI-DIARRHEAL

loperamide hydrochloride capsule, liquid filled

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0461
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LOPERAMIDE HYDROCHLORIDE</b> (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>BUTYLATED HYDROXYANISOLE</b> (UNII: REK4960K2U)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>GLYCERYL CAPRYLATE</b> (UNII: TM2TZD4G4A)	
<b>POLYOXYL 40 HYDROGENATED CASTOR OIL</b> (UNII: 7YC686GQ8F)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Product Characteristics

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	LP2
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0461-1	2 in 1 CARTON	01/21/2019	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021855	01/21/2019	

**Labeler** - CARDINAL HEALTH (063997360)

**Registrant** - Bionpharma Inc. (079637826)

**Establishment**

Name	Address	ID/FEI	Business Operations
Patheon Softgels Inc.		002193829	manufacture(70000-0461)

Revised: 5/2024

CARDINAL HEALTH