

**ACETAMINOPHEN- acetaminophen tablet**  
**Strategic Sourcing Services LLC**

-----  
**HMT - 1001 - 2019-1003**

***Drug Facts***

**Active ingredient (in each tablet)**

Acetaminophen 325 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert**

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if the user is allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if the user has** liver disease.

**Ask a doctor or pharmacist before use if the user is** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"><li>▪ take 2 tablets every 4 to 6 hours while symptoms last</li><li>▪ do not take more than 10 tablets in 24 hours</li><li>▪ do not use for more than 10 days unless directed by a doctor</li></ul>
children 6-11 years	<ul style="list-style-type: none"><li>▪ take 1 tablet every 4 to 6 hours while symptoms last</li><li>▪ do not take more than 5 tablets in 24 hours</li><li>▪ do not use for more than 5 days unless directed by a doctor</li></ul>
children under 6 years	<ul style="list-style-type: none"><li>▪ ask a doctor</li></ul>

**Other information**

- store between 20-25°C (68-77°F)
- retain carton for complete product information

**Inactive ingredients**

povidone, pregelatinized starch, sodium starch glycolate, stearic acid

**PRINCIPAL DISPLAY PANEL**

NDC 62011-0032-1

Compare to Tylenol Regular Strength Tablets active ingredient

Health Mart

REGULAR STRENGTH

Pain Relief

Acetaminophen 325 mg

Pain Reliever/Fever Reducer

ACTUAL SIZE

Contains No Aspirin

100 TABLETS

INK AND COATING FREE  
FOR LOT AND  
EXPIRATION STAMPING



DO NOT USE IF IMPRINTED SEAL  
UNDER CAP IS BROKEN OR MISSING



This product is not manufactured or distributed by McKesson Consumer Healthcare, distributor of Tylenol® Regular Strength Tablets.

**Drug Facts**

**Active ingredient** **Purpose**  
(in each tablet) **Acetaminophen 325 mg**.....Pain reliever/fever reducer

**Uses** ■ temporarily relieves minor aches and pains due to:  
■ the common cold ■ headache ■ backache  
■ minor pain of arthritis ■ toothache ■ muscular aches  
■ menstrual and menstrual cramps  
■ temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if  
■ adult takes more than 4,000 mg of acetaminophen in 24 hours  
■ child takes more than 5 doses in 24 hours, which is the maximum daily amount  
■ taken with other drugs containing acetaminophen  
■ adult has 3 or more alcoholic drinks every day while using this product  
**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
■ skin redness ■ blisters ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
■ if the user is allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if the user has liver disease.**

**Drug Facts (continued)**

**Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin**

**Stop use and ask a doctor if**  
■ pain gets worse or lasts more than 10 days in adults  
■ pain gets worse or lasts more than 5 days in children under 12 years  
■ fever gets worse or lasts more than 3 days  
■ new symptoms occur ■ redness or swelling is present  
These could be signs of a serious condition.  
**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a poison control center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

adults and children 12 years and over	<ul style="list-style-type: none"> <li>do not take more than directed (see overdose warning)</li> <li>take 2 tablets every 4 to 6 hours while symptoms last</li> <li>do not take more than 10 tablets in 24 hours</li> <li>do not use for more than 10 days unless directed by a doctor</li> </ul>
children 6-11 years	<ul style="list-style-type: none"> <li>take 1 tablet every 4 to 6 hours while symptoms last</li> <li>do not take more than 5 tablets in 24 hours</li> <li>do not use for more than 5 days unless directed by a doctor</li> </ul>
children under 6 years	<ul style="list-style-type: none"> <li>ask a doctor</li> </ul>

**Drug Facts (continued)**

**Other information**  
■ store between 20-25°C (68-77°F)  
■ retain carton for complete product information

**Inactive ingredients** povidone, prepolysilicized starch, sodium starch glycolate, stearic acid

**McKesson**

Another Quality Product  
Distributed by McKesson  
One Post Street, San Francisco, CA 94104  
Money Back Guarantee  
healthmart.com

NDC 62011-0032-1

Compare to Tylenol® Regular Strength Tablets active ingredient †

**REGULAR STRENGTH**

**Pain Relief**

Acetaminophen 325 mg  
Pain Reliever/Fever Reducer

• Contains No Aspirin



ACTUAL SIZE

100 TABLETS



NDC 62011-0032-1

Compare to Tylenol® Regular Strength Tablets active ingredient †

**REGULAR STRENGTH**

**Pain Relief**

Acetaminophen 325 mg  
Pain Reliever/Fever Reducer

• Contains No Aspirin



ACTUAL SIZE

100 TABLETS



NC

NC

**ACETAMINOPHEN**

acetaminophen tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62011-0032
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

**Inactive Ingredients**

Ingredient Name	Strength
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

**Product Characteristics**

Color	white	Score	2 pieces
Shape	ROUND	Size	10mm
Flavor		Imprint Code	M2A3;57344
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0032-1	1 in 1 CARTON	11/01/2011	10/31/2025
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:62011-0032-2	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2017	04/30/2022

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/01/2011	10/31/2025

**Labeler** - Strategic Sourcing Services LLC (116956644)

Revised: 10/2023

Strategic Sourcing Services LLC