

**ZEDOARY OILS FEMININE ANTIBACTERIAL GELS- chlorhexidine diacetate gel**  
**Jiangxi Renhetang pharmaceutical chain Co., Ltd.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**ZEDOARY OIL FEMININE ANTIBACTERIAL GEL**

ZEDOARY OIL FEMININE ANTIBACTERIAL GEL

**Active Ingredient(s)**

CHLORHEXIDINE DIACETATE 0.09g/100g

**Purpose**

BACTERIOSTATIC

**Use**

Uses for female daily intimate internal & external cleaning and hygiene care.

**Warnings**

Disposable product. Please do not use if the package is broken.

This product is for external use only, not edible.

Avoid contact with eyes

This product cannot be used for STD prevention in sexual activity.

Women who are in menstrual, gestational or perinatal periods should be used with extreme caution.

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

1. Take a supine position, and support the hip with a cushion. Remove the socket at the top of the injector and use it as the plunger rod. Slowly insert the gel injector containing antibacterial gel into the deep area of vagina. Deliver the gel into the vagina by pushing the plunger.
2. If there is discomfort in the intimate area, squeeze a little of the gel and apply onto the area, then gently rub for a while.
3. While in use, it's normal to see vaginal discharge, so it's recommended to use panty liners meanwhile.
4. Better effect can be obtained if FUYANJIE WASH is used before applying this product.

## **Other information**

This product can sterilize staphylococcus aureus, Escherichia coli, and Candida albicans. Keep in sealed container, and place in a cool dry place.

## **Inactive ingredients**

SOPHORA FLAVESCENS  
STEMONA TUBEROSA  
FRUCTUS CNIDII  
ZEDOARY OIL  
CARBOMER  
PURIFIED WATER

## **Package Label - Principal Display Panel**

小盒尺寸：长185×宽30×高123mm（无托）

Distributed:  
Add:  
Telephone:  
MEDL:



Made in China

NDC 81615-002-04

|   |                |
|---|----------------|
| <b>Active ingredients</b>               | <b>Purpose</b> |
| CHLORHEXIDINE DIACETATE:0.09g/100g..... | BACTERIOSTATIC |

**Uses** for female daily intimate internal & external cleaning and hygiene care.

**Warnings**

- Disposable product. Please do not use if the package is broken.
- This product is for external use only, not edible.
- Avoid contact with eyes.
- This product cannot be used for STD prevention in sexual activity.
- Women who are in menstrual, gestational or perinatal periods should be used with extreme caution.

**Directions**

- Take a supine position, and support the hip with a cushion. Remove the socket at the top of the injector and use it as the plunger rod. Slowly insert the gel injector containing antibacterial gel into the deep area of vagina. Deliver the gel into the vagina by pushing the plunger.
- If there is discomfort in the intimate area, squeeze a little of the gel and apply onto the area, then gently rub for a while.
- While in use, it' s normal to see vaginal discharge, so it' s recommended to use panty liners meanwhile.
- Better effect can be obtained if FUYANJIE WASH is used before applying this product.

**Other information**

- This product can sterilize staphylococcus aureus, Escherichia coli, and Candida albicans.
- Keep in sealed container, and place in a cool dry place.

**Inactive ingredients**

SOPHORA FLAVESCENS, STEMONA TUBEROSA, FRUCTUS CNIDII, ZEDOARY OIL, CARBOMER, PURIFIED WATER

妇炎洁® Chinese Materia Medica Zedoary Oil Feminine Antibacterial Gel

Net Content: 2g x 10

Chinese Materia Medica Zedoary Oil Feminine Antibacterial Gel



Batch No.  
Expiration Date:

Company Name: Jiangxi Kangmei Medical & Health-care Co., Ltd.  
Manufacturing Address: No.6, Gexuan Road, Zhangshu City, Jiangxi Province  
Tel: 86-0795-7378811  
Number of Hygiene License of Production: Jiangxi Hygiene & Disinfection Certificate (2010) No. C003  
Implementing Standard: Q / JKM 0099

莜术油抑菌凝胶 - 复合膜袋 成品尺寸: 宽183×高47mm 三边封 虚线不印刷



## ZEDOARY OILS FEMININE ANTIBACTERIAL GELS

chlorhexidine diacetate gel

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:81615-002 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b> |
|---|--------------------------|-----------------|
| <b>CHLORHEXIDINE ACETATE</b> (UNII: 5908ZUF22Y) (CHLORHEXIDINE - UNII:R4KO0DY52L) | CHLORHEXIDINE ACETATE    | 0.09 g in 100 g |

**Inactive Ingredients**

| <b>Ingredient Name</b>   | <b>Strength</b> |
|--|-----------------|
| <b>ZEDOARY OIL</b> (UNII: QPP5U30FSD)                            |                 |
| <b>OSTHOL</b> (UNII: XH1TI1759C)                                 |                 |
| <b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC) |                 |
| <b>SOPHORA FLAVESCENS ROOT</b> (UNII: IYR6K8KQ5K)                |                 |
| <b>STEMONA TUBEROSA ROOT</b> (UNII: 7S9328671Z)                  |                 |
| <b>WATER</b> (UNII: 059QF0KO0R)                                  |                 |

**Packaging**

| <b>#</b> | <b>Item Code</b> | <b>Package Description</b>                       | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|----------|------------------|--|-----------------------------|---------------------------|
| 1        | NDC:81615-002-02 | 7 in 1 BOX                                       | 03/16/2021                  |                           |
| 1        | NDC:81615-002-01 | 5 g in 1 TUBE; Type 0: Not a Combination Product |                             |                           |
| 2        | NDC:81615-002-04 | 10 in 1 BOX                                      | 03/16/2021                  |                           |
| 2        | NDC:81615-002-03 | 2 g in 1 TUBE; Type 0: Not a Combination Product |                             |                           |
| 3        | NDC:81615-002-06 | 10 in 1 BOX                                      | 03/16/2021                  |                           |
| 3        | NDC:81615-002-05 | 3 g in 1 TUBE; Type 0: Not a Combination Product |                             |                           |

**Marketing Information**

| <b>Marketing Category</b> | <b>Application Number or Monograph Citation</b> | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---------------------------|---|-----------------------------|---------------------------|
| unapproved drug other     |   | 03/16/2021                  |                           |

**Labeler** - Jiangxi Renhetang pharmaceutical chain Co., Ltd. (410551226)**Establishment**

| <b>Name</b> | <b>Address</b> | <b>ID/FEI</b> | <b>Business Operations</b> |
|-------------|----------------|---------------|----------------------------|
|-------------|----------------|---------------|----------------------------|

Revised: 4/2021

Jiangxi Renhetang pharmaceutical chain Co., Ltd.