

**ALL DAY ALLERGY D- cetirizine hcl, pseudoephedrine hcl tablet, extended release  
Kroger Company**

-----  
**Kroger Co. All Day Allergy-D Drug Facts**

**Active ingredient (in each extended release tablet)**

Cetirizine HCl 5 mg

Pseudoephedrine HCl 120 mg

**Purpose**

Antihistamine

Nasal Decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are**

taking tranquilizers or sedatives.

**When using this product**

- do not use more than directed
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**

colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, talc, yellow iron oxide

**Questions or comments?**

1-800-632-6900

**Principal Display Panel**

COMPARE TO the active ingredients of ZYRTEC-D®

See side panel

ORIGINAL PRESCRIPTION STRENGTH

All Day Allergy-D

Cetirizine Hydrochloride and Pseudoephedrine

Hydrochloride Extended Release Tablets, 5 mg/120 mg

Antihistamine/Nasal Decongestant

ALLERGY & CONGESTION

Indoor & Outdoor Allergies

12 Hour Relief of:

Sneezing

Runny Nose

Sinus Pressure

Itchy, Watery Eyes

Itchy Throat or Nose

Nasal Congestion

12 HOUR

24 EXTENDED RELEASE TABLETS

actual size

17662 45 C2

COMPARE TO the active ingredients of ZYRTEC-D®

\*See side panel

ORIGINAL PRESCRIPTION STRENGTH

NDC 30142-176-62



FROM OUR FAMILY TO YOURS

# All Day Allergy-D

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride Extended Release Tablets, 5 mg/120 mg

Antihistamine/Nasal Decongestant

## ALLERGY & CONGESTION

Indoor & Outdoor Allergies

12 Hour Relief of:

- Sneezing
- Runny Nose
- Sinus Pressure
- Itchy, Watery Eyes
- Itchy Throat or Nose
- Nasal Congestion

12 HOUR




actual size

24 EXTENDED RELEASE TABLETS

DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN

\*Zyrtec-D® is a registered trademark of Johnson & Johnson, New Brunswick, NJ 08933. Johnson & Johnson is not affiliated with The Kroger Co. or this product.

GLUTEN FREE



Made in India  
www.kroger.com

QUALITY GUARANTEE

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202

Drug Facts (continued)  
Questions or comments? 1-800-632-6900



### Drug Facts

#### Active ingredients (in each extended release tablet) Purpose

Cetirizine HCl 5 mg.....Antihistamine  
Pseudoephedrine HCl 120 mg.....Nasal Decongestant

#### Uses

- temporarily relieves these symptoms due to hay

### Drug Facts (continued)

- fever or other upper respiratory allergies:
- runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
  - nasal congestion
  - reduces swelling of nasal passages
  - temporarily relieves sinus congestion and pressure
  - temporarily restores freer breathing through the nose

### Drug Facts (continued)

#### Warnings

##### Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

##### Ask a doctor before use if you have

- heart disease
- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

##### Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

##### When using this product

- do not use more than directed
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

##### Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.

### Drug Facts (continued)

- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

##### If pregnant or breast-feeding:

- if breast-feeding: not recommended
  - if pregnant: ask a health professional before use.
- Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

#### Directions

- do not break or chew tablet; swallow tablet whole
- |  |  |
|--|--|
| adults and children 12 years and over  | take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours. |
| adults 65 years and over               | ask a doctor   |
| children under 12 years of age         | ask a doctor   |
| consumers with liver or kidney disease | ask a doctor   |

#### Other information

- store between 20° to 25°C (68° to 77°F)

#### Inactive ingredients

colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, talc, yellow iron oxide

## ALL DAY ALLERGY D

cetirizine hcl, pseudoephedrine hcl tablet, extended release

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30 142-176
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

**Inactive Ingredients**

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
TALC (UNII: 7SEV7J4R1U)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

**Product Characteristics**

Color	WHITE (one side white one side light yellow)	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	5029;5;120
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-176-62	12 in 1 CARTON	02/19/2014	
1		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077170	02/19/2014	

**Labeler** - Kroger Company (006999528)

Revised: 12/2018

Kroger Company