

DEEP BLUE COPAIBA- menthol stick
dōTERRA International, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Deep Blue Stick with Copaiba 300904-A

Active Ingredient

Menthol 10%



Topical analgesic

dōTERRA Deep Blue® Stick + Copaiba delivers targeted relief to soothe soreness. Infused with the Deep Blue Soothing Blend of CPTG Certified Pure Tested Grade™ essential oils, the stick contains a blend of powerful ingredients and natural plant extracts. Deep Blue Stick provides a comforting sensation of cooling and warmth to problem areas. No mess. No worries.



Manufactured exclusively for dōTERRA Int'l, LLC
389 South 1300 West
Pleasant Grove, UT 84062
www.doterra.com
L3360009708



v2 60213108

NDC 71630-882-48

dōTERRA®
deep

BLUE STICK®
+COPAIBA

Topical Analgesic

Net Wt. 1.69 oz / 48g

Drug Facts

Active Ingredient	Purpose
Menthol 10%	Topical analgesic

Uses for the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache • arthritis • sprains
- strains • bruises

Warnings

For external use only

Allergy alert: Do not use if allergic to salicylates (including aspirin) without consulting a physician.

When using this product • use only as directed • avoid getting into the eyes or on mucous membranes. If contact occurs, rinse thoroughly with water. • do not apply to wounds or damaged skin • do not bandage tightly or use with a heating pad ▶

Peel here for additional drug facts



Uses for the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache • arthritis • sprains
- strains • bruises

dōTERRA Deep Blue® Stick + Copaiba delivers targeted relief to soothe soreness. Infused with the Deep Blue Soothing Blend of CPTG Certified Pure Tested Grade™ essential oils, the stick contains a blend of powerful ingredients and natural plant extracts. Deep Blue Stick provides a comforting sensation of cooling and warmth to problem areas. No mess. No worries.



Manufactured exclusively for dōTERRA Int'l, LLC
389 South 1300 West
Pleasant Grove, UT 84062
www.doterra.com
L3360009708



v2 60213108

NDC 71630-882-48

dōTERRA®
deep

BLUE
STICK
+COPAIBA

Topical Analgesic

Net Wt. 1.69 oz / 48g

Drug Facts

Active Ingredient	Purpose
Menthol 10%	Topical analgesic

Uses for the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache
- arthritis
- sprains
- strains
- bruises

Warnings

For external use only

Allergy alert: Do not use if allergic to salicylates (including aspirin) without consulting a physician.

When using this product • use only as directed • avoid getting into the eyes or on mucous membranes. If contact occurs, rinse thoroughly with water. • do not apply to wounds or damaged skin • do not bandage tightly or use with a heating pad ▶

Peel here for additional drug facts



For external use only
Allergy alert: Do not use if allergic to salicylates (including aspirin) without consulting a physician.

dōTERRA Deep Blue® Stick + Copaiba delivers targeted relief to soothe soreness. Infused with the Deep Blue Soothing Blend of CPTG Certified Pure Tested Grade™ essential oils, the stick contains a blend of powerful ingredients and natural plant extracts. Deep Blue Stick provides a comforting sensation of cooling and warmth to problem areas. No mess. No worries.



Manufactured exclusively for dōTERRA Int'l, LLC
389 South 1300 West
Pleasant Grove, UT 84062
www.doterra.com
L3360009708



v2 60213108

NDC 71630-882-48

dōTERRA®
deep

BLUE
STICK
+COPAIBA

Topical Analgesic

Net Wt. 1.69 oz / 48g

Drug Facts

Active Ingredient	Purpose
Menthol 10%	Topical analgesic

Uses for the temporary relief of minor aches and pains of muscles and joints associated with:
• simple backache • arthritis • sprains
• strains • bruises

Warnings

For external use only

Allergy alert: Do not use if allergic to salicylates (including aspirin) without consulting a physician.

When using this product • use only as directed • avoid getting into the eyes or on mucous membranes. If contact occurs, rinse thoroughly with water. • do not apply to wounds or damaged skin • do not bandage tightly or use with a heating pad ▶

Peel here for additional drug facts



When using this product • use only as directed • avoid getting into the eyes or on mucous membranes. If contact occurs, rinse thoroughly with water. • do not apply to wounds or damaged skin • do not bandage tightly or use with a heating pad

dōTERRA Deep Blue® Stick + Copaiba delivers targeted relief to soothe soreness. Infused with the Deep Blue Soothing Blend of CPTG Certified Pure Tested Grade™ essential oils, the stick contains a blend of powerful ingredients and natural plant extracts. Deep Blue Stick provides a comforting sensation of cooling and warmth to problem areas. No mess. No worries.


dōTERRA®
 POST CONSUMER
 RECYCLED

Manufactured exclusively for dōTERRA Int'l, LLC
 389 South 1300 West
 Pleasant Grove, UT 84062
 www.doterra.com
 L3360009708


 v2 60213108

NDC 71630-882-48

dōTERRA®

deep

BLUE STICK®
+COPAIBA

Topical Analgesic

Net Wt. 1.69 oz / 48g

Drug Facts

Active Ingredient	Purpose
Menthol 10%	Topical analgesic

Uses for the temporary relief of minor aches and pains of the muscles and joints associated with:

- simple backache • arthritis • sprains
- strains • bruises

Warnings
For external use only

Allergy alert: Do not use if allergic to salicylates (including aspirin) without consulting a physician.

When using this product • use only as directed • avoid getting into the eyes or on mucous membranes. If contact occurs, rinse thoroughly with water. • do not apply to wounds or damaged skin • do not bandage tightly or use with a heating pad ▶

Peel here for additional drug facts 

If pregnant or breast-feeding, ask a health care professional before use.

<p>Drug Facts (continued)</p> <p>Stop use and ask a doctor if • Irritation or redness occur • nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs • pain persists for more than 7 days, or redness is present, or in conditions affecting children under 12 years of age</p> <p>If pregnant or breast-feeding, ask a health care professional before use.</p> <p>Keep out of reach of children. If accidentally ingested, get medical help or contact a Poison Control Center immediately.</p> <p>Directions adults and children over 12 years: apply generously to affected area. Repeat as necessary, but not more than 4 times daily. children under 12 years of age: consult a doctor</p> <p>Other information • Store at a temperature below 38°C/100°F • Do not use if seal is broken • Close cap tightly after use ▶</p>	<p>Drug Facts (continued)</p> <p>Inactive ingredients <i>Cocos nucifera</i> (Coconut) Oil, <i>Tapioca</i> Starch, <i>Gaullthera procumbens</i> (Wintergreen) Leaf Oil, <i>Helianthus annuus</i> (Sunflower) Seed Wax, <i>Copallera coriacea/tangsdorffii/viticinails/reticulata</i> Resin Oil, Water (Aqua), <i>Sambucus nigra</i> Fruit Extract, <i>Prunus amygdalus dulcis</i> (Sweet Almond) Oil, Glyceryl Laurate, Glyceryl Caprylate, <i>Mentha piperita</i> (Peppermint) Oil, <i>Cinnamomum camphora</i> (Camphor) Oil, <i>Eucalyptus globulus</i> Leaf Oil, <i>Tanacetum annuum</i> Flower/Leaf/ Stem Oil, Glyceryl Undecylenate, <i>Cananga odorata</i> Flower Oil, <i>Capiscum frutescens</i> Fruit Extract, Glycerin, Lauric Acid, <i>Chamomilla recutita</i> (Matricaria) Oil, <i>Helichrysum italicum</i> Flower/Leaf/Stem Oil, Citric Acid</p> <p>Questions or comments? Call 1-800-411-8151</p>
---	--

Keep out of reach of children. If accidentally ingested, get medical help or contact a Poison Control Center immediately.

Drug Facts (continued)

Stop use and ask a doctor if • Irritation or redness occur • nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs • pain persists for more than 7 days, or redness is present, or in conditions affecting children under 12 years of age

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children. If accidentally ingested, get medical help or contact a Poison Control Center immediately.

Directions

adults and children over 12 years: apply generously to affected area. Repeat as necessary, but not more than 4 times daily.

children under 12 years of age: consult a doctor

Other information • Store at a temperature below 38°C/100°F • Do not use if seal is broken • Close cap tightly after use ▶

Drug Facts (continued)

Inactive ingredients *Cocos nucifera* (Coconut) Oil, *Tapioca Starch*, *Gaulltheria procumbens* (Wintergreen) Leaf Oil, *Helianthus annuus* (Sunflower) Seed Wax, *Copallera coriacea/langsdorffii/obliqua/reticulata* Resin Oil, Water (Aqua), *Sambucus nigra* Fruit Extract, *Prunus amygdalus dulcis* (Sweet Almond) Oil, Glyceryl Laurate, Glyceryl Caprylate, *Mentha piperita* (Peppermint) Oil, *Cinnamomum camphora* (Camphor) Oil, *Eucalyptus globulus* Leaf Oil, *Tanacetum annuum* Flower/Leaf/ Stem Oil, Glyceryl Undecylenate, *Cananga odorata* Flower Oil, *Capsicum frutescens* Fruit Extract, Glycerin, Lauric Acid, *Chamomilla recutita* (Matricaria) Oil, *Helichrysum italicum* Flower/Leaf/Stem Oil, Citric Acid

Questions or comments? Call 1-800-411-8151

Stop use and ask a doctor if • irritation or redness occur • nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs • pain persists for more than 7 days, or redness is present, or in conditions affecting children under 12 years of age

Drug Facts (continued)

Stop use and ask a doctor if • Irritation or redness occur • nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs • pain persists for more than 7 days, or redness is present, or in conditions affecting children under 12 years of age

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children. If accidentally ingested, get medical help or contact a Poison Control Center immediately.

Directions

adults and children over 12 years: apply generously to affected area. Repeat as necessary, but not more than 4 times daily.

children under 12 years of age: consult a doctor

Other information • Store at a temperature below 38°C/100°F • Do not use if seal is broken • Close cap tightly after use ▶

Drug Facts (continued)

Inactive ingredients *Cocos nucifera* (Coconut) Oil, *Tapioca Starch*, *Gaulltheria procumbens* (Wintergreen) Leaf Oil, *Helianthus annuus* (Sunflower) Seed Wax, *Copallera coriacea/langsdorffii/obliqua/reticulata* Resin Oil, Water (Aqua), *Sambucus nigra* Fruit Extract, *Prunus amygdalus dulcis* (Sweet Almond) Oil, Glyceryl Laurate, Glyceryl Caprylate, *Mentha piperita* (Peppermint) Oil, *Cinnamomum camphora* (Camphor) Oil, *Eucalyptus globulus* Leaf Oil, *Tanacetum annuum* Flower/Leaf/ Stem Oil, Glyceryl Undecylenate, *Cananga odorata* Flower Oil, *Capsicum frutescens* Fruit Extract, Glycerin, Lauric Acid, *Chamomilla recutita* (Matricaria) Oil, *Helichrysum italicum* Flower/Leaf/Stem Oil, Citric Acid

Questions or comments? Call 1-800-411-8151

Directions
adults and children over 12 years: apply generously to affected area. Repeat as necessary, but not more than 4 times daily.
children under 12 years of age: consult a doctor

Drug Facts (continued)

Stop use and ask a doctor if • Irritation or redness occur • nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs • pain persists for more than 7 days, or redness is present, or in conditions affecting children under 12 years of age

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children. If accidentally ingested, get medical help or contact a Poison Control Center immediately.

Directions

adults and children over 12 years: apply generously to affected area. Repeat as necessary, but not more than 4 times daily.

children under 12 years of age: consult a doctor

Other information • Store at a temperature below 38°C/100°F • Do not use if seal is broken • Close cap tightly after use

Drug Facts (continued)

Inactive ingredients *Cocos nucifera* (Coconut) Oil, Tapioca Starch, *Gaultheria procumbens* (Wintergreen) Leaf Oil, *Helianthus annuus* (Sunflower) Seed Wax, *Copaifera coriacea/langsdorffii/officinalis/reticulata* Resin Oil, Water (Aqua), *Sambucus nigra* Fruit Extract, *Prunus amygdalus dulcis* (Sweet Almond) Oil, Glyceryl Laurate, Glyceryl Caprylate, *Mentha piperita* (Peppermint) Oil, *Cinnamomum camphora* (Camphor) Oil, *Eucalyptus globulus* Leaf Oil, *Tanacetum annuum* Flower/Leaf/ Stem Oil, Glyceryl Undecylenate, *Cananga odorata* Flower Oil, *Capsicum frutescens* Fruit Extract, Glycerin, Lauric Acid, *Chamomilla recutita* (Matricaria) Oil, *Helichrysum italicum* Flower/Leaf/Stem Oil, Citric Acid

Questions or comments? Call 1-800-411-8151

- Other information • Store at a temperature below 38°C/100°F • Do not use if seal is broken
- Close cap tightly after use

Drug Facts (continued)

Stop use and ask a doctor if • Irritation or redness occur • nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs • pain persists for more than 7 days, or redness is present, or in conditions affecting children under 12 years of age

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children. If accidentally ingested, get medical help or contact a Poison Control Center immediately.

Directions

adults and children over 12 years: apply generously to affected area. Repeat as necessary, but not more than 4 times daily.

children under 12 years of age: consult a doctor

Other information • Store at a temperature below 38°C/100°F • Do not use if seal is broken • Close cap tightly after use

Drug Facts (continued)

Inactive ingredients *Cocos nucifera* (Coconut) Oil, Tapioca Starch, *Gaultheria procumbens* (Wintergreen) Leaf Oil, *Helianthus annuus* (Sunflower) Seed Wax, *Copaifera coriacea/langsdorffii/officinalis/reticulata* Resin Oil, Water (Aqua), *Sambucus nigra* Fruit Extract, *Prunus amygdalus dulcis* (Sweet Almond) Oil, Glyceryl Laurate, Glyceryl Caprylate, *Mentha piperita* (Peppermint) Oil, *Cinnamomum camphora* (Camphor) Oil, *Eucalyptus globulus* Leaf Oil, *Tanacetum annuum* Flower/Leaf/ Stem Oil, Glyceryl Undecylenate, *Cananga odorata* Flower Oil, *Capsicum frutescens* Fruit Extract, Glycerin, Lauric Acid, *Chamomilla recutita* (Matricaria) Oil, *Helichrysum italicum* Flower/Leaf/Stem Oil, Citric Acid

Questions or comments? Call 1-800-411-8151

Inactive ingredients *Cocos nucifera* (Coconut) Oil, Tapioca Starch, *Gaultheria procumbens* (Wintergreen) Leaf Oil, *Helianthus annuus* (Sunflower) Seed Wax, *Copaifera coriacea/langsdorffii/officinalis/reticulata* Resin Oil, Water (Aqua), *Sambucus nigra* Fruit Extract, *Prunus amygdalus dulcis* (Sweet Almond) Oil, Glyceryl Laurate, Glyceryl Caprylate, *Mentha piperita* (Peppermint) Oil, *Cinnamomum*

camphora (Camphor) Oil, Eucalyptus globulus Leaf Oil, Tanacetum annuum Flower/Leaf/ Stem Oil, Glyceryl Undecylenate, Cananga odorata Flower Oil, Capsicum frutescens Fruit Extract, Glycerin, Lauric Acid, Chamomilla recutita (Matricaria) Oil, Helichrysum italicum Flower/Leaf/Stem Oil, Citric Acid

Drug Facts (continued)

Stop use and ask a doctor if • Irritation or redness occur • nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs
 • pain persists for more than 7 days, or redness is present, or in conditions affecting children under 12 years of age

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children. If accidentally ingested, get medical help or contact a Poison Control Center immediately.

Directions
adults and children over 12 years: apply generously to affected area. Repeat as necessary, but not more than 4 times daily.
children under 12 years of age: consult a doctor

Other information • Store at a temperature below 38°C/100°F • Do not use if seal is broken
 • Close cap tightly after use ▶

Drug Facts (continued)

Inactive ingredients *Cocos nucifera* (Coconut) Oil, Tapioca Starch, *Gaulltheria procumbens* (Wintergreen) Leaf Oil, *Helianthus annuus* (Sunflower) Seed Wax, *Copallera coriacea/langsdorffii/obliqua/reticulata* Resin Oil, Water (Aqua), *Sambucus nigra* Fruit Extract, *Prunus amygdalus dulcis* (Sweet Almond) Oil, Glyceryl Laurate, Glyceryl Caprylate, *Mentha piperita* (Peppermint) Oil, *Cinnamomum camphora* (Camphor) Oil, *Eucalyptus globulus* Leaf Oil, *Tanacetum annuum* Flower/Leaf/ Stem Oil, Glyceryl Undecylenate, *Cananga odorata* Flower Oil, *Capsicum frutescens* Fruit Extract, Glycerin, Lauric Acid, *Chamomilla recutita* (Matricaria) Oil, *Helichrysum italicum* Flower/Leaf/Stem Oil, Citric Acid

Questions or comments? Call 1-800-411-8151

Questions or comments? Call 1-800-411-8151

Drug Facts (continued)

Stop use and ask a doctor if • Irritation or redness occur • nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs
 • pain persists for more than 7 days, or redness is present, or in conditions affecting children under 12 years of age

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children. If accidentally ingested, get medical help or contact a Poison Control Center immediately.

Directions
adults and children over 12 years: apply generously to affected area. Repeat as necessary, but not more than 4 times daily.
children under 12 years of age: consult a doctor

Other information • Store at a temperature below 38°C/100°F • Do not use if seal is broken
 • Close cap tightly after use ▶

Drug Facts (continued)

Inactive ingredients *Cocos nucifera* (Coconut) Oil, Tapioca Starch, *Gaulltheria procumbens* (Wintergreen) Leaf Oil, *Helianthus annuus* (Sunflower) Seed Wax, *Copallera coriacea/langsdorffii/obliqua/reticulata* Resin Oil, Water (Aqua), *Sambucus nigra* Fruit Extract, *Prunus amygdalus dulcis* (Sweet Almond) Oil, Glyceryl Laurate, Glyceryl Caprylate, *Mentha piperita* (Peppermint) Oil, *Cinnamomum camphora* (Camphor) Oil, *Eucalyptus globulus* Leaf Oil, *Tanacetum annuum* Flower/Leaf/ Stem Oil, Glyceryl Undecylenate, *Cananga odorata* Flower Oil, *Capsicum frutescens* Fruit Extract, Glycerin, Lauric Acid, *Chamomilla recutita* (Matricaria) Oil, *Helichrysum italicum* Flower/Leaf/Stem Oil, Citric Acid

Questions or comments? Call 1-800-411-8151

Active Ingredient Purpose
 Menthol 10%..... Topical analgesic

dōTERRA Deep Blue® Stick + Copaiba delivers targeted relief to soothe soreness. Infused with the Deep Blue Soothing Blend of CPTG Certified Pure Tested Grade™ essential oils, the stick contains a blend of powerful ingredients and natural plant extracts. Deep Blue Stick provides a comforting sensation of cooling and warmth to problem areas. No mess. No worries.



Manufactured exclusively for dōTERRA Int'l, LLC
389 South 1300 West
Pleasant Grove, UT 84062
www.doterra.com
L3360009708



v2 60213108

NDC 71630-882-48

dōTERRA®
deep

BLUE STICK®
+COPAIBA

Topical Analgesic

Net Wt. 1.69 oz / 48g

Drug Facts

Active Ingredient	Purpose
Menthol 10%	Topical analgesic

Uses for the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache
- arthritis
- sprains
- strains
- bruises

Warnings

For external use only

Allergy alert: Do not use if allergic to salicylates (including aspirin) without consulting a physician.

When using this product • use only as directed • avoid getting into the eyes or on mucous membranes. If contact occurs, rinse thoroughly with water. • do not apply to wounds or damaged skin • do not bandage tightly or use with a heating pad ▶

Peel here for additional drug facts



dōTERRA Deep Blue Stick +Copaiba

Topical analgesic

Net Wt. 1.69 oz/48g



DEEP BLUE COPAIBA

menthol stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71630-882
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	10 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
COCONUT OIL (UNII: Q9L0O73W7L)	
STARCH, TAPIOCA (UNII: 24SC3U704I)	
GAULTHERIA PROCUMBENS LEAF (UNII: 2125M16OWN)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HELICHRYSUM ITALICUM FLOWER OIL (UNII: O97ZV7726K)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
ALMOND OIL (UNII: 66YXD4DKO9)	

PEPPERMINT OIL (UNII: AV092KU4JH)
CAMPHOR OIL (UNII: 75IZZ8Y727)
EUCALYPTUS OIL (UNII: 2R04ONI662)
MATRICARIA CHAMOMILLA FLOWERING TOP OIL (UNII: SA8AR2W4ER)
GLYCERIN (UNII: PDC6A3C0OX)
CANANGA OIL (UNII: 8YOY78GNNX)
SAMBUCUS NIGRA SUBSP. CERULEA FRUIT (UNII: EPM36Z6E4L)
GLYCERYL LAURATE (UNII: Y98611C087)
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)
TANACETUM ANNUUM FLOWERING TOP OIL (UNII: E2Q02N1ZC7)
GLYCERYL 1-UNDECYLENATE (UNII: B68LJT9544)
TABASCO PEPPER (UNII: J1M3NA843L)
LAURIC ACID (UNII: 1160N9NU9U)
WATER (UNII: 059QF0KO0R)
COPAIBA OIL (UNII: 64VX45Y68N)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71630-882-48	48 g in 1 CYLINDER; Type 0: Not a Combination Product	07/15/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/15/2021	

Labeler - dōTERRA International, LLC (832274935)

Revised: 7/2021

dōTERRA International, LLC