

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 (LIGHT 1) - BEIGE- octinoxate and zinc oxide cream

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 (LIGHT 2) - BEIGE- octinoxate and zinc oxide cream

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 (MEDIUM 1) - BEIGE- octinoxate and zinc oxide cream

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 (MEDIUM 2) - BEIGE- octinoxate and zinc oxide cream

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 (MEDIUM 3) - BEIGE- octinoxate and zinc oxide cream

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 (MEDIUM 4) - BROWN- octinoxate and zinc oxide cream

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 (OBSCURE 1) - BROWN- octinoxate and zinc oxide cream

Ventura Corporation LTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CY°ZONE STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
Octinoxate 4.00%	Sunscreen
Zinc Oxide 2.40%	Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

- Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

WATER, DIMETHICONE, PEG-10 DIMETHICONE, SILICA, GLYCERIN, POLYMETHYLSILSESQUIOXANE, ISODODECANE, PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, TRIMETHYLSILOXYSILICATE, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, SILICA DIMETHYL SILYLATE, POLYPROPYLSILSESQUIOXANE, HYDROXYACETOPHENONE, PHENOXYETHANOL, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, JOJOBA ESTERS, HEXYL LAURATE, SODIUM CHLORIDE, TOCOPHERYL ACETATE, HELIANTHUS ANNUUS (SUNFLOWER) SEED WAX, DISTEARDIMONIUM HECTORITE, CAPRYLYL GLYCOL, CHLORPHENESIN, POLYSILICONE-11, FRAGRANCE, ACACIA DECURRENS FLOWER WAX, POLYGLYCERIN-3.

MAY CONTAIN:

TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926

PRINCIPAL DISPLAY PANEL - 30 g Tube Box (LIGHT 1) - BEIGE

STUDIO

LOOK

cy°zone

BASE DE ALTA

COBERTURA PARA EL

ROSTRO CON FPS 20

Net Wt. 1 oz. (30 g.)



cy°zone

STUDIO
LOOK
cy°zone

Drug Facts

Active Ingredient	Purpose
Octinoxate 4.00%	Sunscreen
Zinc Oxide 2.40%	Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- For external use only.
- Do not use on damage or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Silica, Peg-10 Dimethicone, Glycerin, Isododecane, Polymethylsilsesquioxane, Peg-9 Polydimethylsiloxyethyl Dimethicone, Trimethylsiloxyethylate, Hd/trimethylol Hexyllactone Crosspolymer, Silica Dimethyl Silylate, Polypropylsilsesquioxane, Hydroxyacetophenone, Phenoxethanol, Cetyl Papi/peg-10/1 Dimethicone, Polyglyceryl-4 Isostearate, Jojoba Esters, Hexyl Laurate, Sodium Chloride, Tocopheryl Acetate, Helianthus Annuus (Sunflower) seed wax, disteardimonium hectorite, caprylyl glycol, chlorophenesin, polysilicone-11, fragrance, acacia decurrens/flower wax, polyglycerin-3, May contain: Titanium Dioxide, Iron Oxides, Triethoxycaprylylsilane,

**BASE DE ALTA
COBERTURA PARA EL
ROSTRO CON FPS 20**

Net Wt. 1 oz. (30 g.)

La Base Studio Look de Cyzone te ofrece una alta cobertura con acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que cuidan tu piel de los rayos UVB y UVA del sol.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Box (LIGHT 2) - BEIGE

STUDIO
LOOK
cy°zone

**BASE DE ALTA
COBERTURA PARA EL
ROSTRO CON FPS 20**

Net Wt. 1 oz. (30 g.)



cy°zone

STUDIO
LOOK
cy°zone

Drug Facts

Active Ingredient	Purpose
Octinoxate 4.00%	Sunscreen
Zinc Oxide 2.40%	Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- For external use only.
- Do not use on damage or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Silica, Peg-10 Dimethicone, Glycerin, Isododecane, Polymethylsilsesquioxane, Peg-9 Polydimethylsiloxyethyl Dimethicone, Trimethylsiloxy silicate, Heptamethyl Hexylacetic Crosspolymer, Silica Dimethyl Silylate, Polypropylisescuioxane, Hydroxyacetophanone, Phenoxyethanol, Cetyl Peg/ppg-10/1 Dimethicone, Polyglyceryl-4 Isostearate, Jojoba Esters, Hexyl Laurate, Sodium Chloride, Tocopheryl Acetate, Helianthus Annuus (Sunflower) seed wax, disteardimonium hectorite, caprylyl glycol, chlorphenesin, polysilicone-11, fragrance, acacia decurrens flower wax, polyglycerin-3, **May Contain:** Titanium Dioxide, Iron Oxides, Triethoxycaprylsilane.

La Base Studio Look de Cyzone te ofrece una alta cobertura natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que cuidan tu piel de los rayos UVB y UVA del sol.

BASE DE ALTA
COBERTURA PARA EL
ROSTRO CON FPS 20

Net Wt. 1 oz. (30 g.)

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Box (MEDIUM 1) - BEIGE

STUDIO
LOOK
cy°zone

BASE DE ALTA
COBERTURA PARA EL
ROSTRO CON FPS 20

Net Wt. 1 oz. (30 g.)



Drug Facts

Active Ingredient	Purpose
Octinoxate 4.00%	Sunscreen
Zinc Oxide 2.40%	Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- For external use only.
- Do not use on damage or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Silica, Peg-10 Dimethicone, Glycerin, Isododecane, Polymethylsilsesquioxane, Peg-9 Polydimethylsiloxyethyl Dimethicone, Trimethylsiloxy silicate, Hd(trimethylol Hexyllactone Crosspolymer, Silica Dimethyl Silylate, Polypropylsilsesquioxane, Hydroxyacetophenone, Phenoxyethanol, Cetyl Peg/ppg-10/1 Dimethicone, Polyglyceryl-4 Isostearate, Jojoba Esters, Hexyl Laurate, Sodium Chloride, Tocopheryl Acetate, Helianthus Annuus (Sunflower) seed wax, disteardimonium hectorite, caprylyl glycol, chlorphenesin, polysilicone-11, fragrance, acacia decurrens flower wax, polyglycerin-3, **May Contain:** Titanium Dioxide, Iron Oxides, Triethoxycaprylsilane.

STUDIO
LOOK
cy°zone

BASE DE ALTA
COBERTURA PARA EL
ROSTRO CON FPS 20

Net Wt. 1 oz. (30 g.)

La Base Studio Look de Cyzone te ofrece una alta cobertura con acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que cuidan tu piel de los rayos UVB y UVA del sol.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Box (MEDIUM 2) - BEIGE

STUDIO
LOOK
cy°zone

BASE DE ALTA

COBERTURA PARA EL
ROSTRO CON FPS 20

Net Wt. 1 oz. (30 g.)



Drug Facts

Active Ingredient	Purpose
Octinoxate 4.00%	Sunscreen
Zinc Oxide 2.40%	Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- For external use only.
- Do not use on damage or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Silica, Peg-10 Dimethicone, Glycerin, Isododecane, Polymethylsilsesquioxane, Peg-9 Polydimethylsiloxyethyl Dimethicone, Trimethylsiloxy silicate, Hd trimethylol Hexyl lactone Crosspolymer, Silica Dimethyl Silylate, Polypropylsilsesquioxane, Hydroxyacetophenone, Phenoxethanol, Cetyl PEG/PPG-10/1 Dimethicone, Polyglyceryl-4 Isostearate, Jojoba Esters, Hexyl Laurate, Sodium Chloride, Tocopheryl Acetate, Helianthus Annuus (Sunflower) seed wax, disteardimonium hectorite, caprylyl glycol, chlorphenesin, polysilicone-11, fragrance, acacia decurrens flower wax, polyglycerin-3, **May Contain:** Titanium Dioxide, Iron Oxides, Triethoxycaprylsilane.

STUDIO
LOOK
cy°zone

cy°zone

BASE DE ALTA
COBERTURA PARA EL
ROSTRO CON FPS 20

Net Wt. 1 oz. (30 g.)

La Base Studio Look de Cyzone te ofrece una alta cobertura natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que cuidan tu piel de los rayos UVB y UVA del sol.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Box (MEDIUM 3) - BEIGE

STUDIO
LOOK
cy°zone

**BASE DE ALTA
COBERTURA PARA EL
ROSTRO CON FPS 20**

Net Wt. 1 oz. (30 g.)



Drug Facts

Active Ingredient	Purpose
Octinoxate 4.00%	Sunscreen
Zinc Oxide 2.40%	Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- For external use only.
- Do not use on damage or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Silica, Peg-10 Dimethicone, Glycerin, Isododecane, Polymethylsilsesquioxane, Peg-9 Polydimethylsiloxyethyl Dimethicone, Trimethylsiloxy silicate, Hd(trimethylol Hexyl)lactone Crosspolymer, Silica Dimethyl Silylate, Polypropylsilsesquioxane, Hydroxyacetophenone, Phenoxyethanol, Cetyl Peg/ppg-10/1 Dimethicone, Polyglyceryl-4 Isostearate, Jojoba Esters, Hexyl Laurate, Sodium Chloride, Tocopheryl Acetate, Helianthus Annuus (Sunflower) seed wax, disteardimonium hectorate, caprylyl glycol, chlorphenesin, polysilicone-11, fragrance, acacia decurrens flower wax, polyglycerin-3, May Contain: Titanium Dioxide, Iron Oxides, Triethoxycaprylylsilane.

STUDIO
LOOK
cyzone

BASE DE ALTA
COBERTURA PARA EL
ROSTRO CON FPS 20

Net Wt. 1 oz. (30 g.)

La Base Studio Look de Cyzone te ofrece una alta cobertura con acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que cuidan tu piel de los rayos UVB y UVA del sol.

PUERTO RICO: Dist. by Ventura Corp. Ltd. San Juan, Puerto Rico 00926. Made in Colombia.
www.cyzone.com

**PRINCIPAL DISPLAY PANEL - 30 g Tube Box (MEDIUM 4) - BROWN
STUDIO**

LOOK
cy°zone

**BASE DE ALTA
COBERTURA PARA EL
ROSTRO CON FPS 20**

Net Wt. 1 oz. (30 g.)



Drug Facts

Active Ingredient	Purpose
Octinoxate 4.00%	Sunscreen
Zinc Oxide 2.40%	Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- **For external use only.**
- Do not use on damage or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Silica, Peg-10 Dimethicone, Glycerin, Isododecane, Polymethylsilsesquioxane, Peg-9 Polydimethylsiloxyethyl Dimethicone, Trimethylsiloxy silicate, Hd(trimethylol Hexyl)aceto Crosspolymer, Silica Dimethyl Silylate, Polypropylsilsesquioxane, Hydroxyacetophenone, Phenoxyethanol, Cetyl PEGPP-10/1 Dimethicone, Polyglyceryl-4 Isostearate, Jojoba Esters, Hexyl Laurate, Sodium Chloride, Tocopheryl Acetate, Helianthus Annuus (Sunflower) seed wax, disteardimonium hectorite, caprylyl glycol, chlorphenesin, polysilicone-11, fragrance, acacia decurrens flower wax, polyglycerin-3. **May Contain:** Titanium Dioxide, Iron Oxides, Triethoxycaprylylsilane.

cy°zone

STUDIO
LOOK
cy°zone

**BASE DE ALTA
COBERTURA PARA EL
ROSTRO CON FPS 20**

Net Wt. 1 oz. (30 g.)

La Base Studio Look de Cyzone te ofrece una alta cobertura natural con acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que cuidan tu piel de los rayos UVB y UVA del sol.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Box (OBSCURE 1) - BROWN

STUDIO
LOOK
cy°zone

BASE DE ALTA
COBERTURA PARA EL
ROSTRO CON FPS 20

Net Wt. 1 oz. (30 g.)



cy°zone

STUDIO
LOOK
cy°zone

Drug Facts

Active Ingredient	Purpose
Octinoxate 4.00%	Sunscreen
Zinc Oxide 2.40%	Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- For external use only.
- Do not use on damage or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Silica, Peg-10 Dimethicone, Glycerin, Isododecane, Polymethylsilsesquioxane, Peg-9 Polydimethylsiloxyethyl Dimethicone, Trimethylsiloxysilicate, Hd(trimethylol Hexyl)lactone Crosspolymer, Silica Dimethyl Silylate, Polypropylsilsesquioxane, Hydroxyacetophenone, Phenoxyethanol, Cetyl Peg/ppg-10/1 Dimethicone, Polyglyceryl-4 Isostearate, Jojoba Esters, Hexyl Laurate, Sodium Chloride, Tocopheryl Acetate, Helianthus Annuus (Sunflower) seed wax, disteardimonium hectorite, caprylyl glycol, chlorphenesin, polysilicone-11, fragrance, acacia decurrens flower wax, polyglycerin-3, **May Contain:** Titanium Dioxide, Iron Oxides, Triethoxycaprylsilane.

BASE DE ALTA
COBERTURA PARA EL
ROSTRO CON FPS 20

Net Wt. 1 oz. (30 g.)

La Base Studio Look de Cyzone te ofrece una alta cobertura con acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que cuidan tu piel de los rayos UVB y UVA del sol.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 (LIGHT 1) - BEIGE

octinoxate and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-489
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.04 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.024 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-489-01	1 in 1 BOX	08/26/2015	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/26/2015	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 (LIGHT 2) - BEIGE

octinoxate and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-571
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.04 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.024 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SILICA DIMETHYL Silylate (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-571-01	1 in 1 BOX	08/26/2015	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/26/2015	

**CYZONE STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO
CON FPS 20 (MEDIUM 1) - BEIGE**

octinoxate and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-572
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.04 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.024 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	

ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-572-01	1 in 1 BOX	08/26/2015	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/26/2015	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 (MEDIUM 2) - BEIGE

octinoxate and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-573
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.04 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.024 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-573-01	1 in 1 BOX	08/26/2015	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/26/2015	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 (MEDIUM 3) - BEIGE

octinoxate and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-574
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.04 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.024 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	

PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-574-01	1 in 1 BOX	08/26/2015	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/26/2015	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 (MEDIUM 4) - BROWN
 octinoxate and zinc oxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-575
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.04 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.024 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-575-01	1 in 1 BOX	08/26/2015	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/26/2015	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 (OBSCURE 1) - BROWN

octinoxate and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-576
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.04 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.024 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-576-01	1 in 1 BOX	08/26/2015	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/26/2015	

Labeler - Ventura Corporation LTD (602751344)

Establishment

Name	Address	ID/FEI	Business Operations
13537-576-01			MANUFACTURE(13537-576-01, 13537-576-02, 13537-576-03, 13537-576-04, 13537-576-05)

Dei Star S.A. (Colombia)	880160197	MANUFACTURE(13537-489, 13537-571, 13537-572, 13537-573, 13537-574, 13537-575, 13537-576)
-----------------------------	-----------	---

Revised: 11/2019

Ventura Corporation LTD